Defying Obsolescence

Steven Almond

Supervisors: Natasha Perkins and Tim Miller

Victoria University of Wellington, School of Design Innovation

Master of Design Thesis

2020

Abstract

The average lifespan of a sofa has fallen dramatically over recent decades—from twenty-five years to fewer than eight years (Palmer, 2012).

Two key factors are driving this decline: function and fashion.

Changes to construction methods and materials have resulted in many sofas failing faster and making repair difficult or cost-prohibitive. Meanwhile fashion cycles have become increasingly rapid, resulting in even fully functional sofas being replaced with trendier, more up-to-date styles.

In both cases, sofas typically end up in landfill. This wastes resources, is polluting to the environment, and more resources are consumed in the remanufacture of replacement sofas.

This system, referred to as the linear (or, take-make-dispose) production model is unsustainable and recent research suggests manufacturing products in this way is one of the most pollutive and damaging activities for our environment (Porcelijn, 2016).

This cycle is being further accelerated due to increased transience of young adults, who are moving more often and living in shared accommodation for longer. It is therefore difficult for even the most well-intentioned consumers to justify buying higher-quality products which last longer, as they are usually more expensive and

harder to move, so do not meet current lifestyle needs (Kurutz, 2013 & Petersen, 2017).

Increasing awareness of our environmental responsibilities and finite resources has led to a growing desire by industry and consumers alike to address these issues. While there has been much research into sustainable design, and many new products branded eco-friendly have been introduced, in practice environmental issues have not been adequately addressed (sections 12 & 13).

Manufacturers have focused on biodegradable and recycled materials. Recent research, and the emerging concept of a 'Circular Economy', has highlighted the shortfall in this approach, and is encouraging industry to rethink products to design out waste, keep materials in use and regenerate natural systems (Ellen MacArthur Foundation, 2017a).

This approach has not yet been widely researched in, or applied to, furniture design.

With core themes of repair, adaptability, and considering how this affects ownership models (such as leasing vs owning), a Circular Economy model shows promise in addressing the negative environmental impacts of furniture design and manufacture.

This research investigates new scenarios for sofa design and ownership within

a circular economy model, developed through an iterative 'research through design' process.

The resulting expandable, repairable and adaptable sofa system reduces the volume to landfill of sofas by almost 80 percent over thirty years (section 20).

Utilising a design for deconstruction strategy reduces waste, allows for refurbishing, remanufacture and effective recycling, and increases adaptability, thus allowing a wider pool of potential users. This also supports the potential for new ownership models, such as the Product-as-a-Service model wherein a user does not need to own the product, instead paying to access use, while maintenance and end-of-life responsibility remains with the service provider.

This study of a sofa design is intended to test the effectiveness of emerging Circular Economy design methods, and to illustrate the opportunities and viability of moving towards a Circular Economy, encouraging manufacturers and furniture designers to embrace more sustainable practices.

Contents

Abstract	1	References	168
Contents	3		
1. Foreword	5	Appendices	
2. List of tables, figures and illustrations	6	Appendix A.1 Potential negative impacts from sofa manufacturing	143
3. Glossary	7	Appendix A.2 Material validation table	144
4. What’s the ‘wicked’ problem?	9	Appendix A.3 Eco-costs table	145
5. Developing the research question	11	Appendix A.4 Impacts of repair and replacement materials	146
6. Research scope	13	Appendix A.5 Charts: Linear model sofa vs Circular economy sofa	148
7. Research methodology: Research through Design	15	Appendix B-Prototyping	160
8. A brief history of the sofa	19	Appendix C-Working prototype production	162
9. Sofa construction	20	Appendix D-Two seater GA drawing	164
10. Sofa obsolescence	27		
11. Planning for obsolescence	33		
12. Environmental Impacts	37		
13. Change by design	41		
14. How to defy obsolescence	54		
15. Landmark sofas: the state of play	58		
16. Hypothesis	63		
17. Inspiration	64		
18. Design experimentation and critical reflection	66		
20. Validation—eco-cost indicators	132		
21. Validation—Industry feedback	138		
22. Conclusions	140

Fig.1, Abandoned sofas around Wellington, 2018

1. Foreword

Before starting this research I had the idea to try going one year without buying anything new. The motivation for this was to both save money and reduce my e-nvironmental footprint. A quick google search found 'Buy Nothing New' was already a movement, started in Melbourne in 2010. Buy Nothing New encourages, borrowing, repairing and buying second hand.

In 2018, a UN report concluded we have "12 years to limit climate change catastrophe". This appears to have accelerated the will for change and it seems that a growing section of the public are realising that we cannot continue to consume finite resources in the way we have and are increasingly aware of the environmental damage caused by this mode of consumption (Watts, 2018).

The challenge was going well until I tried to repair my five-year-old, mid-range sofa. The cushions and base had sagged making it uncomfortable and I thought that, as an experienced industrial designer, it should have been easy to repair—it wasn't.

Opening the inside of the couch from the base revealed how poorly made the sofa was: sparse and collapsed webbing for the seat base, no springs, miscellaneous screws and staples right through the frame and protruding inside, thin ply which had cracked, and cardboard used for any curved panels. This explained the creaks and cracks in the frame.

The foam chip cushion inners looked great when new, but had compacted into misshapen cushions. Removing them was difficult as the covers were fixed to the frame and I needed to wrestle them in and out of the cover (with great difficulty) to add new foam.

As a designer, this lack of foresight for repair and recyclability made me think; this can't be an acceptable way to design and manufacture furniture.

The more I looked into this problem, the more I found it was quite normal (Fig.2) and that, after just five years, the sofa was coming to the end of its typical lifespan. There was no way to recycle it, and it was not of high enough quality to repair properly. In the end, I fixed the sofa as best I could and after the Buy Nothing New year was over, I replaced it.

In 2016 Steve Howard, IKEA's sustainability officer, declared we had reached "Peak Stuff" (Hullinger, 2017), and would need to start keeping furniture for longer to reduce impact, since then IKEA has investigated several ways to encourage this, and have committed to using only renewable and recycled materials by 2030 (Ringstrom, 2018).

This suggests industry leaders are beginning to realise furniture waste is a major issue.

2. List of tables, figures and illustrations

Figure	Page				
1. Abandoned sofas around Wellington, 2018	4	40. Waste drinks bottles with Pentatonic AirTool chair	51	78. Iteration 10 isometric view	106
2. Possible transition from Linear Economy to Circular Economy and Cradle to Cradle model	8	41. Overlapping 'change by design' strategies	52	79. Design iteration CE performance	108
3. Linear manufacturing model	10	42. Wishbone 3in1 bike	54	80. Loops in a CE	110
4. Circular Economy manufacturing model	10	43. Tripp Trapp chair	54	81. Potential frame material loops	111
5. Research scope diagram	12	44. Petit Pli - clothes that grow	54	82. Potential suspension material loops	112
6. Research process and sequence	14	45. Braun ET55 Calculator	55	83. Potential upholstery material loops	113
7. Research question and methodology	15	46. Bialetti Moka Express	55	84. Final working prototype	114
8. Research through Design process	6	47. Land Rover Series I 1948	55	85. System single base unit	118
9. Mixed methods research strategies	17	48. Vitra Algue modular system	56	86. System exploded view	120
10. Roman banquet couch	18	49. Eugenia Morpurgo's 'Repair-it-yourself' shoe; Renault Choisy-le-Rois remanufacturing facility; Repairing a Fairphone model.	57	87. System exploded view	122
11. View of the inside of a kylix(stemmed wine cup)	19	50. Sinbad sofa by Vico Magistretti	58	88. System maintenance	124
12. Comparison of coil spring and serpentine spring base	20	51. Transformer sofa by Ron Arad	58	89. System configurator	126
13. Herman Miller/Vitra 'LCW' Chair by Eames Office	21	52. Vitsoe 620 System by Dieter Rams	59	90. System configurations, innovations...	128
14. IKEA 'Moment' Sofa by Neils Gammelgaard	21	53. Camoleonda by Mario Bellini	59	91. Tailored versions	129
15. Vitsoe '620' system by Dieter Rams	21	54. Sofa Compact by Charles and Ray Eames	60	92. Start your 30 year sofa	130
16. Hay 'Can' Sofa by Ronan and Erwan Bouroullec	22	55. Can Sofa by Ronan and Erwan Bouroullec	60	93. Maintain your 30 year sofa	130
17. IKEA 'Delaktig' bed sofa by Tom Dixon	22	56. BR02 Sofa by Martin Visser	61	94. Modify your 30 year sofa	131
18. Cassina 'Aire' sofa by Piero Lissoni	22	57. Delaktig Sofa by Tom Dixon for IKEA	62	95. Move your 30 year sofa	131
19. Comparison of key features in sampled seating designs	24	58. Yeast cell mitosis	64	96. Assumed sofa repair and disposal	132
20. Abandoned sofa, Wellington 2018	26	59. Iteration 1 sketch samples	68	Table	Page
21. Illustration of falling average sofa lifespans	27	60. Iteration 1 isometric view	70	1. Table of compared ergonomic designs	25
22. Series of IKEA catalogue covers	28	61. Iteration 2 sketch samples	72	2. CE measuring methodology	67
23. Illustration of potential sofa/trend performance	29	62. Iteration 2 isometric view	74		
24. PETA protestors	30	63. Iteration 3 sketch samples	76		
25. Typical correlation between cost and repairability	31	64. Iteration 3 isometric view	78		
26. Potential sofa ownership pathways	34	65. Iteration 4 sketch samples	80		
27. Modes of obsolescence affecting sofas	35	66. Iteration 4 isometric view	82		
28. How user priorities and needs could evolve over time	35	67. Iteration 5 sketch samples	84		
29. Waste sofa in landfill	36	68. Iteration 5 isometric view	86		
30. Top 10 environmental impacts	37	69. Iteration 6 sketch samples	88		
31. Linear manufacturing model	38	70. Iteration 6 isometric view	90		
32. Actions, emissions and potential impacts	39	71. Iteration 7 sketch samples	92		
33. Circular Economy model	42	72. Iteration 7 isometric view	94		
34. Cradle to Cradle diagram	43	73. Iteration 8 sketch samples	96		
35. Democratic Design diagram	44	74. Iteration 8 isometric view	98		
36. Ease of deconstructability	45	75. Iteration 9 sketch samples	100		
37. Modes of emotional design	46	76. Iteration 9 isometric view	102		
38. LCA evaluation process	47	77. Iteration 10 sketch samples	104		
39. From fully closed to fully open design	49				

3. Glossary

Carbon sink – Materials which absorb Co2 from the atmosphere during growth

CNC – Computer Numerically Controlled, machinery used for production

Dacron – Polyester fibre lining applied to foam upholstery

Formaldehyde – Added to resin in MDF / Particleboard

FSC – Forestry Stewardship Council

IKEA Hack – DIY modification of IKEA furniture

LCA – Life Cycle analysis

LDPE – Low-density polyethylene

MDF – Medium Density Fibreboard, engineered panel product

Monstrous hybrid – Combined materials which are problematic for recycling

PaaS – Product as a service

Particle board – Engineered timber panel reconstituted from wood fibres and resin

Post-consumer waste - Waste material resulting from disposal of products, after use by the consumer

Pre-consumer waste – Material by-products resulting from the manufacturing process of products

Serpentine spring – Curved "S" shaped spring common in modern sofa production

Fig.2, Possible transition from Linear Economy to Circular Economy and Cradle to Cradle model (not to scale)

4. What's the 'wicked' problem?

Green design strategies often fail as they don't address the core problem—overconsumption.

In a world of limited resources moving from one material to another (i.e. polyester to cotton) to achieve sustainability is flawed (Arsenault, 2017). To achieve a sustainable future we need to end the take-make-waste model and regenerate natural systems.

Swapping materials often just means swapping negative impacts, and doesn't necessarily move us closer to our goal. Designers rely heavily on recycled materials from other waste streams or biodegradable material. Neither of these on their own result in less consumption or regenerate natural systems.

Jan Boelen claims that designers using recycled plastics is "bullshit", as it doesn't address wasteful behaviours, instead arguing for a move to the use of biodegradable materials (Fairs, 2018). While Phillippe Starck argues that "most biodegradable alternatives are made from things that people can eat. It is out of the question that food should be sacrificed to make a chair for example. Even for alternatives such as linseed or hemp, these take up land that could be used for growing food." (United Nations, 2018).

These conflicting opinions signal how sustainable design is truly a 'Wicked Problem'. Wicked problems are those that are characterised by being unclearly defined, symptomatic of other problems (e.g. hyper-consumerism), where there are many stakeholders with differing viewpoints, criteria is moving (e.g. technology, legislation, priorities), decisions impact each other and there is no clear stopping point. (Rittel & Webber, 1973).

Many citizens want society to be more protective of the environment. This has been sparked over recent decades by disasters, documentaries, increasing awareness of pollution, movements and reports. This research investigates the role design can have in the transition from a harmful linear economy, to a sustainable model where natural systems are regenerated and waste is designed out.

Linear manufacturing model

Fig.3, Linear manufacturing model
Adapted from: EMF, n.d.

Circular economy manufacturing model

Fig.4, Circular Economy manufacturing model
Adapted from: EMF, n.d.

5. Developing the research question

Initial research found that there are no sofa recycling schemes in New Zealand, and so most modern sofas will be landfilled at end-of-life. It is common to see sofas discarded on the street (Ward, n.d.), and a number of whole sofas were witnessed in skips and landfill during this research.

This may be after multiple owners, however unless it has a recyclable frame (e.g. steel or aluminium) and other materials that are easy to separate, it will inevitably end up in landfill.

Contemporary sofa assembly methods make it prohibitive to repair or disassemble for recycling. The cost for re-upholstery is often similar, or more than, a new sofa so is usually dismissed in favour of full replacement.

Research shows multiple design strategies are being applied to sustainable design and manufacturing. These typically emphasise reduction of waste, improvement of recycling and use of renewable materials and can be collectively grouped under the header of 'eco-efficiency' (Braungart & McDonough, 2009). While these are important in reducing our impact, they do not fundamentally change how we can safely produce materials and products.

The most successful sustainable designs tend to employ multiple design strategies including repair and adaptability. These strategies are not currently well applied to sofa design.

Circular Economy (CE) principles were chosen to guide this research because they bring together many other sustainable design strategies as part of a holistic and systematic approach (EMF, n.d.).

CE prioritises sharing, repair and remanufacture over recycling. This is an important consideration in designing sustainable products, as keeping materials in a 'closed loop'— where they can be reused for the same purpose—lessens the need for virgin materials and so reduces the burden on our finite resources. It also avoids 'downcycling' where recycled materials are degraded into less and less valuable materials, delaying rather than avoiding, their ending up as waste in landfill (ibid).

Many consumers consider recycling to be one of the most important aspects of sustainability (Sustainable Brands, 2015), but this process uses energy and typically very little material is able to be fully recycled (e.g. only two percent of packaging plastics are fully recycled (EMF, 2017b). Recycling is therefore one of the least favourable options in a CE model.

This pragmatic, practical and transparent approach has potential to solve many of the issues of sofa obsolescence, subsequent material waste and environmental damage from manufacturing replacement sofas.

Final question

Can a circular economy design approach that prioritises repair and adaptability transform sofa design to reduce post-consumer waste and the environmental impact of sofa manufacturing?

Fig.5, Research scope diagram

6. Research scope

Sustainable design is a wide-ranging topic with many interpretations and facets, considering both environmental and social issues. It was therefore necessary to establish clear boundaries for this research.

This research was undertaken over a two-year period and considered the role of design in sustainable sofa manufacturing. A literature review was conducted to explore the history of sofas, environmental impacts, factors that contribute to product obsolescence, and existing proposed design solutions.

This showed that while the environmental impacts of manufacturing and consumption are a key concern for many, very few of the current proposed solutions have been successful in addressing these issues. The Circular Economy model was considered to show the most promise, and has yet to be fully applied to the area of sofa manufacturing and use.

The second stage of study involved in-depth design-specific research into strategies for sustainable design as part of a Circular Economy model.

While social considerations, such as worker health and factory conditions, are critically important when considering sustainability holistically, for the purpose of this research the focus is narrowed to the role of design in the development of an environmentally sustainable sofa.

Also excluded are:

Recovering and refurbishing vintage and antique furniture

While this is an effective method to reduce waste as it directly avoids the manufacturing and material impact of a new sofa, it does not answer how design can reconsider the current methods of new sofa production and ownership.

Recycled materials

Where possible, materials suitable for closed-loop recycling were chosen, as long as they fit the functional needs of the project: repair, maintenance and adaptability. This follows the priorities of a CE model. However, ultimately, this research aims to reduce the need for recycling through strategies to increase longevity of products.

The goal of this research was not to make use of another waste stream (e.g. PET drinks bottles) in sofa construction.

Pre-consumer waste

The wide variety of approaches to obtaining, processing and using materials in the design and construction of sofas mean that a standard model or expectation of pre-consumer waste is almost impossible to obtain. This research is focused on what happens to the sofa after it has been purchased.

Fig.6, Research process and sequence

7. Research methodology: Research through Design

"Research through Designs asks researchers to investigate the speculative future, probing on what the world could and should be." (Zimmerman & Forlizzi, 2014)

This research employs both qualitative and quantitative methods of research to address the two distinct parts of the research question.

To investigate, and assess, how sustainable design strategies could be applied to sofa design a research-through-design approach was chosen, and a sequential exploratory strategy (see Fig.9), in which quantitative data and results assist in the interpretation of qualitative findings, was utilised (Creswell, 2003).

This approach was chosen over the more familiar concurrent research strategy as this approach was deemed less able to support iterative design investigations.

The majority of the research (approximately 75%) was qualitative.

Qualitative and quantitative research methods

Fig.7, Research question and methodology

Research through Design

The focus of this research is to address reparability and adaptability. Problems such as this and exploration of design proposals lend themselves well to 'Research through Design (RtD)', which was chosen as the key research strategy.

This process lends itself to addressing physical problems through an iterative process of testing and critical reflection (Fig.4), and “draws on design’s strength as a reflective practice of continually reinterpreting and reframing a problematic situation through a process of making and critiquing artefacts that function as proposed solutions” (Rittel & Webber, 1973; Schön, 1983).

The method and tools used are consistent with those used in industry, and as demonstrated by Konstantin Grcic in *The Making of Design*. Grcic starts with a 3D CAD model to generate patterns to fabricate a cardboard or paper model. The result is checked and modified and results fed back into the CAD model. These iterative models (3D sketches at 1:1 scale) allow fast reworking and alterations to be made (Böhm, 2005 & Terstiege, 2009).

*Fig.8, Research through Design process.
Adapted from: Zimmerman and Forlizzi, 2014*

Sequential Exploratory Research

Mixed methods research approaches employ either a sequential exploratory strategy, or—more commonly—a concurrent research strategy.

The former approach favours a qualitative-led approach and allows for "quantitative data and results to assist in the interpretation of qualitative findings." (Creswell, 2003). While in the latter both methods happen concurrently and findings from the two data sets are compared (ibid). To support an iterative research through

design approach in which impact estimations could be phased in before the design was fully formalised, and to inform decisions in the latter stages of the design process, a sequential exploratory research strategy was selected.

At stages throughout the iterative design process, the effectiveness of these interpretations were measured with quantitative data by using TU Delft's 2018 Eco-cost database (TU Delft, 2018).

Once this data was collected, the findings (both qualitative and quantitative) were presented to industry experts for feedback through short interviews.

These interviews are approved by the
Victoria University of Wellington Human
Ethics Committee: Application ID:
0000024294

This feedback, material validation and reflection were analysed to form the final conclusion.

Fig.9, Mixed methods research strategies. Adapted from Creswell (2003).

Fig.10, Roman banquet couch

8. A brief history of the sofa

The word sofa comes from the Arabic word 'suffah' meaning "a bench or platform for reclining". Originally an area for reclining and dining it still serves this same purpose in many homes today (Brown, 2012) (Fig.10).

Yet, while the basic function of the sofa has remained unchanged for thousands of years, new materials and modes of manufacturing have made sofas more affordable and accessible than ever before, significantly changing our relationship with the sofa as a household item.

The sofa developed from a raised platform of stone covered in animal skin or carpets into more sophisticated 'divan' with a sprung base and upholstery around the 18th century.

As materials and designs became more exotic the sofa became a symbol of status and statement of good taste, although most people could only afford a simple bench without upholstery. It was only from the Victorian era onwards that sofa type furniture became accessible to many. Sofas developed into a formal piece of furniture in the Victorian and Edwardian eras in the United Kingdom and Belle Époque period in France.

Demand for sofas increased as living conditions improved post industrial revolution and chosen materials included local hardwoods and exotic timbers such as teak and mahogany. Upholstery padding at this time was often made from horsehair, tree moss, dried grass, cotton, or wood shavings. These materials have now

largely been replaced with synthetic foam padding combined with rubber or steel spring structures (Peeples, 2017).

Throughout the 20th century new styles of sofas emerged such as the formal chesterfield and cabriole, and the more casual davenport, modernist, and futon styles.

After WWII new materials developed during the war, including resins for plywood, fibreglass and plastics, emerged making furniture more affordable (Gilbert, 2015 and Shepherd & Shepherd, 2018).

Modular, or sectional, designs came onto the market from the 1950s as designers strived to fulfil modernist ideals of good affordable design.

The 1960s brought a new design language which took advantage of new technologies and materials, such as new plastics, to form sofas in new shapes and colours. American, British, Italian and Scandinavian manufacturers emerged as leaders of modern furniture designs.

Since the late 1990s, much sofa manufacturing has moved to China due to affordable labour, scale of manufacturing and a global shift to centralised manufacturing. While this has made sofas more affordable than ever before, it has also reduced the life expectancy of many sofas (see section 9).

Fig. 11, View of the inside of a kylix (stemmed wine cup), circa 500 B.C., attributed to Onesimos. J. Paul Getty Museum, 82.AE.14

9. Sofa construction

a. Modern sofa construction: a problem in the making

Approaches to sofa design and construction can be divided into two broad categories—traditional, which was used in furniture made pre 1960-70s and in new 'craftsman built' sofas today; and contemporary, which can be seen in mass-produced sofas made from the 1970s onwards, and allows for faster production, less manual labour and therefore a more affordable sofa.

The emphasis of traditional construction is on craftsmanship, comfort and quality, whereas contemporary methods are more affordable and typically more on trend. Contemporary sofas have taken advantage of new materials (particle board, polyurethane foam) to lower the cost and productionise the build process (Petersen, 2017).

As the traditional method is built largely by hand from high quality materials by a skilled furniture maker and upholsterer, it can be repaired by other furniture makers.

The contemporary mass produced sofa is built using materials and techniques more suited to a factory, reupholstering these is harder as the frame materials are not suited to traditional repair methods. Upholstery finishing is still largely a manual skilled role, even in mass produced sofas (Brown, 2014).

While there are many variations of the methods and materials used, the average sofa is comprised of just four elements: frame, suspension system, wadding and filling, and upholstery.

An example of how these two methods of construction are applied to the four elements is outlined here and as detailed in the Spruce Upholstery and Design Guide (Brown, 2014).

Fig.12, Comparison of coil spring and serpentine spring seat base

Traditional construction

Frame

A hardwood frame is joined with dowels, screws and animal or synthetic glue and, if wanted, frame parts shaped to create curved forms. Feet are typically joined to the frame with a screw fitting, or the frame itself may form the foot.

Suspension

Webbing is stretched across and tacked or stapled to the frame to add tension and strength. This creates a base for the coil spring suspension which forms to the shape of the user to give even support when sitting and lift when standing.

Steel coil springs are tied or cinched in place with clips, and jute cord is tied across the springs in four directions to secure them to the frame and force them to act together as a unit to aid comfort. This type of suspension is very durable and rarely need to be replaced (Brown, 2014).

A modern alternative to this is a coil spring unit (fig.12).

Finally, heavy linen fabric is laid over the springs and sewn to the coils to protect the upholstery (ibid).

Wadding and filling

Wadding softens the surface of the spring base, gives the piece a plush surface, and moulds the shape of the chair. Horsehair, cotton or straw are built up over the protective linen layer and held in place with another layer of linen. A final layer of cotton wadding is used to give a soft layer

to sit under the upholstery.

Upholstery

Leather, linen, velvet and wool are all popular upholstery fabric choices, and are either sewn to fit over the form, or made to fit in place by folding the fabric under and tacking it to the frame. Decorative tacks, such as brass dome headed tacks, may also be used as a design feature around arms and frame base.

The seat base or back may be buttoned to help maintain structure and add a design detail, and these buttons tightly tied through the upholstery and wadding to indent them.

A 'box cushion' may be used for the seat base to keep it separate it from the frame. This is a fabric pocket, typically with piping around the edges to maintain structure, over a wadding core.

Contemporary construction

Frame

A frame is usually pinned, screwed or dowelled together from panels cut from particleboard, plywood, MDF, or a softwood such as pine. Timber corner reinforcement may be glued in place, or steel brackets used, to increase strength and durability of the frame.

IKEAs Klippan sofa has replaced an earlier wooden frame with particle board reducing its manufacturing and retail cost (Mikel, 2017).

Frames may also be made from low-carbon steel sections cut and welded together. Different grades of steel are used for framing (low-carbon steel), fixings (medium carbon steel) or springs (high carbon steel).

Suspension

Serpentine, or zig-zag, springs are commonly used in place of the more costly and labour intensive coil springs used in traditional construction methods (fig.12).

These are tacked to the frame from back to front using special clips forming a sprung seat base, and jute cord is tied between them to form a spring unit. This is covered with heavy fabric to protect the materials above from wearing on the edges of the springs (Brown, 2014).

For the seat back, webbing, serpentine springs, or sometimes only a tensioned fabric sheet may be used, and is stapled to the frame to hold it in place.

Wadding and filling

Polyurethane foam is built up in chosen densities and fixed to the frame using spray adhesive. Polyester 'Dacron' fibre sheeting is wrapped over this to allow subsequent upholstery layers to slide easily over the foam. This also rounds the foam edges.

'Box cushions', are also common in this construction style, and are built up in thicker foam layers. Cushions may also use chipped foam created from offcuts to give a more rounded and plush form than a foam slab.

Upholstery

Cotton (often blended with synthetic fibres to add strength), leather (real or synthetic), polyester, and wool, are all common choices for upholstery fabric.

A base layer may be applied to smooth the sofa before the top layer dresses the piece. These layers are stapled in place and a polypropylene cambric dust cover is stapled over the bottom to close the frame before feet are screwed in through the dust cover (Brown, 2014).

b. Technology of seating ergonomics

Observations of end-of-life sofas show that comfort, or lack thereof, is a significant factor in whether a sofa is discarded.

Ergonomics and, to a lesser extent, material choice are key factors in what makes a sofa comfortable. At the same time various elements of ergonomics, including differences in angle, depth and profile all have different technical requirements, which can in turn influence the material make-up of a sofa.

Fig.13, Herman Miller/Vitra 'LCW' chair by Eames Office

The LCW chair has contoured moulded plywood seat and back panels which support the body evenly without pressure points. The seat is angled down backwards, avoiding the need for springs to deform to support the body and creating a comfortable seating position with the buttocks and thighs taking most of the weight.

The LCW chair doesn't adjust to different body types as an upholstered chair would and only accommodates one resting position.

Therefore, an understanding of the ergonomics of sofa design and how these impact comfort and material choice, as well as reparability and adaptability, is critical to meeting the needs of a Circular Economy sofa.

The following six examples represent common uses of seating technology to support and enhance comfort.

Fig.14, IKEA 'Moment' sofa by Niels Gammelgaard

The Moment sofa also uses an angled seat base, placing the majority of load on the buttocks and thighs. However as this sofa is built to seat 2-3 people the support structures cannot be contoured as they are in the LCW chair, instead foam padding is used to support additional load spreading.

Fig.15, Vitsoe '620' system by Dieter Rams

The Vitsoe chair uses a traditional steel coil spring suspension unit fixed on a similar angle to the Moment sofa. The springs are able to deform to increase the angle and contour the seat to the body. This spring action has the added benefit of helping the sitter stand up.

On top of the spring system a coir (coconut fibre) pad further softens the spring surface and a layer of foam moulds the support to the body (Vitsoe, n.d.). This is a sophisticated system using three layers to create suspension and support.

Unlike the other examples in this section, the Vitsoe has a high back which support the neck and shoulders.

Fig.16, Hay 'Can' Sofa by Ronan and Erwan Bouroullec

The Can Sofa has a flat sheet metal base with a loose foam cushion on top providing both pressure support and cushioning.

The design is conceived to be self assembled with a flat base structure that is simple to build and fabricate. A thicker seat cushion is used in place of the spring base.

Fig.17, IKEA 'Delaktig' bed sofa by Tom Dixon

The Delaktig sofa uses a flat mattress-type seat on a timber slatted support. The suspension angle is created by coil 'pocket springs' inside the mattress, with foam slabs on the outside edges and top under an upholstery layer. This allows the object to function equally as a sofa, or a bed.

The frame structure, as with the Can sofa, has been simplified to assist with ease of assembly and allow for the potential replacement of the mattress.

Fig.18, Cassina 'Aire' sofa by Piero Lissoni

This sofa uses a tensile support cover which reduces the required polyurethane foam by 65 percent compared to a typical sofa padded with foam (Stylepark, n.d.).

The foam layer on top of the cover helps spread the load while the tension of the membrane functions as both spring support and padding. As this structure relies on tension there is a risk that it could dip and move in an undesirable way with multiple occupants both moving independently.

A downside of this system is that a small area of damage to the membrane may result in the whole cover being replaced.

Comparison of key features in sampled seating designs

Fig.19, Comparison of key features in sampled seating designs.

Discussion

Clear linear relationships can be seen in these examples demonstrating:

- More sophisticated suspension provides higher levels of comfort
- Highly adaptable systems are more repairable
- More comfortable systems are generally also more repairable

The LCW chair is the simplest, avoiding the need for foam, springs or upholstery, but does not allow multiple resting positions as in sprung and upholstered examples and for these reasons this format would not adapt well to a sofa.

The 620 chair is the most sophisticated and

potentially comfortable system but this requires much more material (and material types) than the other systems.

The Moment, Can and Delaktig sofas eschew typical seating technology for the ability to be flat-packed and easily transported—features which may be valued by users who are moving house frequently.

Delaktig uses mattress technology to conceal the springs in the seat cushion achieving a sofa which is both comfortable and transportable.

Aire applies a tensile membrane typically seen in task chairs such as Herman Miller’s Aeron Chair. This works well for one occupant but may react differently with two people seated, due to the added

tension on the membrane.

Overall, this comparison shows that a non-angled base is acceptable as long as there adequate suspension to increase comfort. This can benefit fabrication, assembly and transportation.

Angling the seat can also enhance comfort while being more material efficient.

Creating the suspension system from separate material components may also mean damaged or worn elements can be more easily isolated and repaired or replaced.

With the exception of the Vitsoe 620 chair, these examples share a similar low back, this gives lumbar support, though does not

support the shoulders and neck. This could be acceptable due to fashion or function considerations— as many modern sofas are often used to lie on, rather than formally sit on. Tom Dixon’s Delaktig ‘bed-sofa’ demonstrates the line between sofa and bed could be beginning to blur (Farquhar, 2018).

Design	Seat angle	Suspension method	Support method
LCW chair	Approximately 3°	Contoured plywood panel	Moulded, contoured plywood panel
Moment sofa	Approximately 3°	Steel mesh frame	PU foam cushion
620 Chair	Approximately 3°	Tied coil springs under coir layer	Coir layer and PU foam cushion
Can sofa	0°	Folded steel panel	PU foam cushion
Delaktig “bed-sofa”	0°	Internal pocket springs in seat ‘mattress’, supported by timber slats	PU foam cushion

Table.1, Table of compared ergonomic designs.

Fig.20, Abandoned sofa, Wellington 2018

10. Sofa obsolescence

It's not uncommon to hear of sofas which have lasted over forty years becoming heirlooms while some modern sofas fail within the first few years (Hezel, 2017; Petersen, 2017).

This is because over recent decades the life expectancy of a sofa has shortened from 15+ years to 7.8 years or less (Palmer, 2012). Despite this, at least half of all consumers expect furniture to last 20 years or more (Mallon, 2018).

"That blue couch survived as long as it did because it's framing was solid wood; whatever its stuffing was, it held on for decades, not years." Anne Helen Petersen (2017)

Fig.21, Illustration of falling average sofa lifespans, Figures from: Hezel, 2017; Petersen, 2017; Palmer, 2012.

a. Modes of non-functional obsolescence

An item can become obsolete for multiple reasons other than it having materially or structurally deteriorated to a point where it no longer performs acceptably.

The aesthetic may no longer be on trend, the format and size may no longer be suitable due to change in circumstances (such as a growing family or downsizing), or the cost to adapt or repair may be prohibitive.

Burns (2010) suggests these modes of obsolescence can be grouped into four categories: Aesthetic, economic, social, and technological. As outlined below, aesthetic and economic factors seem to have the greatest impact on sofa obsolescence.

Aesthetic obsolescence

This can happen when an item is either no longer fashionable or is visually worn and so no longer desirable.

Fashion-based

Clothing, hairstyles, accessories and even household items are subject to fashion trends and often replaced or discarded when they go out of style rather than when they cease to function.

Fashion cycles for some items move rapidly (clothing, electronics), while for others, including bigger ticket items, they tend to move more slowly. The challenge is that they still move.

Furniture is seen as a signifier of progress in life and good taste (Petersen, 2017).

While the basic couch structure and materials change very little over time, the shape, colour and use of patterns, as well as accents such as leg material and colour, change more often.

While these changes can offer consumers greater choice they also carry risk as purchasing a sofa that is heavily influenced by the trends of today may quickly date the item, causing it to go prematurely 'out of fashion'.

The fashion cycle of sofas appears to be five to 10 years, with new designs appearing, and vintage designs coming back into favour.

Reviewing IKEA catalogue covers over decades shows a classic sofa design, the Scandinavian inspired mid-century sofa, reappearing every decade (see, 1978, 1988 and 2008 covers), with new designs cycling faster. This is emphasised in interior design magazines where the latest colour trends are promoted and styles change rapidly (see fig.22).

Fig.22, Series of IKEA catalogue covers illustrating changing fashion cycles

1974 - Peak pine fashion

1978 - Classic recurring 'mid-century' inspired sofa design

1985 – Edgy design, has now become a sought after classic

1988 – Classic recurring 'mid-century' inspired sofa design

1994 – Patterns and rolled arm sofas become fashionable

2008 – Classic recurring 'mid-century' inspired sofa design

Many sofas currently available in New Zealand follow this mid-century Scandinavian-inspired design and are upholstered in a muted colour palette. This minimises the risk of a sofa dating quickly or clashing with existing or future décor, these are important considerations as a sofa is an expensive purchase. Being a relatively safe option this style is likely to be a compromise between partners' tastes, no matter how different.

Unless a consumer replaces their sofa for the latest seasonal trends it will almost always be somewhat 'off trend', even soon after purchase. While classic sofas tend to remain desirable over decades and so are less affected by fashion cycles.

As there are many compromises involved when choosing from off-the shelf designs it is unlikely the sofa will ever be 100 percent suitable, especially over a longer period. There is clearly an opportunity for design to offer greater aesthetic customisation and creative input from buyers.

This suggests there are two paths available for overcoming fashion-based aesthetic obsolescence:

- Design a sofa which will be unaffected by fashion cycles
- Design a system able to be adapted to changing fashions

While it is technically harder to design for adaptability, there is no value in replicating existing popular designs, and aiming to create a timeless design is no guarantee of success. Many new designs appear every year, very few become classics.

Fig.23, Illustration of potential sofa / trend performance]

“As a rule, beautiful things tend to have a longer history than ugly ones. We take good care of beautiful things, invest in maintaining them, and perhaps even try to preserve them for the future.” Fredrik Bengtsson (2010)

Wear and tear-based

Damage to a product from use can be viewed positively or negatively. For example, in denim jeans some signs of wear can be desirable, while for a car a scratch to the paintwork would be considered negative.

Applied to sofas both scenarios could be true; a leather sofa can develop a desirable patina over time, while a fabric sofa could fade, sag and tear, and would be considered untidy.

Some areas, such as corners, edges and seat covers, are prone to high wear and upholstering the item in a single material can highlight fading due to UV photo-degradation—a particular problem in New Zealand.

Design decisions, such as upholstering sections of the sofa contrastingly, may limit apparent wear and may even make the sofa as a whole more eclectic and desirable over a longer lifespan.

Cooper (2010) and Burns (2010) describe how worn a product appears as its “useness” versus its “newness”.

In Worn Out or Worn In?, Ross Stevens (2006) considered the potential for mass-produced products to age and develop patina with use as a strategy to strengthen the bond we have with our belongings. Stevens proposes that designers could design products with the added dimension of time to create more personal product experiences.

Social obsolescence

Social obsolescence affects products when they become unacceptable to society based on shifting values; consider gollywog dolls, fur coats, and even cigarettes.

While sofas are unlikely to become socially obsolete, the materials they use may, for examples leather and synthetic fabrics.

Leather: Leather sofas may become undesirable as people look to move away from animal products. While leather has not yet been as targeted as other animal skins and furs, perhaps because it is considered a by-product of the meat industry, this may change in the future (Edwards, 2018).

Synthetic fibres: There has been growing stigma against synthetic fabrics as the fibres that are shed during washing they have been found in the ocean where they contaminate the food chain and harm marine life (Paddison, 2016). While this is primarily an issue with clothing, rather than upholstery which is not regularly laundered, it could turn people off synthetic fibres in general.

Fig.24, PETA protestors

Technological obsolescence

Possibly the most well-known form of obsolescence, this is when products are superseded by new technology and become undesirable despite functioning well. This too can be viewed positively or negatively.

For example, typewriters have been superseded by computers, and this is considered to be positive obsolescence as it is the result of innovation and the creation of a superior product.

Technological obsolescence is usually viewed negatively if it results in products becoming less usable before expectation. For example, Apple faced criticism when streamlining the ports on their MacBook, making it impossible to connect hardware without a new adapter. (Matney, 2016)

In the past many products were built to be durable and repairable, but pressure to manufacture cheaper goods has reduced quality and lifespan (Cassidy, 2014). This rapid development can also mean older products are not supported with spare parts after production ceases, or entire subassemblies have to be disposed of rather than individual failed parts. This can annoy customers and negatively impact brand loyalty (Burns, 2010).

Today repairable and adaptable products are typically niche, high-end products, and the high price of these makes it difficult to justify paying extra when technology and fashion is evolving. Consider the repairable Dualit toaster, which retails at \$445—many times more than the 'cheap and cheerful' brands, which retail for as little as \$9 and fulfil the same function.

Technological obsolescence can be avoided without discouraging innovation by designing systems that allow future innovations to be integrated into current models—known as forwards compatibility.

Fairphone produce a modular, repairable and upgradable mobile phone (Holligan, 2015). While the cost to build in this compatibility means the initial manufacturing and retail cost is often higher, there should be material and cost savings long-term that offset this initial investment. Manufacturers can still benefit if this approach encourages greater customer loyalty, and producing more durable products may protect them from changes in legislation such as product stewardship schemes (European Parliament, 2017).

EU legislators are developing legislation that would require greater product repairability and replacability, particularly for components which typically break or wear out, such as LEDs or batteries. In Sweden sales tax on repairs has been reduced to incentivise people to repair and maintain their products (Starritt, 2017).

Sofa technology has not evolved as quickly as some other industries; the method of construction has remained essentially the same since the mid-20th century (see section 9). However, modern materials such as particle board, have made repair harder as these poor quality materials are prone to damage during disassembly, whereas frames made from solid wood could be re-joined and glued to repair them.

Fig.25, Typical correlation between cost and repairability

Economic obsolescence

Mass-production and decentralised manufacturing has made many products which would have once been expensive to purchase more affordable and accessible. Often, this means that if a product is broken it may be easier and less expensive to replace rather than repair.

A number of design strategies can be implemented to avoid economic obsolescence:

- Ensuring ease of repair to minimise labour cost
- Functional adaptability for changing user needs
- Aesthetic customisation for changing taste and fashion
- 'Knock-down' features for easy transportation.

Sofas too have become more affordable over recent decades and so professional re-upholstery has in turn become less appealing due to the comparative cost of replacement and re-upholstery. As an example, the upholstery materials and labour for the prototype sofa developed for this research cost \$872; similar or more than comparative sofas currently on the market.

“This mode commonly occurs when repair, maintenance, reuse or upgrade is too costly to be justified by the manufacturer or the consumer.” - Brian Burns (2010)

11. Planning for obsolescence

Rather than seeking to avoid obsolescence, Burns (2010) proposes that obsolescence is inevitable and should be planned for.

He makes these suggestions for consideration when designing an obsolescence resilient product:

How mature is the product and market? Are there likely to be rapid technological changes in the near future?

The sofa market can be considered mature. The design and fabrication of a sofa has changed only gradually over the past 50 - 100 years (for example, wadding has moved from horsehair or down to cotton and now commonly polyester), but has changed little in form and function.

This presents two opportunities for potential disruption:

The first being through technological innovation in the form of new materials or digital manufacturing to aid repairability.

The second, changes in the ownership model. For example, leasing model could be applied to provide a higher quality sofa at a more accessible cost to the user. ('Product as a service' models are discussed in more detail in section 13.j).

What is the expected cost—either cost of use or per use?

The term 'cost per wear' is used frequently in the fashion industry to highlight that a cheaper garment is not good value if you only wear it a handful of times, and to justify the value of, and investment in, a more expensive, but longer-lasting garment. Although the key benefit for most customers is cost saving, this also has environmental benefits in reducing resource use and waste.

Applying this thinking to a sofa, the expectation would be that a higher quality sofa costs less per year over its lifespan, however this is not necessarily the case. An affordable sofa in NZ could be \$600 with a

2 year warranty, and last 7 years. A higher quality sofa can cost \$2000 to \$3000, with a 10+ year warranty, and last 10 - 20 years (Stacks Furniture, 2019).

The per year cost of the high quality sofa is higher, but the waste and environmental impact is significantly lower, as it can outlast multiple lower cost sofas.

What is an appropriate lifespan?

In the example above, the cost per day is much higher in a mid-range or high-end sofa, even when maintaining this for twice as long as an entry level sofa. This suggests a higher-end sofa has to offer more than just a longer life and repairability. This could be the ability to change functionality, aesthetics, or build a stronger emotional connection.

The increased transience of the population, through renting and moving more frequently, has meant people may find themselves only needing a sofa for a few

months, or a few years at a time.

This has created an opportunity for companies to consider new methods of providing sofas, such as through leasing and Product-as-a-Service (PaaS) systems.

Several new companies have been started to respond to this market opportunity. Strata Sofa (UK) are leasing furniture to landlords, and LiveFeather (USA) are leasing a range of domestic furniture with leases starting at just three months (EMF, 2017a & Feather, n.d.).

Alternatively, you may use a single sofa for all your adult life. This suggests potential for a buy-back model which incentivises users to keep a sofa for a long time, rather than a leasing model which carries an ongoing cost.

In both cases repairability and adaptability are needed to ensure the sofa can be loaned to different users, or maintained by one user for a long time.

What are the likely technological changes in this time?

Digital fabrication has the potential to make parts-to-order locally, allowing mass customisation. This may support sustainability outcomes by encouraging someone to keep their sofa for a longer time as it is unique to them.

An example of digitally manufactured seating is Sketch Chair (2011), which allows users to design their own chair and have it cut out on a CNC router. However, as the components are specific, if a part is broken there are no off-the-shelf parts available, and a new part would need to be cut. This could make it harder to repair.

Digital customisation of covers is an option which would allow creative freedom while maintaining the ability to repair and replace most of the sofa with standard parts.

More sustainable materials are emerging, such as Ligate adhesive for engineered timber products (Scion, n.d.). Designing for deconstruction allows these new materials to be phased into old units.

What is the likelihood of laws and standards changing?

Globally, pro-environmental legislation is emerging. As discussed above, new EU legislation is introducing product stewardship schemes for certain products, with recommendations for other products to ensure repairability (Anastasio, 2018).

The New Zealand government is also considering stewardship schemes for lithium batteries and used tyres, and are currently debating introduction of

additional landfill taxes on all waste (New Zealand Government, Ministry for the Environment, 2018).

Stewardship schemes apply a fee at the point of sale of a product to cover the cost of responsibly recycling or disposing of the product at end-of-life. This should encourage manufacturers to take responsibility for their products waste, and design with disassembly and repairability in mind.

Stewardship schemes generally target highly toxic items (e.g. batteries, tyres, agrichemicals) so are unlikely to affect sofas (ibid).

Additional landfill taxes are designed to encourage businesses and individuals to be less wasteful. Manufacturers may be encouraged to reduce pre-consumer waste to reduce their disposal costs, while owners may consider a longer lasting product, repairing or selling the sofa instead of disposing it.

Unlike stewardship schemes, additional landfill taxes would cover all items sent to landfill. As sofas are bulky items consisting of low value materials this would significantly affect owners.

Cascading sofa ownership

Fig.26, Potential sofa ownership pathways

Given the different reasons for a sofa being passed on or disposed of, it may not go to landfill after one owner. Typically sofas are given to other family members or friends, donated to charities or sold second hand. However, there needs to be enough demand for second hand sofas, and they need to be of high enough quality, to prevent them going to landfill.

Potential sofa ownership scenarios are illustrated in Fig.26, showing ways a sofa could pass through several owners, and generations. Current sofa designs do not allow adaptability to fully meet the demands of these different users, suggesting this is a strong opportunity for design experimentation.

Discussion

Sofas become obsolete for a number of reasons both functional and non-functional.

On one hand, many sofas are now made from cheaper and lower quality materials (e.g. MDF as opposed to solid timber) to compete on cost. This results in products failing earlier and comes at an environmental cost.

At the same time this short life span, along with fashion-based obsolescence, gives customers more choice, and the ability to change their sofa more frequently. Despite the environmental impacts (section 12), it is justifiable from a cost perspective to replace an old sofa with a new one after only 5-10 years rather than repair it.

modes of obsolescence

Fig.27, The most significant modes of obsolescence affecting sofas, based on Burns definitions

Users' needs also change over time, at different times prioritising affordability, style, function and practicality.

To address issues of sustainability and obsolescence, designers should design for less consumption of total materials, while addressing changing user needs. Any new system should propose abundance of material, choice and creativity for it to be appealing.

Fig.28, How user priorities and needs could evolve over time

“Only one percent of the total North American materials flow ends up in, and is still being used within, products six months after their sale.”

Hawken, Lovins & Lovins (2000)

Fig.29, Waste sofa in landfill.

12. Environmental Impacts

Since the 1960s, researchers and commentators have argued that the current model of consumption is wasteful and polluting (Packard, 1960 & Papanek, 1973). Designer, Babette Porcelijn (2016) calculated that the impact-per-person from manufacturing products is larger than any other industry (fig.30).

Public awareness has also increased in recent years resulting in consumers asking for more sustainable products, and some manufacturers are starting to change in response (Colmar Brunton, 2017).

Despite this, pollution, emissions and depletion of resources have increased, demonstrating that current strategies for sustainability are inadequate, or are being adopted too slowly (United Nations, 2016).

Fig.30, Top 10 environmental impacts, Porcelijn 2016.

a. The linear production model

The model that contributes most to this pollution and rapid resource depletion is the linear production model, also known as the ‘take-make-dispose’ model. It does not design for responsible material use or regenerative systems (fig.31).

To ensure positive design decisions are being made to limit these impacts it is important to understand the specific effects on the environment from furniture manufacturing.

This understanding should prevent design choices which remove some impacts only to add others elsewhere.

There are four key stages to consider when assessing the environmental impacts of the linear production model: Extraction and harvesting, manufacturing and production, use, distribution, and finally, disposal.

Extraction and harvesting

Mining and drilling impacts

Open-cast mining removes top soil and ecosystems to access deposits. This damages natural vegetation which would provide natural carbon sinks, habitats, and prevent erosion helping to protect waterways from pollution.

The heavy machinery used for extraction and transport has high energy needs, emitting greenhouse gases. During transport, particularly sea cargo, there is a further risk that extracted materials are spilt into the environment.

Fig.31, Linear manufacturing model Adapted from: EMF, 2015.

In addition to these effects, there is also the risk that processing chemicals and waste can make their way into waterways and the environment.

Harvesting impacts

Harvesting materials for manufacturing often requires either removing an existing natural resource and habitats (e.g. wetlands or forests) or adding pollutants such as insecticides and pesticides to the environment to protect commercial crops. These can also leach into waterways.

Irrigation may also be diverted from supplies needed elsewhere. For example, growing the fibre for a cotton t-shirt requires approximately 2,700 litres of water, which often cannot be met through

rainfall alone (WWF, 2013).

Forestry also presents a number of eco-challenges, and while responsible forestry replants trees to maintain a stock, non-certified timber could be from native forests which may not be replanted.

Natural rubber and cork harvesting involve careful management of forests. Natural latex rubber is ‘tapped’ from the tree, and cork which is cut from the tree bark, and therefore the trees are left in place and the forest is maintained.

Wool is often used in upholstery due to durability and being naturally fire retardant. However livestock management for wool production can raise animal welfare and environmental issues. The methane

produced by livestock contributes to greenhouse gasses and, although banned in New Zealand, mulesing (a painful process of clipping the sheep to prevent build-up of waste) is widely criticised (Weyman-Jones, 2018).

In all these cases land used may be diverted from food production, meaning a resource valuable to local communities is lost.

Manufacturing

Once materials are gathered they need to be processed into usable products for furniture production, this can lead to issues such as material waste and processing by-products, high energy use, and toxicity.

Metal refining inevitably creates by-products and waste, for example slag, sludge, dust and gases from aluminium and steel smelting, and ingredients added to purify the raw material, such as limestone, are often left over (Jernkontoret, 2018).

In wood processing material loss is inevitable, for example the trimming of tree trunks and boards for timber or plywood.

In processing textiles and paper the chemicals used, such as the chlorine and bleach, can flow into water systems. Large volumes of water are often used in dyeing and washing materials, and discharged as wastewater (Solomon, 1996 & WWF, n.d.).

Sometimes waste products can be used—such as gas for energy generation, dusts for cement, wood for mulches, and compost for agriculture—however many are only waste products.

Processing these materials also requires energy for equipment and transport. While in New Zealand a significant proportion of our energy is renewable, elsewhere renewable production is not as high and therefore fossil fuels are used, emitting Co2 gas and other pollutants.

Engineered timber boards (e.g. MDF, particleboard) often require chemicals or resins which are known to be carcinogenic and pose a risk to workers in production. These can continue to off-gas after production, potentially affecting owners (Salant, 2008).

Distribution

A consequence of the efficiencies gained through centralising manufacturing has been an increased reliance on transport—often over long distances. This increases the risk of spillage or leakage of hazardous materials, for example, plastic nurdles (pellets for plastic production) have washed up on beaches all over the world after being split from a container ship (Gubana, 2018). These pellets are often mistaken for food by marine life.

Sofas are bulky and so shipped via sea freight. While sea freight contributes significantly lower CO2 emissions than other forms of transport, this still adds to their carbon footprint of (see appendix A.6).

Disposal

Due to the combined materials and construction methods which prevent easy disassembly, sofas are typically disposed of whole into landfill. This allows materials to leach into the ground and groundwater, while loose waste can blow into the surrounding environment.

Photographer Andrew Ward documents the phenomenon of street sofas in Sofas of LA, where they are dumped awaiting bulk waste removal, further demonstrating that there are not adequate end-of-life solutions for sofas (Ward, n.d.).

Organic materials (e.g. cotton, timber, and wool) are not typically separated to be biodegraded and therefore break down anaerobically releasing methane, a potent greenhouse gas, unless it is captured for energy (Lee, Han & Wang, 2017).

As well as pollutive impacts, disposal in this way loses resources.

For more on the environmental impacts of furniture production see Appendix A.1

Fig.32, Actions, emissions and potential impacts. Adapted from: Audi, 2012.

b. Alternatives to linear production model

In order to stop the loss of materials, eliminate waste and regenerate natural systems, the Ellen MacArthur Foundation are working to establish a circular economy model which can replace the linear production model.

The Circular Economy model builds on the work of Braungart & McDonough (2009) through their Cradle to Cradle model, and Stahl & Reday (1981) on the performance economy. These models are discussed in section 13.

c. Discussion

All materials and processes involved in sofa production have some negative impacts and risks, and must be managed to limit environmental harm (see Appendix A.1).

As we have moved to centralised manufacturing, supply chains have become larger and less transparent, this can result in lower environmental standards.

Some processes can viewed as part of a natural system and if responsibly managed can be regenerative; bamboo, cork, rubber, and wool production.

Given the potential harm resulting from creating products, and how much material is wasted through this process and at end-of-life, this is an issue that requires change in legislation and infrastructure as much as design.

No facilities were found to recycle sofas, and given the time needed to disassemble them fully and the low value of materials it would not be viable with current designs.

Material choices can be made based on different priorities (e.g. durability, organic, and recyclability), making it difficult to judge which materials are 'best'. Substituting materials may mean we are more sustainable in some aspects but less in others.

Considering that all materials have an impact, less material consumption and production is the most effective way to reduce externalities. In 2016 Steve Howard, IKEAs sustainability officer, declared we had reached "Peak Stuff", and would need to start keeping furniture for longer to reduce impact (Hullinger, 2017).

"A new (made in China) chest of drawers has a carbon footprint 16 times higher than the antique equivalent per year." – Alice Grahame (2015)

13. Change by design

Almost half a century ago, designer and educator, Victor Papanek said; "in pollution, the designer is more heavily implicated than most people." (Papanek, 1973)

We can clearly see that through changes to manufacturing and material choice design has continued to play an increasing role in pollution to this day.

Papanek (1973) also said, "if design is ecologically responsive, then it is also revolutionary." This section presents an overview of existing design strategies to foster sustainability.

a. Circular economy

Suggested as an alternative to the linear economy, the Ellen MacArthur Foundation (2015) are working to move us to a circular economy, prioritising:

- Designing out waste and pollution
- Keeping products and materials in use
- Regenerating natural systems.

The Circular Economy (CE) builds on a number of previous models, including Cradle to Cradle (Poppelaars, 2014).

Following these models, CE emphasises the need to keep biological and technical materials separate, arguing that combining them increases complexity and reduces our ability to recover materials, or in the case biological materials, return them to the biosphere at end of life.

What makes CE different from these models is its emphasis on reducing virgin material input through actions such as sharing (e.g. leasing), repairing, and remanufacturing products.

These also reduces the need for recycling.

CEprioritiesminimise recyclingas it is an inefficient process, due to the energy needed for collection and processing, and loss of contaminated materials.

For example, only a small proportion of plastics are truly recycled in a closed loop to create materials of equal performance, while the rest is cascaded into less valuable materials or leaked into the environment (Ellen MacArthur Foundation, 2016).

Fig.33, Circular Economy model
Adapted from: EMF, 2015

b. Cradle to Cradle

Cradle to Cradle (C2C) maps human industry against nature's processes and encourages an approach to design that is beneficial for the world.

Creators, Braungart and McDonough (2009) stress that eco-efficiency (reducing impacts and waste) keeps us busy but does not open the door to regenerative design.

"Being less bad is not being good." – Braungart & McDonough (2008)

They are also critical of combined materials, describing them as "monstrous hybrids" as they make recovery and separation complicated and unfeasible.

In addition to condemning monstrous hybrids, C2C maintains a list of banned materials deemed too harmful to use. For example, PVC (polyvinyl chloride), a proven carcinogenic, is banned due to its toxicity (McDonough Braungart Design Chemistry, 2012).

The C2C design approach goes beyond the product. At Herman Miller the principles were applied to the factory; introducing natural light, fresh air and greenery, improving worker health and satisfaction (Braungart & McDonough, 2009)

The ultimate vision of C2C is for products and factories to have enriching outputs, for example, generating clean energy, purifying water, and producing by-products which enrich soils.

C2C offers a potential framework for sustainable sofa design and production which, if successful, would see sofa design become an environmental good.

Fig. 34, Cradle to Cradle diagram
Adapted from: Braungart & McDonough, 2009

c. Democratic design

Phillipe Starck described Democratic Design as: “inspired by the organic and a will to initiate a sustainable de-growth, always looking for the most in the least” and “consists of giving up the insane cycle of fashion for sustainable, durable objects.” (Wingfield, n.d)

Starck stresses that there are huge benefits from mass production (e.g. quality and affordability) but many products become standardised and so lose their ability to meet the individual needs of users (ibid).

As discussed in section 10, fashion is a major factors contributing to the increasing speed of sofa obsolescence, and so Democratic Design shows potential as an approach in minimising waste from sofa use.

The TOG (All Creators TOGether) project has adopted a Democratic Design ethos. TOG is a platform and network which allows buyers to co-create objects in an app and through a network of local artisans.

TOG combines the benefits of mass production with craftsmanship to create bespoke objects that are not driven by trends (Howarth, 2014). This may avoid fashion-based aesthetic obsolescence and increase the emotional bond between the owner and the object.

Fig.35, Democratic Design diagram
Adapted from: Wingfield, n.d.

d. Design for Deconstruction

Many products involve a combination of parts and materials, fixed or bonded together, or fully composited into one part. The more permanent the join, the less likely repair and recycling will take place.

This can mean products and materials requiring specialist or intensive labour need to be transported to facilities for recycling. These facilities may not be available domestically, so potentially hazardous waste is exported (Thompson, 2014).

Designing for deconstruction would allow more recycling to be done locally as processing would be easier. This would also have the added benefit of reducing transport emissions. This would be further supported by local manufacture and refurbishing facilities.

Not only do materials have to be separable, but recycled materials have to be in demand to guarantee recycling. This is where a buy-back model (discussed later in this section) can be beneficial, by building in demand for these materials.

As a model, design for deconstruction has increasing support from government agencies to major companies in the design industry, such as Autodesk who’s Design for Disassembly and Recycling guide emphasises the need for simple and universal tools, minimal fixings, and avoiding adhesives and other contaminating processes (Autodesk, 2018).

In 2016 the EU parliament published a resolution to guarantee consumers durable and high-quality products, emphasising that they should be repairable and upgradable, essential components should be removable, and spare parts available (European Parliament, Environment, Public Health and Food Safety Committee, 2017).

Fig.36, Ease of deconstructability

e. Emotional Design: Norman’s Three Levels of Design

Don Norman (2005) summarises the emotional aspects of design on three levels:

1. Visceral
2. Behavioural
3. Reflective

The immediate appeal of a product is the visceral aspect. Two functionally identical products can evoke very different feelings in a user. This can be superficial, such as use of colour to signify masculinity, speed, performance, sophistication, or forms to evoke nostalgic feelings.

The second layer is behavioural design, and addresses the experience of using the product. If a product is easy to use and performs with minimal effort then it tends to score highly. When a product limits us or is arduous to use the pleasure of using it declines, resulting in negative emotions (Kominos, 2018).

Reflective design occurs when we reflect on our belongings when we are not using them, believing they fit an image of ourselves we like and want to project. This is the highest level of emotional design.

Products which become classic and timeless tend to score well across all categories.

The Braun ET66 calculator is an example of this. It is immediately readable, its form is well organised and satisfying to look at. An intuitive interface means it can be used easily and needs no instructions. At the highest level it says the user values good design, and maybe portrays a modest sophistication. This design heavily inspired Apple, and has been reissued as a classic design (Griffiths, 2017).

Norman’s model suggests that if the sofa performs as expected owners will have a stronger emotional connection to it, and may be more considerate of updating, renovating, selling or passing on, rather than dumping it.

“We need to love our stuff” - Richard Dennis, Economist (2017)

Fig.37, Modes of emotional design

“There is little point in designing physical durability into consumer goods if consumers have no desire to keep them.” - Johnathan Chapman (2005)

f. Life cycle analysis

Life Cycle Analysis (LCA) considers the lifetime of a product, encouraging manufacturers to consider long-term timeframes when evaluating costs. The results detail the footprint (e.g. Co2, energy, and waste) of the product.

Audi used LCA to demonstrate that while moving to aluminium car bodies increased the initial footprint from manufacturing it lightened the car and reduced the footprint from fuel for an overall gain (Audi, 2012).

Herman Miller Inc, used LCA methods to compare the impacts of installing (and re-installing) fitted and modular furniture over time. In this case, it showed a modular system made from more durable materials will not be replaced as rapidly, and so warrants higher investment up front for long-term benefits.

LCA is a powerful tool to inform design decisions but has received some criticism. Braungart (2018) who favours the C2C approach, argues that LCA is too focussed on reducing harm, rather than thinking in a transformative way to make products better. In his words it just makes things, “less bad”.

LCA requires investigation of the full sourcing, manufacturing and disposal processes. This could be done after major design decisions have been made, limiting its potential to reduce environmental impacts from the outset of the design process (Nee, Song & Ong, 2016).

Fig.38, LCA evaluation process. Adapted from: Audi, 2012.

g. Maker movement

At the core of the maker movement is a desire to shift away from centralised manufacturing to a network of makers.

Digital manufacturing technology has contributed to this movement as it reduces the need for traditional craft skills, and so enables would-be makers to start building projects quickly. The movement also has social and commercial benefits—the process of learning from doing can help reverse the decline in making and repair skills, and the ability to prototype products faster and more easily has led to a number of successful start-ups.

The maker movement shows is a desire to relearn skills, and build and repair your own items, but wider impact has been limited by access and the effort and skill still needed to design good objects. While it has increased access, it hasn't made designing your own quality products significantly easier, and so the maker movement has become more niche than may have been anticipated (Fallows, 2016).

However, there are still insights from this movement that can be applied to the development of a repairable, sustainable sofa. The challenges faced by the maker movement show that repair has to be within reasonable ability, skill and will of most users.

“In reality, this stuff takes years of difficult, painstaking work and hard won experience. It is more accessible, but not necessarily easy.”
– James Fallows (2016)

h. Modular design

“Over a 12-year period, modular casework will use up to 151 percent fewer materials than fixed casework...”
- Herman Miller Inc (2008)

As discussed in section 13.f, Herman Miller Inc has shown that while it often requires extra initial material, modular design can reduce waste long-term.

This additional material requirement is a consequence of future proofing, where more features are built in increasing the initial cost. This presents a challenge as consumers may expect modular design to be lower cost as manufacturing is standardised.

Many sectional sofa systems are in practise a row of armchairs used to form a sofa. This results in ends of units butting together and doubling up in material, whereas in a standard two-seater none of this additional structure would be needed. However, the long-term ability to modify and adapt a modular system can save material and cost over a long period.

A modular design approach also lends itself to other benefits, including product refinement through iteration, customisability, and overall product quality.

i. Open design

Open design strives to democratise creativity.

Author of *Open Design*, Leon Cruikshank (2014) discusses how designers have performed in a 'designer is genius' role, expressing themselves through their vision for a product. Open Design challenges this by opening up tools of design to many people.

Indeed, Open Design poses that design should be flexible enough that the user can create something the designer would hate (Cruikshank, 2014). This freedom for creative input on the part of the owner can also support the earlier discussed concept of emotional design.

Much like the maker movement this is a bid to democratise manufacturing and design and potentially benefitting sustainability by allowing for local manufacture which increases the potential for local repair.

The rapid rate at which digital manufacturing technology is becoming more sophisticated and accessible may mean users are able to create complex and fully functioning objects affordably and on demand. This could support mass-customisation of products where each object can be tailored to the user.

Some suggest there is a role for open design and traditional design to co-exist, or even be combined through co-authoring, which gives enough control to the designer to ensure a successful product, and enough freedom to the user to express themselves (Cruikshank, 2014 & Wong, 2011).

Tom Dixon and IKEA have demonstrated this approach through the Delaktig sofa, a 'hackable' sofa system allowing third parties (companies and individuals) to create add-ons. Open Design can foster greater emotional connection to items and enhanced function and performance through the ability to customise.

Fig.39, From fully closed design to fully open design

j. New ownership models

The Circular Economy model goes beyond the product to consider emerging ownership models wherein the user of the sofa becomes a temporary, rather than outright, owner.

Performance economy

In a performance economy model, providers and users are connected to temporarily share resources without transferring ownership. This encompasses a range of systems from traditional leasing, to the relatively new Product-as-a-Service model (PaaS).

This model shows promise in a number of industries, from lighting to car ownership, and works particularly well for expensive items which are unused most of the time, for example spare rooms and vehicles.

On average, a personal car is parked and unused for as much as 92 percent of the time (EMF, 2015). Wellington start-up, Mevo provides short term car rental using a share model, where users are charged by the minute, meaning significantly less cars (and resources) would be needed by a community (Mevo, n.d).

Similarly, research has shown that power tools are used on average for just 12 minutes of their life. Some communities and businesses have responded to this opportunity by setting up tool libraries or 'libraries of things'.

In addition to a more efficient use of resources, this model shifts the responsibility for maintenance and product stewardship to the provider, which in turn incentivises high quality, deconstructable designs to aid repair and recycling. Philips have even begun to apply this model to their lighting and are currently working with Schipol airport in the Netherlands to provide this as a service. Schipol pays only for the light they need and Philips is incentivised to upgrade and maintain the system to provide the most efficient lighting system (Philips Lighting, n.d.). This also encourages Philips to design for product end-of-life as it remains their property.

Several start-ups are now providing 'furniture as a service', allowing users to change furniture, have it delivered or removed, and buy it outright at the end of the lease. This provides benefits for the user as one of the obstacles of reselling a sofa or properly disposing of it is the bulk of transporting it (Schneider, 2017).

The Strata System, created by RCA graduates Katrine Hesseldahl and Victor Strimfors, provides sofas where the the outer layer can be changed easily by the owner. Strata suggest that people may not even need to own the sofa base, and this could stay with the rental property (Tucker, 2017).

“Access is better than ownership” - Kevin Kelly (2009)

Buy-back model

Buy back models provide an alternative to leasing.

Pentatonic, a start-up furniture manufacturer and retailer, buy back furniture at end-of-life. This financially incentivises owners to return old furniture to the company, and Pentatonic to use material which can be maintained in a closed-loop, prioritising deconstructability.

This reduces the resource depletion to manufacture new furniture, and decreases potential future costs from product stewardship schemes.

In 2016, IKEA's sustainability officer declared we were at the point of "peak stuff", and in an effort to reduce their environmental footprint the company introduced a buy-back model (Hullinger, 2017). Items are rated on condition and customers receive up to 50% of the original retail price in store credit for the product when it is returned.

While this system has many positive environmental benefits (minimising resource depletion and pollution), it does not in itself address obsolescence of products, nor necessarily slow required production or re-production. As such it is not sufficient to guide this research, but does show potential to fit as part of a wider system.

Fig.40, Waste drinks bottles with Pentatonic AirTool chair

Fig.41, Overlapping 'change by design' strategies

k. Discussion

This section has presented a range of current sustainable design approaches. Typical of a 'wicked problem' the variations of the approaches and viewpoints highlight a challenge in adopting sustainability—with so many definitions, variety in scope and perspectives on priority it can be difficult to know which is the 'right' model, and where best to place focus.

However, through these examples several core themes emerge:

- Design for deconstruction
- Alternative user models
- Regenerative systems

For the purpose of this research, a Circular Economy (CE) framework, which takes an holistic view and encompasses many strengths of the other approaches, has been selected. (Fig.41)

Like C2C, CE stresses the need to reinstate natural systems and separate biological and technical nutrients. Modular design, and alternative user models can encourage repair, refurbishment and adaptation within a CE system giving products and materials a longer (even infinite) lifespan. All of these aspects rely on design for deconstruction, showing that this is key to a CE model.

“Design is integral in the shift to the circular economy”
- Ellen MacArthur Foundation (2017)

14. How to defy obsolescence

Multiple strategies utilised by designers to defy obsolescence—including material, functional, emotional or cultural.

Building on findings (section 10 & 13) this section presents case studies of design precedents which showcase the following strategies:

- a. Adaptability
- b. Emotional durability and timelessness
- c. Maintainability
- d. Modular design
- e. Repairability
- f. User models.

a. Adaptability

Products that are able to adapt and grow to meet new user needs can significantly extend their lifetime.

Wishbone Design Studios 3in1 bike grows with your child. Starting as a trike for younger ages, the trike axles can be removed to produce a strider bike for a small child, and later the curved frame component can be inverted to raise the seat accommodating older children.

This results in surplus parts but replaces three products. This adaptability, combined with durability, maximises resell potential, or gives it a second life with a younger

sibling. All fixings use the same 5mm hex key (Wishbone Bikes, n.d.).

A similar system, the Tripp Trapp high chair, allows newborns to sit in an attached basin, later replaced with a table and foot rest. The table can be removed and the seat lowered to accommodate growth right through to adulthood; truly a “chair for life” (Stokke, n.d.).

This system can also be applied to clothing. The Petit Pli outerwear uses pleated clothing which can expand bi-directionally to accommodate growth from 4 to 36 months—approximately seven size changes (Petit Pli, n.d.).

All of these examples have additional features or materials than less adaptable products. Therefore, adaptable products are usually more expensive and have to be built to higher standards to last longer.

However, users gain from the additional outlay through long-term material and cost savings. This incentivises users to maintain the product for a long time, possibly allowing a reflective phase to develop. (section 13e).

Fig.42, Wishbone 3in1 bike

Fig.43, Tripp Trapp chair

Fig.44, Petit Pli - clothes that grow

b. Timelessness

A timeless design defies obsolescence by making the product impervious to fashion trends. So, what makes a design timeless?

Become classic

Consider the Braun ET55 calculator. Designed in 1987, its usefulness and aesthetic are intrinsic in that the simple and clear aesthetic makes the product self-explanatory, maximising usability. It is also a modest and unobtrusive product. This helps makes the product difficult to date—it could perhaps have been designed any time between the early nineteen seventies and the millennium.

The classic style has influenced modern products too, such as Apple’s iPod and iPhone series, wherein the phone’s calculator strongly resembles the ET55 calculator. This may have enhanced the

Fig.45, Braun ET55 Calculator

Fig.46, Bialetti Moka Express

ET55’s position as a design classic.

Another enduring example of timeless design is the Dr Martens boot, which has never really gone out of fashion. This likely is due to its clear and understated functional aesthetic and famous durability.

Be ‘Super Normal’

When products become the iconic example of that object they can become timeless. This quality ties into what is known as ‘Super Normal’ design, such as the Bialetti stove top coffee maker, or a simple clear water glass (Ito & Picchi, 2006).

Evolve carefully

Land Rover’s Defender vehicle series, produced for over 67 years, has modernised gradually to meet new standards and expectations of comfort and performance, while retaining the simple robust aesthetic for which it has always been known (Land Rover, 2015).

From conception the Land Rover design has allowed for customisation, retaining a separate chassis and multiple body options. This has allowed it to be used for many purposes—it can be driven by a soldier, farmer or even the Queen of England without looking out of place (Pitas, 2016). Like the previous timeless examples it is known for its simplicity and durability.

Fig.47, Land Rover Series I 1948
Author: DeFacto
Source: CC

These products share common themes of purity of form and honesty of materials. Their desirability can be largely attributed to simple yet distinctive aesthetics, and over time they have become icons of design.

c. Modularity

While modularity typically uses more material in the initial build, it can save material long-term as the increased adaptability helps prevent the sofa from becoming obsolete.

Other products successfully using modularity include Tom Dixon's Jack Lamp and Vitra's Algue decorative system.

The Jack Lamp demonstrates the power of modularity for even simple products. Multiple units can stack to form a feature or totem of lamps. The nodal form allows it to locate and stack securely in a natural and obvious way, or alternatively serve as a stool or table. The distinctive nodal form of Jack, like USM's Haller system, suggests growth, interlinking and nesting (Tom Dixon, n.d.).

Vitra's Algue decorative system uses plant like elements which clip together to form wall coverings, curtains or dividers (Vitra, n.d.).

Fig.48, Vitra Algue modular system

These systems are material efficient if they are kept in use for a long time, as their multi-functional qualities increase potential long-term ownership. By allowing the user to adapt these systems, a sense of collaboration grows between the user and designer, which can foster greater connection with the final product.

d. Repairability

Like modularity, repairability has to be designed into the system from the outset, and is a feature that is valued by consumers.

A criticism of the Apple range is that key componentry, such as batteries and screens, are expensive and difficult if not impossible to replace and repair. Highlighting this issue is the estimation that as much as a third of phones in the UK have broken screens (Jenkins, 2018).

In contrast, the Fairphone 2 is designed with modular parts for easy replacement. Replacing the screen requires no tools, and repairability is aided by colour coding to highlight fixing points which can be disassembled with a standard screwdriver (Fairphone, n.d.). Fig. 49.

However, the Fairphone 2 has not become popular. This may be because repair is perceived as arduous or risky, or that brand preferences trump repairability.

Eugenia Morpurgo's Repair-it-yourself shoe follows a similar repair system. The sole, fabric upper and insole can be easily separated with no tools for easy repair (Etherington, 2011). Breaking the

shoe into layers supports both repair and customisation.

On a larger scale, Renault refurbish recovered parts for resale. This benefits consumers as they can buy warrantied spares for significantly less cost, while the manufacturer can sell parts without the full material and manufacturing cost. Renault call this "Eco-conception" and say this as "reconciling prosperity and the preservation of finite natural resources." (Renault, 2017).

In conclusion, it is important to focus on the most likely areas of wear and tear, and make these parts replaceable. In a sofa this would be upholstery, and the suspension system. For self-replacement the process should be visual and transparent to reduce perceived risk. Standard tools should be used (or none at all). Applying these principles fosters upgradability, which makes the prospect of repair more appealing.

e. Maintainability

To create a system which is easy and welcoming to maintain it is important to consider which processes of maintenance are within the ability of most users.

Changing a lightbulb is a maintenance task almost everyone is comfortable undertaking. It involves less than five actions and no tools, it is also very unlikely to go wrong as the bulb and socket can only locate correctly.

Changing a wheel on a car involves around eight to ten steps and requires multiple tools which are usually provided and stored within the car. While this would have been commonly done by the owner, it is now more often done by on-call assistance crew.

This shift may be due to a barrier of confidence and perceived risk, as if the process is done incorrectly and the tyre is not properly fitted the result could be disastrous.

However it may not be just the number of steps or tools that impact willingness to undertaken maintenance tasks.

Painting a fence is another simple task which most people would feel confident in tackling themselves. However, painting a house, which is technically as straightforward, is usually done by a professional team. This may be because is highly tedious and arduous, there are safety considerations, and if this done poorly it could affect the value of the house.

These examples suggest that a system for maintenance has to be simple, use common fixings methods or tools, be straightforward, and low risk.

Fig.49, (Clockwise from top); Eugenia Morpurgo's 'Repair-it-yourself' shoe; Renault Choisy-le-Rois remanufacturing facility; Repairing a Fairphone model.

15. Landmark sofas: the state of play

This sections considers key sofa designs which incorporate elements of Circular Economy (CE) design.

a. Changeable draped covers

Fitting covers without staples and fixings helps the user to easily remove covers for washing and update the aesthetic with new covers.

Fig.50, Sinbad sofa by Vico Magistretti

Magistretti drew his inspiration for the Sinbad sofa from a horse blanket display. (Luminaire, n.d.) This is simple, but quite radical, compared to many contemporary sofas. Grcic's Cape Sofa is an evolution of this, with a more tailored cover.

A similar approach was taken by Ron Arad for the Transformer sofa, combining the cover and upholstery padding into a PVC sack, which is deflated to be 'frozen' into shape

Fig.51, Transformer sofa by Ron Arad

(Sudjic, 1999). This allows long-term adaptability, but requires a device to suck the air out. This may make it less likely to be done regularly.

A modern mass produced example of this is IKEA's Klippan sofa, which also uses a one-piece cover but is much more closely and conventionally fitted to the shape of the sofa frame. The emphasis here is functionality, maintenance and customisation.

b. Sectional systems

Dividing the sofa into block sections allows growth and long-term co-creation.

Fig.52, Vitsoe 620 System by Dieter Rams

Designed in 1962, the Vitsoe system allows linear extension by removing the arm to uncover fixing points where additional units can be attached. Further adaptation is achieved by replacing the castors with a swivel base.

The design was updated for a 2013 re-release, and a new tool was developed to make adaptation easier.

In Mario Camaleonda's Bellini sofa, cube bases join in four directions, using a series of clasps and clip points on the base cover to allow high versatility. Treating the base as a unit to build from gives high flexibility, and as parts are added to the side or top the sofa can take on traditional and non-traditional forms.

Fig.53, Camoleonda by Mario Bellini

Designing in this way relies on clever details to make the process easy, while adding flair and detail.

A similar format to the Bellini sofa, the Mah Jong sofa was re-released with a new range of covers from other designers.

By reordering existing modules, the system can be presented in new colour configurations without additional cost or significant effort, giving users the option to mix and match fabrics.

c. Collapsible sofas

Many designers have tried to improve transportability through design. In a CE this would assist repair, leasing or buy-back of parts for remanufacturing.

Fig.54, *Sofa Compact* by Charles and Ray Eames

In a single action the Eames' Sofa Compact can be unfolded into the final position and then locked in place. The legs are also detachable, creating a compact unit for transport. This shows that switching between two states can be simple.

The Can Sofa (Fig.55) uses technology resembling a tent frame to form the structure. This provides a familiar precedent for the user to reference, making assembly less daunting. The use of tubing makes the structure lightweight, an important factor for transport.

IKEA's Moment sofa embraces shopping trolley fabrication in its mesh seat and back. These are supported by a steel rod frame to hold the two in place, essentially reducing the structure to four parts; two panels (seat and back), and two combined leg and back supports, held with a standard bolt and dome-nut fixing. This allows easy flat-packing for transport and self-assembly (section 9).

These precedents all use steel, a durable material that allows for repeated movement and disassembly.

Fig.55, *Can Sofa* by Ronan and Erwan Bouroullec

d. Adaptable sofas

Adaptability allows sofas to fulfil greater functionality and has been investigated in multiple ways.

Fig.56, *BR02 Sofa* by Martin Visser

The BR02 Daybed allows quick switching between a reclined sofa, and a flat daybed. This is achieved by a chain in the back frame which lifts the seat to a level position as the back is flipped out of the way, and a moveable upholstered cube provides arm or head support.

The 'Flexible Love' or 'slinky chair' has a honeycomb paper or plastic structure, creating a deformable bench. The form can stretch and bend, allowing it to fit the space and need at any moment. This flexibility prevents the structure from being upholstered, and the chair may look shabby after heavy use over time. The potentially short lifespan is arguably offset by collapsing for efficient transport and easily recyclable.

Fig. 57, *Delaktig Sofa* by Tom Dixon for IKEA

The Delaktig sofa embraces adaptability through 'hacking'. By reducing the frame to an extruded aluminium track, a range of official and third-party components can be fitted in many positions. This is a strong example of co-creation, and the success of the design relies on the user choosing a kit of parts and engaging in ongoing adaptation.

e. Discussion

Many of these landmark sofa designs express some elements of a circular economy, however with the exception of recent designs such as Delaktig, they have remained niche, high-end designer products. This is often despite the designers’ intention to democratise good design (e.g. Eames’ Sofa Compact).

Delaktig extensively industrialises sofa production by using aluminium extrusion for the frame, removing much manual fabrication, and incorporating a track for fixing additional components to the sofa, providing the modularity of high-end systems at an affordable price. This also allows transparency of materials, reducing the need for added coverings to conceal cheaper, poor quality framing.

Newer design forms tend to be more geometric reflecting the pared down aesthetics of Visser’s BR02 daybed, Eames’ Sofa compact and Gammelgaard’s Moment Sofa. This suggests a shift back to purer designs and systems which celebrate materiality.

This overlaps somewhat with Slow Design, and it may be that this increased transparency communicates the durability, sense of minimalism and quality valued by these consumers.

Millennial consumers are growing out of being the ‘IKEA generation’, generally preferring an eclectic aesthetic combining flea market finds, vintage, retro, mass-produced, hand-me-down pieces, and perhaps even hacked or self-built pieces (Petersen, 2017).

Designs such as Delaktig and Can fit these mish-mash aesthetics, with enough flair to be a statement, but without the bravado typical of designer sofas.

IKEA is responding to this shift and changing its design philosophy to reflect its maturing market, and is beginning to welcome their customers adapting their products, known as ‘IKEA hacking’, by building this into their designs (IKEA Hackers, 2018).

Adaptability is investigated in these designs, and is an important feature of a CE model, as the environmental cost of any additional material required is offset by the ability of the item to have a longer lifespan.

With the exception of Slinky, they all rely on adding a new unit to extend the sofa.

The adaptability of classic systems such as sectional designs—which are essentially a sofa built from armchair units—tends to be simple and are one of the most common adaptability strategies used. However, they also tend to be bulky and therefore still difficult to move.

Delaktig and Sofa Compact are also adaptable, but designed to collapse for ease of transport.

Vitsoe’s sofa is one of the most advanced—combining the benefits of a sectional system with the ability to customise features such as back height, colours, and swivel or leg base.

Replacement of upholstery and covers is celebrated in some designs, (Sinbad, Cape, Transformer, Klippan), but repair and replacement of components such as springs (which often fail) and frames is generally not possible. For a truly circular economy model it is important to address both adaptability and repair.

16. Hypothesis

Products are becoming obsolete faster than ever before. For mass produced sofas this is mainly due to two aspects—fashion and repairability. Less durable materials and manufacturing techniques which aren’t designed for deconstruction or repair make refurbishment prohibitive, while fashion is rapidly changing, and so sofas date quickly.

This results in sofas going to landfill with no materials being recycled.

Increasing transience of users has an impact on user needs, meaning sofas should be designed to be more transportable and adaptable.

There is a growing call from consumers to reverse this obsolescence. The right-to-repair movement calls for the ability to self-repair products to extend their life, and new legislation strives to make this mandatory (Radio New Zealand, 2019).

A study of precedents demonstrated that designers have solved some of these issues before, although these systems have typically been high-end and expensive, and therefore not available to many. IKEA’s Delaktig, released in 2018, shows that the industry may be changing. However, this is one product in a market of many sofas.

Self-repair of these systems is still typically done on an assembly level (i.e. a sectional seat base may be replaced due to damaged springs or upholstery, rather than replacing individual components as needed). Component level repair or refurbishment could be done professionally, but often isn’t due to cost.

While there are many models designed to solve sustainability issues, the Circular Economy (CE) model—which integrates aspects from other models into a holistic systematic approach—shows the most potential to solve the issue of product obsolescence. In particular, this model prioritises repair, maintenance and refurbishment over recycling, therefore keeping materials in use for longer and designing out waste with minimal virgin material and energy input.

This presents an opportunity to investigate sofa design in the emerging CE context. This would focus on the ability to adapt and self-repair a sofa to defy obsolescence. CE also ties these aspects into new user models, an area where there are further opportunities for research through design.

The next section of this research will investigate how the principles of CE can be more fully integrated into sofa design for sustainability.

17. Inspiration

a. Systems in nature

Circular Economy thinking often takes inspiration from natural systems, which prompted me to consider the sofa as an ecosystem in which parts can break away and flow.

The stages of mitosis in yeast cell division, wherein new cells ‘bud’ off from the parent cell to create new generations, provided design inspiration.

Bringing this thinking to the sofa system, unwanted add-ons or frame parts could also ‘bud’ off and merge into new or existing systems elsewhere.

Fig.58, Yeast cell mitosis
Adapted from: Neiman (2011)

In existing linear manufacturing systems this could be seen as wasteful, as return logistics, refurbishment and redistribution are not well established, and so these parts would be waste. However, moving to a CE system encourages design of interchangeable parts which can be redistributed to other users.

b. What would IKEA do?

IKEA offers customers a proposition; if you help with the assembly your reward is greater affordability and choice (Bengtsson, 2010).

Millennials have grown up familiar with IKEA designs and systems and have an expectation of furniture simplicity, therefore this concept needs to be as simple, as or simpler than, IKEA systems.

Ikea products require simple or common tools to assemble. The Billy bookcase requires the use of one hex key tool (Bengtsson, 2010); the Lisabo table leg joint uses only one screwdriver (Fairs, 2017).

This suggests that if the CE sofa is to successfully encourage users to maintain and self-repair it must be possible to achieve this within the general capability and expectations of users, and that it is important to reduce the design to one fixing requiring a common household tool, or design and provide a special tool.

In order to change behaviour we need to reward the behaviour we want. In this case, we want to reward maintenance and longevity through the satisfaction of saving money, prolonging the comfort of your sofa, and providing the opportunity to be creative (option to customise the sofa).

c. What would Dieter do?

Much of Rams’ design philosophy predates the Circular Economy, but echoes its values.

Working with Vitsoe, Rams implemented significant developments to the 620 chair design to foster “lifelong adaptability” including the addition of a bespoke tool (Vitsoe, n.d.).

This was developed to aid repair and make adaptation easier. Giving the customer the tool with their first purchase opens the dialogue to adaptability.

While magnets in the tool hold the bolt securely in place preventing accidental slipping which could scratch the panel, giving greater simplicity and making the process more satisfying.

The design of the Vitsoe chair also celebrates the joining of these components and fixings, rather than hiding them, making them important details.

This all comes together to aid functionality while being beautiful.

***“Less, but better—that’s the way.”
- Dieter Rams (cited in Terstiege, 2009)***

18. Design experimentation and critical reflection

a. Circularity testing methodology

The report 'Designing for a Circular Economy: The conceptual design of a mobile device' by Flora Poppelaars and Ellen MacArthur Foundation (2014) established a set of criteria to measure the performance of products in a CE.

These criteria were adapted to measure the development of iterative sofa concepts and, based on observations unique to sofa obsolescence, a 'reconfiguration' score category was added.

These are outlined below and in the table on the right hand page.

Reuse (Share)

A system which enables sharing or passing on of products and components means they can have a second or third life (or more).

Repair

Repair allows worn or damaged parts to be replaced to reinstate functional performance, with the intention that overall performance is maintained at an acceptable level. Ideally users can be responsible for simple repairs.

Reconfigure

This allows adaptation of form and aesthetic to meet changing user needs, such as lengthening or shortening the sofa, changing firmness, shape to style of cushions, fabric type and pattern, and frame material.

While this could be done by either the user or service provider, the ability to adapt the sofa yourself is more viable as it is more affordable.

Refurbish

This involves full disassembly, inspection and reassembly with new or repaired components, to address functional issues such as warped or damaged panels, corrosion, unevenly worn suspension, or tired foam padding. The desired outcome is a sofa which is very close to new sofa functional performance.

This level of maintenance would most likely be done by a service provider or manufacturer offsite, therefore a design which can break down into a compact unit for transport would be beneficial.

Remanufacture

This involves full disassembly and reworking of components to reinstate the sofa to new aesthetic and functional performance. This would support resale or leasing.

This system requires full design for deconstruction allowing for separation to a material level, as different materials (e.g. timber and steel) require different skills to remanufacture.

Recycle (or waste)

After the above methods have been exhausted, some parts may be uneconomical to re-work, and therefore closed-loop recycling is preferred. For example steel springs and framing re-smelted into metal stock.

'Downcycling' (also referred to as 'cascading' in CE models) is the next preferred method, for example chipping waste PU foam into gym mats.

If these strategies are unsuccessful, material goes to waste or incineration as in a linear economy.

Reuse (share)		
Highest score (1)	Average score (2)	Lowest score (3)
A durable product which allows simple breaking down using common tools into sub-assemblies (arm, back, base) to assist logistics.	A moderately durable product which requires some skill to break down into sub-assemblies.	A sofa of low durability which is difficult to transport as requires a high level of skill, or is impossible to knock down.
Repair		
Highest score (1)	Average score (2)	Lowest score (3)
All parts expected to wear can be removed for replacement with common tooling and basic skills.	Some parts expected to wear can be removed. Some skill or specific tooling may be needed.	No removal of wearable parts is possible. Or requires specialist skills to repair.
Reconfigure		
Highest score (1)	Average score (2)	Lowest score (3)
Covers can be changed for new colours and patterns. Sub-assemblies can be changed to allow significant changes in form. Overall size can be changed with minimal or no waste. All of this can be done with simple tools and basic skills.	Covers can be changed for new colours and patterns. Some elements and subassemblies can be changed. Changing size or format is limited. These processes require more skill, some waste is generated.	High level of skill needed to change covers and sub-assemblies. Changing the sofa generates significant waste.
Refurbish		
Highest score (1)	Average score (2)	Lowest score (3)
Extensive disassembly is simple. All parts can be easily replaced with new components.	Moderate skill required to separate parts. Some parts are replaceable.	Extensive skill needed to disassemble, or separation is impossible. Commonly failing parts cannot be individually replaced.
Remanufacture		
Highest score (1)	Average score (2)	Lowest score (3)
Entire structure can be disassembled to individual components. Processes to bring back to "as new" condition are widely available. Minimal labour required to refurbish parts.	Structure can be mostly broken down to individual components. Some components cannot easily be remanufactured. Moderate labour required to refurbish parts.	Difficult to break down structure. Significant tools or skill required to disassemble. Processes to reinstate original quality are highly skilled. Extensive labour required to refinish parts.
Recycle (or waste)		
Highest score (1)	Average score (2)	Lowest score (3)
Entire structure can be broken down to a material level. Materials used are "pure inputs" so have no contamination. No "monstrous hybrids".	Some additional processing required to break down to pure materials level.	Difficult or impossible to break down to pure materials, for example composites. Cannot be broken down to safe materials for the biosphere.

Table.2, CE measuring methodology
Adapted from: Poppelaars, 2014

b. Experimentation and critical reflection

The research through design process (section 7) began with ideation and sketching. Selected concepts were developed using Rhinoceros modelling software, and as these developed they were assessed against CE criteria (section 13a).

Where necessary, physical models were constructed to give more data for testing (see Appendix C). Empirical reflection was used to highlight strengths and weak points, and these designs were developed through iteration.

The design concepts presented in this section follow a chronological order to reflect the iterative design process that was followed.

Pleae refer to Appendix B for prototypes in iteration order.

Fig.59, Iteration 1 sketch samples

Fig.60, Iteration 1 isometric view

Iteration 1

- Laminated corrugated cardboard sheets, profile cut
- Heavy duty cardboard tubing, interlocked to form frame

In this concept, laminated slabs of corrugated cardboard sheets would be CNC cut to a seat profile to create modular sections. The lamination of these allows 3D contouring of the sofa. These sections slide onto a heavy-duty cardboard tube sub-frame. Installing a longer or shorter sub-frame allows the length to be reconfigured, alternatively, new seat profile sections can be installed.

Reuse

The collapsibility of this helps reuse through sharing as it knocks down for efficient transport, and the modules are made from corrugated cardboard, so are lightweight. However, this concept has low durability so is unlikely to stand up to reuse.

Repair

Worn sections can be replaced easily, however outer sections would need to be removed to repair middle sections. Replacement parts are economical to make, but bulky, and therefore reasonably costly to transport. Repair of cardboard components would not be feasible as material value would be low.

Reconfigure

The frame can be maintained and a new outer form installed, but this is wasteful as old sections would not be viable to move on to other users so they would at best be recycled or composted. The frame can be extended or shortened to expand the system easily. While it is adaptable, changes are wasteful here as it relies on replacement.

Refurbish

As it is not practical to repair such low cost parts, refurbishment would realistically mean replacing most of the parts. This defeats the point of refurbishment.

Remanufacture

Remanufacturing isn't practical as material value is low.

Recycle

All parts can be 100 percent recycled, or returned to the biosphere to close the loop. This design excels in this area, however in a circular economy recycling is the least desirable loop.

Summary

This design is moderately adaptable due to being broken into sections over a sub frame and easily deconstructed. However, it is difficult to repair and refurbish to keep materials in use, and while it is highly recyclable due to a single material, a large amount of material is needed resulting in a wasteful design. It also has a short lifespan and is not suitable for extensive reuse.

This concept was not taken further as reuse is the most valuable loop in a circular economy.

Fig.61, Iteration 2 sketch samples

Fig.62, Iteration 2 isometric view

Iteration 2

- CNC cut 12mm plywood seat profiles
- CNC cut 6mm plywood clip components

This concept involves profiles cut to the seat shape, as in concept no.01, however a more durable material is chosen—plywood. Clip features are cut into these sections, to allow fixing together with a bespoke clip system cut from thinner plywood. This would lend itself to digital customisation as the entire frame is CNC cut, and this would allow the size and style to be changed extensively.

Reuse

This design has high durability due to the plywood structure. It can be deconstructed compactly for transport, allowing efficient redistribution to new users. Disassembly requires no tools and a moderate to low skill level, but could be tedious.

Repair

Repairing individual frame parts would be difficult, and so replacement is more practical—replacement parts can be shipped efficiently. No tools are required to disassemble, but specific clips are needed. These can only be replaced via the manufacturer or service provider, standard and locally available fixings would be preferred.

Reconfigure

Reconfiguring the piece could be difficult and wasteful. For example, changing to a day bed style, or increasing back height would require exchanging the plywood sections for new profiles. Longitudinal beam profiles can be replaced to extend or shorten the sofa, but new friction joints must be tolerated to fit existing plywood components. This could be difficult due to board tolerance variation (plus sealer finish), humidity and joint wear over time. As this is CNC manufactured, parts can be digitally produced for mass customisation (see section 13.i). This would make the piece more customisable, which may increase the likelihood of the user maintaining the sofa (emotional design). However, it could make this bespoke sofa less successful in a leasing model as ongoing adaptation could be problematic.

Refurbish

Refurbishing this system would be labour-intensive due to the number of ply components to refinish. It would likely be more economical to replace them.

Remanufacture

Where plywood parts are worn or even lightly damaged it can be difficult or even impossible

to remanufacture these. Stress can damage the plywood around the joints, and would be labour intensive to repair. Remanufacturing would require re-machining and patching. Again, this is probably uneconomical and replacement would likely be more likely.

Recycle

Plywood cannot be closed-loop recycled. It can cascade into engineered timber board, however this requires adhesives and finishing which may prevent the material from being successfully returned to the biosphere at end-of-life. Waste plywood is most likely landfilled or incinerated for energy.

Summary

This shows the benefit of breaking the sofa into standard sections as this aids repairability through replacement. Plywood was chosen for its durability and suitability for mass-customisation, allowing design to be produced in short (even one-off) runs. However, this creates issues for refurbishment and recyclability as these processes are labour-intensive. Using clips, rather than standard fixings, helps disassembly, but could be a problem for repair as it is a non-standard part so has to be sourced from the retailer. Though the clips are standardised, there are many of them making disassembly arduous.

Fig.63, Iteration 3 sketch samples

Fig.64, Iteration 3 isometric view

Iteration 3

- Re-purposed steel racking
- Repurposed vinyl advertising banner
- Pine construction lumber
- Standard coach bolts
- 18mm plywood arm cappings

This concept investigates using an existing system to create an adaptable and deconstructable sofa, aspects proven to be effective in earlier concepts. A steel racking system means this is durable, suitable for refurbishment, and can be truly recycled with no performance loss. Continuing the theme of repurposing, construction timber is used for cross beams, and vinyl advertising banner is tensioned between these beams to create a seat and back sling.

Reuse

This system is very suitable for reuse due to durability of materials and collapsibility. The system is already reused as it was formerly storage racking, and can go on to be another sofa, bench, or back to racking.

Repair

As it is an assembled system using standard tools and simple processes it lends itself well to repair. As the sling is stretched into place, this tension must be released before disassembly, the beams can then be removed and the sling slid from the crossbeams. The sling can then be replaced or repaired. Arm rests, feet and frame components can be removed easily as they are fixed with standard bolts.

Reconfigure

As the base racking system is modular by nature, with a range of standard heavy-duty beam lengths, it is easy for the sofa to grow from a small two seater to a large three or four seater. In a leasing model, sets of beams, slings and cushions could be supplied to adapt existing sofas. It is easy for 'new' sofas to be built up from a combination of new, used, and possibly remanufactured, parts.

Refurbish

The PVC is durable and can be re-sewn or patched. Manufacturing PVC is highly toxic, but in this case is a waste product which is being delayed from going to landfill, so these impacts could be considered neutral. Frames can be completely rebuilt using approved parts, which can be replaced easily.

Remanufacture

Damaged steel frame parts can be re-welded easily. Paint finishes can be removed by blasting and reapplied by wet spraying or powder coating—both are common processes.

Recycle

PVC is problematic to recycle, arguably this is offset by its durability. Steel is 100 percent recyclable with no performance loss so is ideal for a circular economy model. However polyurethane foam is likely to be downcycled into matting and therefore doesn't exist in a closed loop.

Summary

Though unrefined, this concept performs well in most aspects of a circular economy, due to ease of deconstruction and separable materials (pure inputs). This makes it simple to separate material streams and refurbish or recycle parts.

As this shelving system is widely available, new and used parts are easy to source for repairs, and this design lends itself to a DIY open source design, it encourages self-repair. However, the aesthetic may not appeal widely, and this would limit its ability to have a significant impact.

Fig.65, Iteration 4 sketch samples

Fig.66, Iteration 4 isometric view

Iteration no.04

- 1.5mm rolled mild steel panels
- 22.2mm OD ERW mild steel tube

Steel is brought from the previous iteration due to high durability and ability to be refurbished. The seat and back are formed from two overlapping custom rolled panels and fixed at the chosen frame length. This allows the system to extend or shrink without the need to source new frame parts.

See Appendix B for a 1:6 scale mockup of this iteration.

Reuse

This collapses well for transport which supports reuse, and the steel frame is durable, extending the sofas potential lifespan.

Repair

The seat and back sections are assembled from two overlapping steel panels. This makes it simple to replace large parts of the structure at once. Using the CNC steel cutting process to include fixing points to attach covers reduces componentry which reduces potential breaking points. This means failure of a small feature in a large part can render the whole part obsolete.

This shows there needs to be balance between isolating potential breakage points to be replaceable and simplifying the design to require less components.

Reconfigure

This sofa excels at extending and contracting the seat base. However, the form could be difficult to adapt as the back is integral and therefore cannot be permanently removed. The seat and back positions can be adjusted by changing the back support and leg component, but this requires disassembling the whole sofa and could be perceived as laborious. If the sofa is never extended, much of the overlapping steel panel is wasted.

The angled seat base reduces the need for deep spring suspension, but makes it harder to adapt into a corner sofa or add an ottoman, as units will not meet on a level plane. In this instance reducing material in one aspect increases potential overall material usage.

Refurbish

As the system is fully deconstructable and uses durable materials it can be fully refurbished.

Remanufacture

As the structure is entirely mild steel it reduces the number of skills and tools needed for remanufacture. In this case readjusting, stripping, welding and recoating. The waste from stripping old coatings is problematic for disposal.

Recycle

As the frame is a single material it is simple to recycle, even with minimal deconstruction.

Summary

By increasing the adaptability of the sofa it has become more wasteful due to extra material needed. As the extending panels are fully covered the whole system must be deconstructed to adjust height, length, angles and so on. It is also hard to change the style and form, for example a chaise, daybed or corner sofa would be difficult to integrate in this system.

Wastes creating during remanufacturing should be considered alongside the total impact of manufacturing, remanufacturing and recycling over the full life-cycle. These impacts should also be compared to a regular non-repairable or recyclable sofa design.

Fig.67, Iteration 5 sketch samples

Fig.68, Iteration 5 isometric view

Iteration 5

- 16mm mild steel rod or 20mm tube
- Flat sided oval mild steel furniture tube cross beams
- Mild steel corrugated panel
- Toyobo “Breathair” polyester cushioning base panel

The use of a rod base has been brought forward from iteration 4, and the form of the seat is maintained but is made from an open rod structure to reduce material use. This structure cannot extend as incrementally, but new units can be added. Standardising the units can help with reuse and repair. The individual units are bridged with steel supports.

Reuse

The highly durable steel frame and corrugated panel support reuse by increasing product durability. As the system can be broken into units, like many other sectional sofa systems, it is easy to transport to new homes, or the next user.

Repair

All parts are removable and easily replaceable. In particular, having suspension sections as single slabs allows easy replacement of this high wear area.

Reconfigure

Using a beam substructure onto which modules are added makes this system both very adaptable and low waste. Unwanted sub-assemblies can be passed to other users, longer or shorter beams can be installed, and new sub-assemblies mounted to these. An angled seat reduces the need for padding and suspension, but makes it difficult to add a corner section.

Refurbish

All frame parts can be removed and refurbished. Breathair—a woven polyester cushioning panel—was considered for the suspension, though this is not currently widely available, and is supplied exclusively by Toyobo in Japan. Therefore replacement part could be difficult to source, however, installing the ‘springs’ as a panel makes it easy to replace the whole unit.

Remanufacture

All frame parts can be dismantled and fully remanufactured. This may involve removing and replacing integrated fixings press-fitted into panels, and re-coating.

Recycle

The single material steel frame is very recyclable and polyester cushioning could theoretically be recycled. However, recycled materials would need to be shipped back to the Japanese supplier to close the recycling loop. Breathair may become more viable in the future to replace polyurethane and suspension as distribution spreads.

Summary

This design allows lengthening and shortening, relying on two cross beams to support each section. Combining the sub-frame beam and section beams may reduce material, and this is investigated in the next concepts.

More flexible adaptation, such as adding tables, footstool, and corner sections, is difficult as it only allows extension in a linear way.

Greater scope for customisation would be needed for this concept to meet high-level customisation standards. This limitation may negatively impact emotional connection (reflective design), and future utility. The use of a single material means this design excels in durability, refurbishment, and recycling.

Fig.69, Iteration 6 sketch samples

Fig.70, Iteration 6 isometric view

Iteration 6

- **70x45 solid timber beam sections in 300, 600, 900 units creates 1.2-1.8m sofas**
- **Folded mild steel brackets**
- **12mm plywood panels**
- **Rod base, arm and back supports**

Various lengths of units give greater flexibility as they can be combined into multiple configurations. This design extends in a linear fashion, and replaces steel rod subframes used in earlier iterations with plywood panels held by linear timber beams. Back support can be exchanged between systems to change the back angle, and the seat base can be fixed in multiple positions to adjust the seat depth to user preferences.

See Appendix B for a 1:6 scale mockup of this iteration.

Reuse

Compact and deconstructable, this design is easy to transport and reuse. The system is durable as it uses timber beams and steel legs, however plywood panels for the seat base may warp and need replacement. The deck format, with attached components, allows repurposing into a daybed, bench or chaise. Removed elements can be passed to other users for reuse before the system reaches end-of-life.

Repair

If part of the frame was damaged, the whole cover, frame and panels would need to be disassembled, and may deter users from self-repairing. This is due to the design requiring more bracketing and fixing than earlier iterations to allow for additional adaptability.

Standard sized covers where slack could be rolled under when not need are used. This simplifies repair as one size of cover is needed, but is wasteful as material may be unused or faded over time meaning that if the longer length is needed the fabric no longer matches.

Reconfigure

The added assemblies (back and arm) fix to the base panel. The back can be adjusted to increase the seat depth, and a new bracket can be used to change the angle of the seat. Other than these small functional adjustments, changing the general aesthetic is difficult as whole sections of the structure would need to be replaced to significantly change the form.

Refurbish

The steel and solid timber structure is fully deconstructable and so can be refurbished easily. The plywood seat panels may warp and would likely need to be replaced.

Remanufacture

Inserts and fixing points in timber are difficult to remanufacture as the timber fibres can be stripped. This could be addressed by using sleeves and inserts, but this makes recycling more difficult due to combined materials. Refinishing timber is also labour intensive.

Recycle

Steel parts are widely and easily recycled. Solid timber beams can be composted (depending on suitable coatings). Replacing the plywood panel with a solid slat would increase potential to return to biosphere, but increase assembly and work needed for repair and refurbishment.

Summary

Using the same beam and bracket structure for the back as the base is somewhat wasteful as these are over engineered for the backrest function. Standardised components and assemblies are usually more desirable, but there needs to be balance between standardisation and waste.

As timber is a carbon sink it can be used sustainably, but to achieve this it needs to be in use for a long time. In this system, solid timber can be refurbished but plywood would need to be high-quality to last and is unlikely to be biodegraded.

The ladder/bracket/panel system adds adaptability, but decreases potential refurbishing due to the use of mixed materials and processes required.

Fig.71, Iteration 7 sketch samples

Fig.72, Iteration 7 isometric view

Iteration 7

- Square tube frame similar to previous iterations
- Seat and back rails are made from steel channel and joined with steel brackets
- Plywood base panels

This variant retains plywood base panels, incorporating some built in cover clip features of iteration four. Adjustment options are similar to iteration six, however Sections come in increments of 200, 400, 600 and 800mm allowing multiple combinations and giving the user greater options.

See Appendix B for a 1:1 scale mockup of this iteration.

Reuse

Breaking the steel beams into smaller sections, rather than long beams increases reusability. While the system has a functional aesthetic to suit more interior styles and tastes, the aesthetic requires further development to have wide appeal. The leg and back supports attach to the seat panels leaving a gap for the cover to be wrapped under the steel channels and clipped to the plywood.

Repair

Adding extra bracketing to join beam sections increases the fixing and assembly required, and may discourage repair if the perception is that it is laborious. A mockup was made to test a steel folded channel with built in groove for fabric to grip onto, see Appendix B.

Reconfigure

Length is very adaptable, as the beams are designed in 200-800mm sections giving users a great deal of flexibility.

Refurbish

Steel lends itself well to refurbishing, and as this system can be packed into an 800x800x800mm volume it is easy to return to the service provider.

Remanufacture

Rolled steel beams and brackets perform well. Refurbishing involving inspection, stripping, and repairing (welds, fixings, dents) before repainting would essentially result in a 'new' part.

Summary

Steel is shown to be a suitable material for a CE approach due to durability and ability to refurbish. This should be maximised in the next concepts. Though this systems shows promise it needs many fixings, and therefore simplification is needed. Assembling the structure from two materials is acceptable, however a single material would improve ease of refurbishment and recycling.

Fig.73, Iteration 8 sketch samples

Fig.74, Iteration 8 isometric view

Iteration 8

- Steel channel support and end beams
- Steel corner brackets
- Rolled steel roofing sheet seat and back panels
- Steel bar frame

Steel channels are retained from previous iteration, however this design aims to use just one material for the frame, and plywood is replaced with sheet metal which is lightweight and durable. The roofing sheet profile could be revealed by the upholstery to highlight unusual materiality if desired by user. A range of beam lengths allow extension, and a flat seat base has been selected for simplicity and increased adaptability as it allows for corner sections to be added.

See Appendix B for a 1:6 scale mockup of this iteration.

Reuse

Highly durable steel has a long-life supporting reuse. The design is also deconstructable so can be collapsed easily for transport.

Repair

As all parts are steel, standard fixings can be used throughout, simplifying repair. Individual parts can be easily isolated for replacement where repair is not possible. Self-repair of damaged steel parts is difficult. Cushions can be easily removed and replaced, and replacement suspension parts can be easily plugged into the frame

Reconfigure

A new section can be added to extend the system, however a special bracket would be needed to ensure all seat cushions are a standard size. This adds complexity to the system.

Refurbish

Cushions are easily removed from the frame and no glue or stapling is used making reupholstering straightforward. All other parts are similarly simple to replace.

Remanufacture

Steel lends itself well to remanufacturing and as the frame is one material, processing is simple.

Recycle

As discussed in earlier sections, steel can be recycled with no performance loss. Foam cushioning can be cascaded into foam matting, and as covers are easy to remove recycling may be possible with future technology and infrastructure. Alternatively, latex foam and natural fabrics could be returned to the biosphere through composting.

Summary

Using roofing sheet avoids the problems of plywood, and means the entire frame is made from a single material. This means end of life recycling is much simpler and the system can be recycled with minimal disassembly. This version also repurposes seat channels as back top, bottom and arm channels meaning less pieces are required, simplifying the whole system.

Using steel rolled channels allows a lip on the bottom for fabric to clip onto, and the angled profile makes the seat more comfortable as the occupants legs can be in a natural position (angled slightly back from the knee), without hitting the frame.

This system relies on external corner components to join the steel channels, this interrupts the sectional pattern as a spacer is needed between two parallel channels to compensate. This is an issue as covers will only fit specific section lengths, meaning they are less transferable between users.

This could be resolved with a flat end cap, which makes the linear extension simpler, though it is aesthetically 'clunky' to end the section with a flat, opposed to an angle as at the front and back.

Fig.75, Iteration 9 sketch samples

Fig.76, Iteration 9 isometric view

Iteration 9

- **Steel outer channel frame**
- **Slatted or plywood base panel considered**
- **Add on assemblies formed from steel rod or tube with attached steel panel**
- **Tubular steel legs**
- **Elastic or serpentine spring suspension and loose box cushions**

This design aims to resolve the grid spacing issue in the previous iteration. The add-on parts are simplified as they are formed from a panel rather than a panel and channels. A selection of beam lengths allows the sofa to be configured easily.

See Appendix B for a 1:6 and 1:1 scale mockups of this iteration.

Reuse

This system replaces beams rather than joining shorter ones to extend. This is effective in a leasing system, or one where users can easily exchange parts, as it simplifies the product. This is a key difference in designing for a circular economy, as parts would otherwise only be considered for one system.

Repair

The frame is joined by corner legs, rather than additional brackets. This simplifies isolation of frame parts for repair. As in iteration 8, box cushions are straightforward to reupholster, and are easily removed from the frame. Panel and leg fixings are exposed as details to simplify deconstruction and replacement. Tensioning spring systems was found to be difficult for users to repair.

Reconfigure

Add-on parts fix to the beams rather than a base panel meaning they can be attached to all four sides. This, along with the flat base, aids reconfiguration and increased flexibility, for example back cushions can now be attached to ends, and a corner system can be added.

Refurbish

This system deconstructs into individual materials so it well suited to remanufacturing.

Remanufacture

The corner of the steel sections are folded leaving a detail gap, making refurbishment easier as there is no visible welding on the outside of the frame. Having this hidden means welds can be repaired on the hidden back, without affecting the form on the outside,

which would need 'dressing'– grinding back to finish. Steel is durable and highly suited to remanufacturing.

This system uses springs or slats for a seat base, which makes the system simpler for assembly and disassembly, but complicates remanufacturing as more processes are needed. This is acceptable because designing when designing for a CE repair and reuse are prioritised over remanufacturing and recycling.

Recycle

As discussed for previous iterations, steel is highly recyclable. However neither plywood nor elastic webbing can be closed recycled due to being combined materials. Coil spring seat base aids recycling, but were found to be difficult for users to install for repair or reassembly, due to the high tension needed.

Summary

This iteration was able to be easily reconfigured, supporting changing user needs and preferences. Use of a slatted base simplified the system.

The interchangeable single length beam made assembly simpler benefitting all aspects of a CE, and is taken forward to the final iteration. However, use of springs was dismissed due to difficulty of installation.

Steel panel for add-on parts are highly durable and protect fabric for wear and UV damage.

Fig.78, Iteration 10 isometric view

Iteration 10

- Steel outer channel frame
- Plywood perforated base panel for add-on connections
- Add-on assemblies formed from steel tube with plywood panel
- Tubular steel legs
- Coir suspension and loose box cushions

The final iterations incorporates many learnings from previous iterations. Specifically, the use of steel, interchangeable beam lengths, legs used as beam connectors, add-ons fixed to base panel, box cushions loosely installed, and flat base are all brought together. The use of coir suspension is introduced.

See Appendix B for a 1:6 scale mockup of this iteration.

Reuse

This system again uses interchangeable steel beams, which are highly durable and can be exchanged between users. It is easily disassembled and can be made compact for easy transport.

Repair

The frame is joined by corner legs, rather than additional brackets as in iteration 9. This simplifies isolation of frame parts for repair. Box cushions can be easily removed to be reupholstered. While coir cannot be repaired, using a simple slab means whole sections of the suspension system can be easily replaced. Only two tools are required to deconstruct the sofa for repair – a 4mm and 8mm hex key.

Reconfigure

Perforated plywood panels give an increased range of reconfiguration options, which can include arms, tables, seats, and so on. The retained flat base continues to allow increased flexibility for add-ons to be attached to all four sides, and corner systems added. As the suspension is one piece, different densities can be chosen based on user preference and alternative material options for cushioning and upholstery can be exchanged or replaced to give further options.

Refurbish

All materials can be separated easily for refurbishment and replacement. As previously discussed, steel is again used to aid refurbishment. Birch plywood is chosen as it is durable, allowing refurbishment. This has a higher impact than softwood, but this is offset by the material having a longer-life.

Remanufacture

Steel is durable and highly suited to remanufacturing, however coir suspension and plywood base would likely have to be replaced to return the system to an 'as new' condition. However they fit the preferred criteria of a CE.

Recycle

As discussed for previous iterations, steel is highly recyclable with no loss of performance. Birch plywood can be cascaded into engineered panels, and the use of emerging bio adhesives could also allow it to be returned to the biosphere. Following CE principle, where the processes used in cascading would prevent this, direct return to the biosphere is preferred. Coir is a natural product which can easily be returned to the biosphere through composting. Polyurethane foam can only be cascaded, but is widely available so supports repair and refurbishment.

Summary

This iteration brings together the strengths of the previous iterations and comes close to fully meeting the criteria for CE. The outstanding drawback is the use of polyurethane foam. Alternatives were considered in earlier iterations but proved to have similar disadvantages. In the end, the widespread access to polyurethane, and standard upholstery lead to this material being favoured as it better supported the inner loops of reuse, repair and refurbish.

In section 19, a full walkthrough of the system explains this iteration in more detail.

Fig.79, Design iteration CE performance

c. Discussion

The design iteration process has further highlighted how sustainable design is a 'wicked problem'—showing there is no single 'right' solution, and trade-offs are needed to balance priorities. Fig.79 illustrates that performance in one criteria can affect other areas.

As the Circular Economy framework prioritises modes such as sharing and maintenance over recycling, this helped guide the design process and where trade-offs were made. Some of these trade-off and reasoning for, are discussed below:

Plywood base over steel or slatted base

This is less ideal for recycling or returning to the biosphere, but gives greater durability and adaptability. Compostable adhesives are being developed which should allow full biodegrading of plywood in the future, and can be phased into the system as they become available.

Interchangeable full-length frame beams over connected sections

Emphasising sharing encourages the creation of swappable components. This has the added benefit of simplifying the system for users to adapt themselves, as joiners to brace shorter parts together aren't needed. If reverse logistics are effective, a full-length returnable beam is the most material efficient method to extend the base.

The precedent used here was industrial racking, which can be configured with any length of shelf beam. Surplus parts can be used in other systems, and it is the simplest method to grow the system.

Coir (Coco fibre) over springs

The coir spring slab can be plugged into the frame without tools or difficult tensioning. For this reason it was chosen over steel, plastic or webbing springs. The fibre is a waste product and is bonded with natural latex, so at end-of-life it can be returned to the biosphere.

Integrated beam leg connection over corner joiner

Integrating bracket details into the beams adds complexity to these parts, and could make manufacturing more complicated than for a standard corner joiner and leg connector.

However, this is easier for the user to assemble and may encourage repair.

Further, as the leg uses a taper inside a collar the joint is strong and cannot be assembled incorrectly, minimising perceived risk. Being made of aluminium, nylon and steel this assembly is highly durable so suitable for remanufacture, and can be recycled in a closed-loop.

"We prefer objects that are self-explaining. If they are not, we prefer to get along by reading labels... Finally, if absolutely necessary, we read the user instructions." Per Mollerup, 2015

Traditional upholstery box cushions

Box cushions are an established upholstery method, meaning repairing and replacing covers should be straightforward.

No fixings are used, so seat and back cushions can separate easily. The back support locates the back cushion in a fabric sleeve, while the texture of the coir suspension grips the seat cushion in position. This also increases ease of recycling as materials can be instantly identified.

The frame is left exposed to add transparency and minimise upholstery materials.

Added grid holes in base

Grid holes increase ventilation, keeping the coir and foam in good condition for longer. They also future proof the system, allowing for ease of adaptability.

While not all users will modify the system extensively, the grid holes convey openness.

Summary

When designing to strengthen one CE criteria, others were inevitably impacted. The CE model priorities allowed for these trade-offs to be managed (e.g repair over refurbishment).

However, it also became clear that CE criteria are not the only ones that must be met, and the functional and emotional needs of the user must also be prioritised. There is little point designing a CE product, if it is not appealing. This may mean aspects which are the 'most circular' (e.g. least material, most recyclable or most adaptable) are not chosen over less efficient, but ultimately more user-friendly designs.

***"Reduction should be used with care. It can both simplify and complicate elsewhere."* - Per Mollerup (2015)**

d. The power of loops

In section 20 - Validation, the impacts of different user models and materials are compared and it was found that exchanging materials shifted, rather than solved, negative impacts.

Therefore, the decision was made to choose materials based on their performance and ability to flow effectively in a CE system, reducing the need for—and impacts of—virgin material input over time.

Different materials can flow differently, potentially cascading multiple times or existing in a closed-loop. This can make comparisons difficult when considering a range of options and systems. Material flows were mapped in terms of performance (i.e. frame, suspension and upholstery materials) to support decision making.

Example actions:
return parts
return sofa
fit new springs

Example actions:
repainting
metal recycling
foam downcycling

Fig.80, Loops in a CE

Frame materials

Technical loops

This diagram highlights how aluminium, plastic and steel can flow in all closed loops of refurbishment, repair, sharing and lastly, recycling. This is dependent on them being kept as pure inputs.

Plastics, although less suited to refurbishment, can flow in a closed loop with the emphasis more on recycling.

Biological loops

While using renewable materials may seem the best way to move to a circular economy, they often cannot flow in as many loops as synthetics. This is due to the loss of material performance when recycling, compared to less renewable materials such as aluminium and steel which maintain performance after being recycled.

"It is out of the question that food should be sacrificed to make a chair for example. Even for alternatives such as linseed or hemp, these take up land that could be used for growing food," - Philippe Starck (2018).

Cascade flows

The flow of plywood and timber is highly impacted by surface treatment or adhesive. An untreated solid timber part finished with a biodegradable sealer, could flow in the technical, share and repair loops, and also the return to biosphere loop.

Extensive refurbishment is less viable as it is labour intensive. A plywood part, (timber veneers laminated with synthetic resin) could flow in the share and repair loops, but not be returned to the biosphere. This would be cascaded (chipped and bonded into panels) or incinerated for energy—these are linear pathways.

As it is more desirable to close the loop than cascade, the best path may be to fully biodegrade after one loop rather than cascade, if cascading leads to waste. This may seem counterintuitive as using waste plywood to create new panels feels resourceful, however the toxicity of this material makes it a 'monstrous hybrid' that is problematic to return to the biosphere at end-of-life.

Fig.81, Potential frame material loops

Suspension materials

Technical loops

Many suspension materials can flow in a closed loop, including coir, latex foam, nylon and spring steel.

Although nylon flowed effectively due to its durability, repairability and recyclability, because of its high carbon footprint it was only chosen for the leg connectors (where these qualities were critical) and not the larger spring base.

Biological loops

Depending on processing and toxicity, both coir and latex foam can be returned to the biosphere.

Cascade flows

Polyurethane foam can only be cascaded or landfilled. The poorest performer was elastic webbing, which due to being a hybrid of rubber and textile would most likely be landfilled as it is not efficient to separate.

Fig.82, Potential suspension material loops

Upholstery materials

Technical loops

Durable textiles such as wool and polyester, can flow in share, and repair loops.

Polyester flows the most easily in a closed-loop as it can be re-polymerised into a raw material and processed with no loss of performance.

Emerging technology may be needed to separate blended fabrics into pure inputs. This is currently not widely available, resulting in mixed fibres (impure inputs) going to landfill.

Biological loops

Natural fibres can be returned to the biosphere (depending on treatment i.e. chlorine, dye). This may be preferable to some forms of cascading to avoid contaminating these materials.

Cascade flows

Natural fibres (e.g. bamboo, cotton, and wool) can cascade into upholstery wadding or insulation. If toxic materials are avoided in these processes they may still be returned to the biosphere, this demonstrates the power of cascaded use, and circling longer.

Fig.83, Potential upholstery material loops

e. Final working prototype

Fig.84, Final working prototype
Note: for fabrication process see Appendix D

Fig.85, System single base unit

19. System walkthrough

System base unit - see G.A. Drawing, Appendix D.

The system is based around a 750 x 750 unit. This size was chosen as it is shallower than many armchairs or sofas so is more compact, benefitting transport and is more fitting to modern dwellings.

This system maintains a typical 450mm seat height and 550mm seat depth, although height can be changed with alternative legs.

The steel folded channels are chamfered to convey lightness and increase comfort, as the users calves will not clash with the frame. Folding the channel with a double bend adds strength and therefore saves material.

The square format allows seat cushions and coir suspension panel to be flipped or rotated to spread wear evenly, and potential add-on parts to be fitted on four sides.

The base can be used alone, as a seat or footstool, and have optional components (e.g. arm, back, table) added—similar to the Delaktig system.

The seat base is not reclined, research showed this was acceptable from a comfort aspect as suspension is provided by a 60mm coir panel.

A 365mm back height is compact, and fits current fashion for sleek low sofas, however if trends change, this can be easily exchanged for a higher back.

This means a system of leasing or refurbishment and redistribution is more viable as parts can go into more potential systems or scenarios, widening the potential pool of users.

Fig.86, System exploded view

System adaptability

The frame is formed from steel tube uprights in four corners bridged by folded or rolled steel channels. This supports a perforated 18mm plywood base panel, which is key to adaptability.

While Delaktig allows add-ons to fix to the outer frame in a track, perforating the panel in this way allows components to be fixed on the edges, the bottom, or both. The perforated panel was also chosen to aid ventilation, and convey openness.

Added components are formed from steel tube, with welded and internally threaded lugs allowing fixing to the panel with an M6 connector bolt.

Finally cushions are placed, the coir panel grips the seat cushion in place, while the back cushion has a pocket to locate onto the back panel, allowing it to be quickly removed to change the system into a day bed.

Fig.87, System exploded view

System extension

The frame is held together and supported by corner legs which are standard to all configurations.

All four legs and end beams are identical, allowing scuffed parts to be moved to less visible positions if necessary.

The leg-beam connector uses a nylon tapered locking clamp, compressed by an M10 fixing bolt to solidly clamp the three parts (beam, beam and leg) together. Refer to Appendix B for test modelling of this connector.

To extend or shrink this system, the legs are first removed, allowing the front and back beams to be separated for replacement. Unwanted beams can be returned to the provider for refurbishment and integration into other existing or new systems.

Additional base panels can then be added together with new beams.

The base panels are 'half' panels—this allows the end panels to remain in place, while middle panels are added or removed. Importantly, this also allows half sofa sizes (e.g. a 2.5 seater) to be configured.

Finally, the legs are refitted.

This is a key feature of this system as extension is typically done by adding a whole unit (sectional system), rather than extending the existing system.

System maintenance

This design allows individual parts, and to a large extent materials, to be isolated for repair, adaptability or, or recycling.

For the user this has many advantages:

- covers can be easily updated or replaced, as they are not stapled or glued in place
- worn or damaged parts can be individually replaced
- unwanted parts do not need to be stored, these can be sold or returned to the provider
- new technology can be phased into the existing system.

Fig.89, System configurator
Icons and configurator adapted from: <https://www.jori.com/en/configurator>

Configuration

In addition to seating, this system allows for numerous potential add-ons such as side tables, platform tables or even playhouses. This allows the system to be tailored to suit a range of settings, from a student's bedroom to an airport departure lounge.

This widens the potential pool of users and parts.

An online configurator could be used to foster co-creation. This could automatically generate a parts list, and cost estimate for a design. Kits can then be shipped to the user.

This portal could also track your current configuration over multiple iterations, email users to prompt them to rotate and flip their cushions and spring panel and suggest potential add-ons available in your area.

Fig.90, System configurations, innovations can be phased in over time

Tailored versions

As this system can be assembled from a menu of materials, tailored versions can be offered, allowing users greater control of the materials they prefer, such as organic or locally-sourced.

Potential versions offered could include:

- pet and child-proof version with washable polyester covers
- low carbon emission version
- organic version with organic cotton, latex and coir
- recycled version with reconstituted foam recycled polyester covers.

Fig.91, Tailored versions

User interaction (storyboarding)

Storyboarding investigated potential user interactions with this system.

start your 30 year sofa,

Fig.92, Start your 30 year sofa

maintain your 30 year sofa,

Fig.93, Maintain your 30 year sofa

modify your 30 year sofa,

Fig.94, Modify your 30 year sofa

move your 30 year sofa, or we'll take it back.

Fig.95, Move your 30 year sofa

20. Validation: eco-cost indicators

To confirm these design decisions are building towards long-term sustainability the new system was compared over a 30-year period with two traditional sofa ownership models.

Where possible all three models assumed the use of identical materials and format—a two seater sofa with two arms, using cotton upholstery and polyurethane foam.

The repair pattern assumed is based on typical sofa warranties and reported lifespans (section 10).

Note: working out for this section in Appendix A.2 - A.6.

The three models compared are:

1. A mass-produced sofa with replaceable covers, based on the IKEA Klippan sofa and 10-year warranty—this comparison assumes the cover is replaced every five years and the sofa disposed of at 10 years.

Frame: particle board
Suspension: steel springs
Foam: polyurethane foam
Upholstery: cotton

2. A mid-range sofa with reasonable repair undertaken—this comparison assumes professional re-upholstery is required after 10 years, and the sofa is disposed of at 20 years.

Frame: radiata plywood
Suspension: steel springs
Foam: polyurethane foam
Upholstery: cotton

3. The circular economy sofa model with reasonable repair undertaken—this comparison assumes the covers are replaced every five years, and foam every ten years

Frame: mild steel
Suspension: coir panel
Foam: polyurethane foam
Upholstery: cotton

Datasets

The Delft University of Technology Idemat 2018 dataset of material eco-costs was used for assessing the sustainability impact. Although EU based, this dataset gives in-depth detail across multiple measures on almost all of the materials being considered.

Coir was not included in this dataset, and so alternative CABi figures were used. However this dataset only covers Co2 footprint.

Transport emission factors used: Guidelines for Measuring and Managing CO2 Emission from Freight Transport Operations, European Chemical Industry Council (2011).

Material data for the budget model: Fire-LCA Model: Furniture Study, Anderson et al (2003).

Time period

Fig.96, Assumed sofa repair and disposal

a. Assumptions

- The budget sofa model has replaceable covers and it is assumed these would be replaced after five years to address visual and functional wear and tear, increasing the life to 10 years—higher than the average 7.8 year lifespan (Ikea, n.d.a., n.d.b.).
- When both the budget and mid-range sofa models are disposed of they are replaced with an equivalent model.
- The mid-range model is based on the budget model, however plywood is used in place of particle board.
- For this comparison, all sofa models are calculated as if made from virgin materials. Cascaded materials could be phased into the circular economy model over time, however this is not considered for fairness.
- The mid-range sofa model would require less regular repair and maintenance compared to the budget sofa model. It is assumed this would be reupholstered at 10 years due to wear and fashion changes, and replaced at 20 years.
- For the purpose of calculating transport differences consistently the following ports are assumed for origin and destination:
 - Shanghai, China as the port of origin for imported sofas.
 - Rotterdam, Netherlands as the European destination port (the dataset used is from Delft, which is headquartered in this city).
 - Wellington as the destination port in New Zealand.
- Local manufacture is assumed to be viable for the mid-range and circular economy sofa models, but not for the budget sofa.
- For locally manufactured sofas, a distance of 1000km was assumed as the distance from origin to destination. This is equivalent to Christchurch to Auckland, or Milan to Rotterdam.

b. Boundaries

- Volume to landfill is calculated based on post-consumer waste only. Pre-consumer waste is not known.
- Due to different waste management practices in the EU and NZ only volume (kg) to landfill and no other impacts (water pollution, groundwater contamination) are considered.
- This is an indicative test to validate design decisions, and not a full LCA report as this would require too many assumptions of processes, sources and waste processing to be of value and would be out of research scope.
- Transport emissions are considered separately to material emissions.
- The functional unit for all three sofa models are consistent in size and function; a two seater with two arms.
- Idemat provides costs in euros, these were converted to NZD for conclusions based on exchange rate as at January 2019. 1 Euro: 1.7065NZD

c. Carbon footprint

In total, 198kg Co2 is created by producing and repairing the CE sofa model over this period. This is equivalent to driving an average car for almost 8 hours (YouSustain, n.d.)

Compared to the budget sofa model, the CE sofa model immediately reduces the carbon footprint of the sofa by 57 percent, growing to a 69 percent gap over the 30 year period. The initial gap is largely due to removing high-impact particle board, unnecessary upholstery and other materials, such as the dust cover sheet, and later gains can be attributed to the ability to maintain the base frame of the sofa over a longer period.

The mid-range sofa produces 257kg Co2 over 30 years, similar to the CE sofa model. However, the CE model is updated twice as frequently, having the covers replaced every five years.

Eco-cost of Co2 over 30 years (NZD)

Linear model = \$123

Mid-range model = \$53

Circular model = \$36

d. Embodied energy

In the budget sofa model, the frame (particle board, sawn timber, springs, and fixings) accounts for 1789 megajoules (MJ), of which 93% is due to particle board. The CE sofa model’s design and use of steel reduces the frame embodied energy by 80 percent to 363MJ. Using recycled steel would reduce this even further to 230MJ.

Budget model total embodied energy (year one) = 10870MJ

Circular model = 981MJ

Over 30 years the circular model has a 71 percent reduction in embodied energy compared to the budget model.

Embodied energy over 30 years (MJ)

Linear model = 10870MJ

Mid-range model = 4114MJ

Circular model = 3151MJ

e. Human health

With this design, the majority of toxicity to human health is caused by the polyurethane foam used in the upholstery. This is due to the vapours and gases from production of foam components (Europur, n.d.). Foam is also one of the key areas which wears out on a sofa resulting in the object losing performance.

This can be reduced by a significant 80 percent by replacing polyurethane foam with natural latex rubber foam.

However, this replacement increases resource depletion significantly as natural latex foam requires rubber from plantations, which can lead to other issues such as destruction of carbon sequestering native forest, loss of land that could be used for food production, and habitat loss.

This highlights a challenge in designing sustainable products. The most renewable option (that which exists in the biosphere) can be a bad choice for the environment, while the synthetic alternative (exists in the technical sphere) could be bad for worker and user health. A CE design approach, with interchangeable parts, can allow individual users to tailor their system to address their environmental priorities—such as health, habitat protection, or Co2 footprint. However, arguably the best way to improve performance on all measures is to decrease virgin material input.

f. Resource depletion

The largest contributor to resource depletion across all sofa models is cotton. Multiple reports show rapid production of cotton exhausts land resources, consumes huge volumes of water and pollutes waterways (WWF, 2017; n.d.). Replacing cotton with wool would reduce some issues associated with cotton, but may increase harmful greenhouse gas emissions.

Reducing the amount of upholstery significantly reduces this impact—highlighting the value of reducing material rather than replacing it with ‘less bad’ alternatives.

Despite the negative environmental impacts, allowing customers choice between cotton, wool or polyester upholstery, latex or polyurethane foam, or a new frame instead of a used frame is acceptable as the long-term impact reduction is achieved by keeping the product in use for a longer period of time.

In terms of resource depletion, the CE model costs 52 percent less over the 30 year period than the budget sofa model. With a used steel frame, this increases to a 54 percent reduction.

Eco-costs of resource depletion over 30 years (NZD)

Linear model = \$245

Mid-range model = \$187

Circular model = \$119

g. Transport

A key benefit of using less material is the reduction in freight emissions.

Even when maintaining centralised manufacturing in China, the CE sofa model saves 63 percent Co2 from transport, due to shipping less material over 30 years. This includes shipping repair materials and parts over that time.

Purchasing a mid-range sofa produced in China with double the lifespan saves 38 percent of transport Co2 compared to the budget sofa model.

These comparisons highlight the importance of quality, repairability and manufacturing location considerations in designing and manufacturing sofas.

Steel was chosen primarily for its durability and ability to be refurbished and recycled, as well as its comparative lightness, benefitting transport related Co2.

h.Waste to landfill (kgs)

This is where the largest difference between the sofa and ownership models can be seen. The budget sofa model is not designed to be recycled, and so, with a lifetime of just ten years, three units go to landfill over thirty years, with no materials being recovered.

Material to landfill over 30 years
Linear model = 184kg
Mid-range model = 68kg
Circular model with current metal recycling and coir composting = 38kg
Circular model rwith steel recycling, foam downcycling foam and coir composting = 22kg
Circular model with additional plywood biodegrading, textile recycling and LDPE / nylon recycling = 2kg

With current recycling abilities, we can expect the steel to be recycled, and the coir removed and composted. This results in 146kg less waste to landfill over 30 years in the CE sofa model.

Textile recycling is becoming more available and in the near future we can expect the textile fibres to be recycled or at least composted. This results in a further 9.6kg of material diverted from landfill.

Nylon 66 and LDPE can be recycled, but are typically not due to the value and small amount—in an established CE these would be recycled. Advances in plywood adhesive are bringing biodegradable adhesives to the industry meaning the only remaining material not recycled will be the polyurethane foam, which can be cascade recycled into gym matting, or similar. These steps reduce material to landfill by 88-99%.

The abilty to recycle or reuse polyester wadding would bring this to 100% diversion from landfill.

i. Discussion

CE strategies show promise to reduce the amount—and associated impacts—of material and transport required to manufacture and deliver a sofa.

A key insight from these comparisons is that the ability to keep a material in a closed loop for a significantly longer time frame can surpass any gains from ‘eco’ choices.

Savings by shifting to a circular economy model (compared to budget sofa model)
Eco-costs to human health: 20%, increasing to 39% with recycled steel
Cost of resource depletion: 52%, increasing to 54% with recycled steel
Embodied energy: 71%, increasing to 74% with recycled steel
Waste to landfill: 79% with moderate recycling, increasing to 99% with extensive recycling
Transport emissions: 63%
Total eco-costs: 56%, increasing to 60% with recycled steel

With greater societal emphasis and attention on waste minimisation and pro-environmental behaviours, recycling infrastructure is expected to improve in the near future.

Combined with efficient reverse logistics systems and incentives this should encourage an increasing shift to refurbishing and recycling. Over time, these materials can be phased into the existing system, either through repair and replacement, or new kits being partially or wholly made from refurbished and recycled parts. This would have the impact of further reducing the eco-costs of a CE sofa.

***“Continuous improvement is better than delayed perfection.”
- Mark Twain***

21. Validation–Industry feedback

The proposed CE sofa system as outlined in section 19 was presented to key figures in the New Zealand sustainable business network.

And the question posed: “How does this academic design research relate to the industry and how might it be applied commercially or conceptually within your company or the field in general?”

These interviews are approved by the Victoria University of Wellington Human Ethics Committee: Application ID: 0000024294

Direct quotes from the interviews are reproduced here:

Peter Thomson—CEO, The Formary

The Formary is a global leader in fibre redesign that works with businesses and organisations worldwide, transforming fibre waste into valuable, marketable products.

“This research shows the need to be pragmatic and practical as there is no ideal solution. And designing well means you can bring in new solutions and innovations incrementally, and potentially manufacture locally.”

“This design-led thinking is what we know needs to happen for a sustainable future.”

“Most think the Circular Economy is just better recycling, this research shows that repair and reuse are also important.”

“As there is no ideal material choice, designing in a modular way such as this allows you to offer multiple material choices to customers, and they can choose based on their priorities and budget. It is important that people are enabled to have choices.”

“This research shows there is actually nothing easy about solving these issues, and designing in this way allows incremental improvement in sustainability.”

Richard Latham—Design Director, Wishbone Design Studio

Wishbone Design Studio won the Going Circular category of the 2017 NZI Sustainable Business Network Awards for their Recycled Edition 3-in-1 bike.

“Using a single material for most of the product helps with recycling.”

“Environmental solutions need to be practical. It’s one thing to be idealistic, but it’s better to implement small changes and incorporate new technology over time.”

“Designing in this way allows you to have a mk.1 and a mk.2. The mk.1 can have all the ideal design choices, and be the most sustainable. The mk.2 could be a more affordable model with some different materials. At Wishbone we call it a “mix and match” system, you could provide a “build-your-own” sofa.”

“If each component has one or two options, it creates a much more versatile product.”

James Griffin—General Manager, Circular Economy Accelerator

Part of the Sustainable Business Network, the Circular Economy Accelerator is leading the effort to accelerate NZ to a circular economy.

“This research tackles a fundamental issue with the linear economy, obsolescence, via a relatable everyday item.”

“Addressing this issue at scale is an absolute requirement for a move towards a circular economy.”

“Overall the process, considerations, design and ultimate conclusions of the thesis clearly present not only a compelling and inspiring approach to defying obsolescence in sofa design, but in multiple products and sectors.”

“The thesis demonstrates an excellent understanding and practical application of core circular economy principles.”

“The concept goes beyond a simple incorporation of circular design elements to crucially demonstrating how such principles can enhance both the functionality and overall appeal of a product, providing tangible competitive advantages versus incumbent offerings.”

“I would love to see such a design commercialised and certainly believe it has the potential to do so.”

22. Conclusions

CE design strategies significantly reduce impacts on the whole, even with current materials and technology

CE is an effective model to reduce impact and waste from manufacturing and consumerism, and can be adopted with current materials and infrastructure.

By designing a circular system, virgin material input is minimised. This is critical because whichever material choices are to be made, the most effective way to reduce long-term impact is to keep those materials in use for as long as possible.

A system which prioritises repair and adaptability appeals to users' growing desire for longer lasting products which cause less environmental harm. This adaptability also supports easy reconfiguration allowing the unit to adjust changing user needs over time. While reconfiguration is not explicitly part of a CE model, it supports and furthers its goals.

There are few barriers to designing for CE

CE is an accessible concept, encouraging designers to work to reduce material input from the outset without having to do extensive research and calculations. CE is also an effective framework for guiding design decisions as it prioritises the most effective strategies, favouring repair and refurbishment over recycling. This is positive as recycling is a problematic system, and should be applied as a last resort.

A CE helps us build towards a future of abundance

The motivation for moving to a CE model should be for a future of abundance; more choice, more creativity, more customisation, and more financial stability.

This contrasts many ecological movements which just ask us to consume less. In a CE model we ultimately need less material inputs to the system, as through sharing, adaptability and refurbishing, users can change their sofa design more frequently than in a current linear model.

Designing a good system is more effective than choosing 'good' materials

It is important to first design an effective circular system, then choose materials to fit this. The reduced impacts in a CE model are largely achieved from a holistic and long-term systems approach.

Materials chosen have to perform comparatively with (or better than) standard existing materials, otherwise the system is less acceptable (e.g. comfort, function, durability). As such, when choosing materials priority was given to those with long term durability and high performance.

This research found that materials typically perceived to be lower impact, often had similar or worse environmental footprint by some measures.

Biological materials are typically less durable, and when recycled lose performance, needing virgin material input. This means technical materials, which are durable and able to be recycled with no loss of performance, can be better choices for a CE.

Material choices should be thoroughly researched early to avoid moving the problem

Care is needed when choosing materials to avoid reducing impacts in one aspect, only to amplify them in another. Problematically, this may result in none of the materials being particularly 'good'.

In this research, material impact validation was investigated as the design solidified. On reflection, conducting preliminary material impact testing on a range of typical and alternative materials could have improved the research case study sofa outcome.

For example, knowing the impacts of foam options (synthetic and natural) earlier, would have encouraged designing a system which required no foam at all and could have brought new design solutions, reducing impacts further.

Design for deconstruction is key to a CE

Aside from the obvious advantages of deconstruction (refurbishment and recycling), this approach opens the system up to new user models. This means service models for furniture are more viable, allowing leasing to businesses and domestic users.

Design for deconstruction allows the system to be tailored to different user needs and preferences. Some users may emphasise repair, others may emphasise natural materials. Deconstruction democratises the design process by allowing the user to choose through co-creation.

New material technology is emerging, and in a system of deconstruction and refurbishment, new materials can be phased in as they are introduced.

Beyond a Circular Economy

Although the CE has many advantages and strengths, it only buys us time and should be considered a step towards a cradle to cradle model.

Current materials tie us into eco-efficiency, but do not move us to a system where material impacts are positive (referred to as eco-effectiveness in C2C). Designers and manufacturers have to demand and support material developments to move to a truly sustainable circular, cradle to cradle model.

***“We really should consider very carefully whether we constantly need new things, I have been arguing for a long time for less, but better things.”
- Dieter Rams, 2017 (as cited in Dezeen)***

Appendices

Appendix A.1 Potential negative impacts from sofa manufacturing

Material	Application	Source	Extraction impacts	Harvesting impacts	Manufacturing impacts	Distribution impacts	Disposal impacts	End-of-life potential
Steel	frame fixings springs	mining	habitat loss deforestation resource depletion sulphuric acid drainage - water pollution solid mining waste	n/a	toxic by-products (sludge, dust) combustable gases water pollution climate change	climate change	leaching into soils / groundwater water pollution climate change	closed loop no loss of performance
Aluminium	frame	mining	habitat loss deforestation water pollution resource depletion	n/a	toxic by-products gases water pollution climate change			closed loop no loss of performance
Polyurethane Foam	cushioning	drilling fracking	oil spill contamination of ground water resource depletion	n/a	volatile organic compounds spill waste offcuts			cascade gym / play mats
Polyester	upholstery	drilling fracking	oil spill contamination of ground water resource depletion	n/a	leakage water pollution			closed loop no loss of performance
Polyethylene	wadding packaging wrapping	drilling fracking	oil spill contamination of ground water resource depletion	n/a	volatile organic compoundsocean pollution			closed loop no loss of performance
Timber	framing structure	managed forest or native forest	n/a	deforestation habitat loss erosion	waste offcuts climate change			cascade engineered timber boards incineration for energy
Particle board	framing structure	managed forest or native forest	n/a	deforestation habitat loss erosion	waste offcuts climate change formaldehyde off gassing cancer			incineration for energy
Natural latex	cushioning	plantation	n/a	habitat loss	waste offcuts water pollution			closed loop biodegraded
Bamboo	framing structure	crop	n/a	habitat loss	waste offcuts			cascade engineered timber boards incineration for energy
Cotton	upholstery	crop	n/a	habitat loss drought eutrophication erosion	water consumption water pollution			cascade insulation closed loop biodegraded
Wool	upholstery	livestock crop	n/a	climate change animal welfare eutrophication	water consumption water pollution			cascade insulation closed loop biodegraded

Appendix A.2 Material validation table

Material								Total eco-costs	eco-costs of human health	eco-costs of eco-toxicity	eco-costs of resource depletion	eco-costs of carbon footprint	Carbon footprint	Cumulative Energy Demand (Total)
Part	Material	Material category (Idemat 2018) note: Coir data from CABI	Volume mm3	Volume M3	Area mm2	Area m2	Weight Kg	euro	euro	euro	euro	euro	kg CO2 equiv.	MJ
Prototype circular economy sofa														
Steel frame and legs	1.2mm Mild steel	Idematapp2018 Steel (21% sec = market mix average)*	1088482	0.001088			8.5	3.11	0.33	0.36	0.38	2.04	17.55	191.65
Steel back and arm support	19.1mm OD mild steel tube	Idematapp2018 Steel (secondary)	119015	0.000119			0.9	0.34	0.04	0.04	0.04	0.22	1.92	20.95
Fixings	Steel	Idematapp2018 Steel (21% sec = market mix average)*	63899	0.000064			0.6	0.21	0.02	0.02	0.03	0.14	1.18	12.87
Seat panels	18mm Radiata Plywood	Idematapp2018 Plywood, indoor use (softwood 600 kg/m3)	17539384	0.017539			8.3	1.14	0.01	0.14	0.59	0.39	3.37	98.52
Back panels	12mm Radiata Plywood	Idematapp2018 Plywood, indoor use (softwood 600 kg/m3)	4044294	0.004044			1.9	0.26	0.00	0.03	0.14	0.09	0.78	22.72
Seat suspension	60mm Coir	External - Centre for Agriculture and Bioscience International	52768500	0.052769			3.0						1.11	
Seat / back foam	Polyurethane foam	Idematapp2018 PUR flex. block foam TDI	151132989	0.151133			5.4	9.51	1.88	1.34	4.12	2.18	18.76	459.04
Fibre Wadding 100% Polyester	Polyester	Idematapp2018 PET polymer pellet production		0.004332	4331700	4.3	0.6	0.73	0.03	0.09	0.38	0.24	2.05	43.39
Upholstery	Cotton	Idematapp2018 Cotton fibre market mix (without global seatransport)		0.004332	4331700	4.3	1.6	8.99	0.00	0.43	7.17	1.39	11.97	110.46
Nylon	Nylon 66	Idematapp2018 PA 66 (Nylon 66, Polyamide 6-6)*	113775	0.000114			0.1	0.27	0.01	0.04	0.10	0.13	1.08	16.12
Plastic skids	LDPE	Idematapp2018 PE (LDPE, Low density Polyethylene)*	0	0.000000			0.1	0.09	0.00	0.01	0.06	0.02	0.17	5.37
Total:							31.2	24.6	2.3	2.5	13.0	6.8	59.9	981.1
Prototype circular economy sofa with recycled steel														
Frame	1.2mm Mild steel	Idematapp2018 Steel (21% sec = market mix average)*	1271396	0.001271			10.0	1.16	0.04	0.25	0.09	0.78	6.74	92.83
Total:							31.1	16.3	0.5	1.4	9.0	5.4	47.9	614.9
Prototype circular economy sofa with natural latex rubber foam														
Seat / back foam	Natural latex foam	Idematapp2018 Natural rubber	151132989	0.151133			11.3	16.11	0.04	0.51	12.68	2.89	24.90	404.06
Total:							36.2	30.9	0.4	1.6	21.5	7.3	64.2	905.2
Mass produced sofa (IKEA Klippan)														
Particle board	Particle board	Idematapp2018 Particle board indoor use 600kg/m3					38.4	12.34	0.80	2.54	0.50	8.50	73.29	1666.82
Steel	Mild steel	Idematapp2018 Steel (21% sec = market mix average)*					4.8	1.74	0.19	0.20	0.21	1.14	9.86	107.66
Sawn timber	Softwood pine solid timber	Idematapp2018 Radiata Pine FSC/PEFC 450 (kg/m3)					4.7	0.51	0.00	0.22	0.25	0.04	0.36	14.69
Foam polyurethane	Polyurethane foam	Idematapp2018 PUR flex. block foam TDI					4.2	7.34	1.45	1.03	3.18	1.68	14.48	354.35
Alme Black Fabric 100% cotton	Cotton	Idematapp2018 Cotton fibre market mix (without global seatransport)					2.6	14.58	0.01	0.69	11.63	2.25	19.43	179.19
White Base Fabric 80% cotton 20% polyester	80% cotton / 20% polyester mix	80% Cotton / 20% Polyester Fabric mix					2.2	10.39	0.02	0.53	8.14	1.70	14.63	152.78
Felt liner Polycotton mix, 50% Cotton / 50% Polyester	50% cotton / 50% polyester mix	50% Cotton / 50% Polyester Fabric mix					1.1	3.74	0.02	0.23	2.80	0.69	5.97	77.26
Fibre Wadding 100% Polyester	Polyester	Idematapp2018 PET polymer pellet production					0.7	0.84	0.03	0.10	0.44	0.27	2.36	50.08
Total:							58.7	51.5	2.5	5.5	27.1	16.3	140.4	2602.8
Mid range sofa (as Klippan with particle board exchanged for plywood)														
Plywood	Radiata plywood	Idematapp2018 Plywood, indoor use (softwood 600 kg/m3)					26.0	3.55	0.04	0.45	1.84	1.22	10.53	307.46
Steel	Mild steel	Idematapp2018 Steel (21% sec = market mix average)*					4.8	1.74	0.19	0.20	0.21	1.14	9.86	107.66
Sawn timber	Softwood pine solid timber	Idematapp2018 Radiata Pine FSC/PEFC 450 (kg/m3)					4.7	0.51	0.00	0.22	0.25	0.04	0.36	14.69
Foam polyurethane	Polyurethane foam	Idematapp2018 PUR flex. block foam TDI					4.2	7.34	1.45	1.03	3.18	1.68	14.48	354.35
Alme Black Fabric 100% cotton	Cotton	Idematapp2018 Cotton fibre market mix (without global seatransport)					2.6	14.58	0.01	0.69	11.63	2.25	19.43	179.19
White Base Fabric 80% cotton 20% polyester	80% cotton / 20% polyester mix	80% Cotton / 20% Polyester Fabric mix					2.2	10.39	0.02	0.53	8.14	1.70	14.63	152.78
Felt liner Polycotton mix, 50% Cotton / 50% Polyester	50% cotton / 50% polyester mix	50% Cotton / 50% Polyester Fabric mix					1.1	3.74	0.02	0.23	2.80	0.69	5.97	77.26
Fibre Wadding 100% Polyester	Polyester	Idematapp2018 PET polymer pellet production					0.7	0.84	0.03	0.10	0.44	0.27	2.36	50.08
Total:							46.3	42.7	1.8	3.4	28.5	9.0	77.6	1243.5

Appendix A.3 Eco-costs table

Kg CO2 equiv.										
Version	Year 0	Year 5	Year 10	Year 15	Year 20	Year 25	Year 30	Total kg equiv. Co2	Saving kg Co2	Difference
Linear sofa (budget)	140.4	159.8	300.2	319.6	460.0	479.4	619.8	619.8	0	0%
Linear sofa (mid-range)	77.6	77.6	128.5	128.5	206.1	206.1	257.0	362.7	59%	
Circular sofa	59.9	71.9	105.8	117.8	151.7	163.6	197.5	197.5	422.2	68%
Circular sofa - recycled steel	47.9	59.9	93.8	105.8	139.7	151.6	185.5	185.5	434.2	70%
Eco-costs of carbon footprint										
Version	Year 0	Year 5	Year 10	Year 15	Year 20	Year 25	Year 30	Total - Euros	Saving - Euros	Saving %
Linear sofa (budget)	16.3	18.5	34.8	37.1	53.4	55.6	71.9	71.9	0	0%
Linear sofa (mid-range)	9.0	9.0	15.6	15.6	24.6	24.6	31.2	31.2	40.7	57%
Circular sofa	6.8	8.2	12.0	13.4	17.2	18.6	22.4	22.4	49.5	69%
Circular sofa - recycled steel	5.4	6.8	10.6	12.0	15.8	17.2	21.0	21.0	50.9	71%
Eco-costs of human health										
Version	Year 0	Year 5	Year 10	Year 15	Year 20	Year 25	Year 30	Total - Euros	Saving - Euros	Saving %
Linear sofa (budget)	2.5	2.5	5.0	5.0	7.6	7.6	10.1	10.1	0	0%
Linear sofa (mid-range)	1.8	1.8	3.3	3.3	5.1	5.1	6.6	6.6	3.5	35%
Circular sofa	2.3	2.3	4.2	4.2	6.1	6.1	8.0	8.0	2.1	20%
Circular sofa - recycled steel	0.5	0.5	2.4	2.4	4.3	4.3	6.2	6.2	3.9	39%
Eco-costs of eco-toxicity										
Version	Year 0	Year 5	Year 10	Year 15	Year 20	Year 25	Year 30	Total - Euros	Saving - Euros	Saving %
Linear sofa (budget)	5.5	6.2	11.8	12.5	18.0	18.7	24.2	24.2	0	0%
Linear sofa (mid-range)	3.4	3.4	6.0	6.0	9.5	9.5	12.1	12.1	12.2	50%
Circular sofa	2.5	2.9	4.8	5.2	7.0	7.5	9.3	9.3	14.9	62%
Circular sofa - recycled steel	1.4	1.8	3.7	4.1	6.0	6.4	8.2	8.2	16.0	66%
Eco-costs of resource depletion										
Version	Year 0	Year 5	Year 10	Year 15	Year 20	Year 25	Year 30	Total - Euros	Saving - Euros	Saving %
Linear sofa (budget)	27.1	38.8	65.9	65.9	104.7	116.3	143.5	143.5	0	0%
Linear sofa (mid-range)	28.5	28.5	54.7	54.7	83.2	83.2	109.4	109.4	34.1	24%
Circular sofa	13.0	20.2	31.8	39.0	50.7	57.8	69.5	69.5	74.0	52%
Circular sofa - recycled steel	9.0	16.1	27.8	35.0	46.6	53.8	65.5	65.5	78.0	54%
Total eco-costs										
Version	Year 0	Year 5	Year 10	Year 15	Year 20	Year 25	Year 30	Total	Saving kg	Saving %
Linear sofa (budget)	51.5	66.1	117.6	132.1	183.6	198.2	249.7	249.7	0	0%
Linear sofa (mid-range)	42.7	42.7	79.6	79.6	122.3	122.3	159.2	159.2	90.5	36%
Circular sofa	24.6	33.6	52.8	61.8	81.1	90.0	109.3	109.3	140.4	56%
Circular sofa - recycled steel	16.3	25.3	44.5	53.5	72.7	81.7	100.9	100.9	148.8	60%
Volume to landfill										
Version	Year 0	Year 5	Year 10	Year 15	Year 20	Year 25	Year 30	Total	Saving kg	Saving %
Linear sofa (budget)	0	2.6	61.3	63.9	122.6	125.2	183.9	183.9	0	0%
Linear sofa (mid-range)	0	0	10.8	10.8	57.1	57.1	67.9	67.9	116.0	63%
Circular System with minimal recycling and composting	0	1.6	9.3	10.9	18.5	20.1	38.2	38.2	145.7	79%
Circular system plus foam downcycling	0	1.6	3.8	5.4	7.6	9.2	21.9	21.9	162.0	88%
Circular system plus textile recycling	0	0	0.6	0.6	1.2	1.2	12.3	12.3	171.6	93%
Circular system plus plywood biodegrading	0	0	0.6	0.6	1.2	1.2	2.0	2.0	181.9	99%
Circular system plus plastics recycling (nylon / LDPE)	0	0	0.6	0.6	1.2	1.2	1.8	1.8	182.1	99%
Embodied energy MJ										
Version	Year 0	Year 5	Year 10	Year 15	Year 20	Year 25	Year 30	Total	Saving MJ	Saving %
Linear sofa (budget)	2602.8	2755.6	5358.4	5511.2	8114.1	8266.8	10899.7	10869.7		0%
Linear sofa (mid-range)	1243.5	1243.5	2057.1	2057.1	3300.6	3300.6	4114.3	4114.3	6755.4	82%
Circular System	981.1	1091.5	1704.4	1814.9	2427.8	2538.2	3151.1	3151.1	7718.5	71%
Circular System	614.9	725.3	1338.2	1448.7	2061.6	2172.0	2784.9	2784.9	8084.7	74%
Transport Co2										
Scenario	Manufacture location	Origin location	Mode	nms	kms	Unit weight (tonnes)	No. units over 30 years	Additional weight - repair	Total weight (tonnes)	kgCO2-tonne-km
Budget sofa - China to Rotterdam	Shanghai	Rotterdam	Deep-sea container	11999	22222	0.059	3	0.008	0.18	33
Budget sofa - China to NZ	Shanghai	Wellington	Deep-sea container	6553	12136	0.059	3	0.008	0.18	18
Mid-range sofa - China to Rotterdam	Shanghai	Rotterdam	Deep-sea container	11999	22222	0.046	2	0.022	0.11	20
Circular Economy Sofa - China to Rotterdam	Shanghai	Rotterdam	Deep-sea container	11999	22222	0.031	1	0.037	0.07	12
Mid-range sofa - China to NZ	Shanghai	Wellington	Deep-sea container	6553	12136	0.046	2	0.022	0.11	11
Mid-range sofa - EU / NZ made	Christchurch	Rotterdam (Auckland)	Road transport		1044	0.046	2	0.022	0.11	7
Circular Economy Sofa - China to NZ	Shanghai	Wellington	Deep-sea container	6553	12136	0.031	1	0.037	0.07	7
Circular Economy Sofa - EU / NZ made	Milan (Christchurch)	Rotterdam (Auckland)	Road transport		1044	0.031	1	0.037	0.07	4

Appendix A.4 Impacts of repair and replacement materials

Version	Start total	Year 5		Year 10		Year 15		Year 20		Year 25		Year 30		Total
	kg CO2 equiv.	Action	kg CO2 equiv.	Action	kg CO2 equiv.	Action	kg CO2 equiv.	Action	kg CO2 equiv.	Action	kg CO2 equiv.	Action	kg CO2 equiv.	
Linear model (budget)	140.4	Replace covers	159.8	Replace unit 1	300.2	Replace covers on unit 2	319.6	Replace unit 2	460.0	Replace covers on unit 2	479.4	Replace unit 3	619.8	619.8
Linear sofa (mid-range)	77.6	No action	77.6	Replace covers and foam on unit 1	134.5	No action	134.5	Replace unit 1	212.1	No action	212.1	Replace covers and foam on unit 2	269.0	269.0
Circular sofa	59.9	Replace covers	71.9	Replace covers, spring base and foam	103.8	Replace covers	115.7	Replace covers, spring base and foam	147.6	Replace covers	159.6	Replace covers, spring base and foam	191.4	191.4
Circular sofa - recycled steel	47.9	Replace covers	59.9	Replace covers, spring base and foam	91.7	Replace covers	103.7	Replace covers, spring base and foam	135.6	Replace covers	147.5	Replace covers, spring base and foam	179.4	179.4

Appendix A.5 Charts: Linear model sofa vs Circular economy sofa, impacts over 30 years

Linear vs. Circular models: kg co2

Linear vs. Circular models: Embodied energy - MJ

Linear vs. Circular models: eco-costs of human health

Linear vs. Circular models: eco-costs of resource depletion

Linear vs. Circular models: Volume to landfill

Appendix A.6 Transport impacts

Transport Co2	
Scenario	kgCO2-tonne-km
Budget sofa - China to Rotterdam	32.69
Budget sofa - China to NZ	17.85
Mid-range sofa - China to Rotterdam	20.30
Circular Economy Sofa - China to Rotterdam	12.10
Mid-range sofa - China to NZ	11.09
Mid-range sofa - EU / NZ made	7.39
Circular Economy Sofa - China to NZ	6.61
Circular Economy Sofa - EU / NZ made	4.41

Transport Co2

Appendix B-Prototyping - refer to prototypes in iteration order in section 18

Iteration 4 sketch model at scale 1:6

Iteration 7 sketch model at scale 1:1

Iteration 6 sketch model at scale 1:6

Iteration 6 sketch model at scale 1:6

Detail of iteration 7 variant at scale 1:1

Test rig at 1:1 scale

Iteration 8 sketch model at scale 1:6

Iteration 9-10 at 1:1 scale

Iteration 9 leg connector at 1:1 scale

Iteration 10 at 1:6 scale

Appendix C-Working prototype production

Appendix D-Two seater GA drawing

References

Anastasio, M. (2018). *EU governments support first set of laws for more repairable products*. Retrieved from <https://eeb.org/eu-governments-support-first-set-of-laws-for-more-repairable-products/>

Anderson, P., Simonson, M., Rosell, L., Blomqvist, P., & Strippel, H. (2003). *Fire-LCA Model: Furniture Study* [PDF version]. Retrieved from https://www.researchgate.net/publication/324031633_Fire-LCA_Model_Furniture_Study

Anonymous (Roman artist). (circa 1st Century B.C.). *Banquet Couch* [metal]. Adapted from <https://art.thewalters.org/detail/29041>

Arad, R. (1985). *Transformer Sofa One* [Product]. Adapted from <https://midmod-design.com/furniture/55379a2a1c418/Ron-Arad-Transformer-sofa-one-off-United-Kingdom-1985>

Arsenault, C. (2017). *Only 60 Years of Farming Left If Soil Degradation Continues*. Retrieved from <https://www.scientificamerican.com/article/only-60-years-of-farming-left-if-soil-degradation-continues>

Audi. (2012). *Life Cycle Assessment. Audi looks one step ahead*. Ingolstadt, Germany: Audi AG.

Autodesk. D. (2018). *Disassembly and Recycling Part-1*. Retrieved from <https://knowledge.autodesk.com/support/inventor-products/learn-explore/caas/simplecontent/content/disassembly-and-recycling-part-1.html>

Bellini, M. (1970). *Camaleonda* [Product]. Adapted from http://www.bellini.it/design/BeB_Camaleonda.html

Bengtsson, S. (2010). IKEA: The book: Designers, products and other stuff. Stockholm: Arvinius förlag.

Bialetti, A. (c1930). *Moka Express* [Product]. Adapted from www.bialetti.co.nz

Böhm, F. (2005). *KGID (Konstantin Grcic Industrial Design)*. London: Phaidon.

Bonluxat (n.d.). *Charles and Ray Eames Sofa Compact for Vitra*. Retrieved from http://www.bonluxat.com/a/Charles_and_Ray_Eames_Sofa_Compact.html

Bouroullec, E., Bouroullec, R. (2016). *Hay Can Sofa* [Furniture]. Adapted from <https://www.dezeen.com/2016/04/13/bouroullec-brothers-design-flat-pack-can-sofa-for-hays-2016-collection/>

Bouroullec, R., Bouroullec, E. (2004). *Algues (Algae) Screen* [Product]. Adapted from <https://www.vitra.com/en-au/living/product/details/algue>

Bouroullec, R., Bouroullec, E. (2016). *Can Sofa* [Product]. Adapted from <https://www.dezeen.com/2016/04/13/bouroullec-brothers-design-flat-pack-can-sofa-for-hays-2016-collection/>

Braungart, M., & McDonough, W. (2009). *Cradle to cradle: Remaking the way we make things*. London: Vintage.

Braungart, M. (2018). Circular Economy Summit Aotearoa. Speech presented at Circular Economy Summit Aotearoa on 29 August 2018 in GridAKL, Auckland.

Brown, A. (2014). *Spruce: Step-by-step Guide to Upholstery and Design*. North Adams, Massachusetts: Storey Publishing LLC.

Brown, S. (2012). *Reclining and Dining (and Drinking) in Ancient Greece*. Retrieved from <http://blogs.getty.edu/iris/reclining-and-dining-and-drinking-in-ancient-greece/>

Burns, B. (2010). Re-evaluating Obsolescence and Planning For It. In Cooper, T (Ed.), *Longer Lasting Products*. Farnham, United Kingdom: Gower Publishing.

Buy Nothing New Month. (n.d.). *Homepage*. Retrieved from <https://www.buynothingnew.com.au/>

Campbell-Dollaghan, K. (2014). *Every IKEA Catalogue Cover Since 1951* [Photography collection]. Adapted from <https://www.gizmodo.com.au/2014/08/every-ikea-catalog-cover-since-1951/>

Cassidy, N. (2014). *Getting in a spin: Why washing machines are no longer built to last*. Retrieved from <https://www.bbc.com/news/business-27253103>

Chapman, J. (2005). *Emotionally Durable Design: Objects, Experiences, & Empathy*. London, UK: Earthscan.

Colmar Brunton. (2017). *Better Future Report 2017* [PDF version]. Retrieved from <https://www.colmarbrunton.co.nz/news/better-futures-report/>

Cooper, T. (2010). *Longer Lasting Products*. Farnham, UK: Gower Publishing.

Creswell, J. W. (2003). *Mixed Methods Procedures. In Research design: Qualitative, quantitative, and mixed methods approaches*. Thousand Oaks, California: Sage Publishing.

Cruickshank, L. (2014). *Open design and innovation facilitating creativity in everyone*. Farnham, UK: Gower.

Stacks Furniture. (2019). *Quality to last a lifetime*. Retrieved from <https://www.stacksfurniture.co.nz/blogs/news/quality-to-last-a-lifetime>

Delft University of Technology [TU Delft]. (n.d.). *The Model of the Eco-costs / Value Ratio (EVR)*. Retrieved from <http://ecocostsvalue.com/EVR/model/theory/subject/4-EVR.html>

Denniss, R. [Tedx Talks] (2017, December 2). *How materialism will save the planet*. Retrieved from <https://www.youtube.com/watch?v=INOJUDdDNHU>

Dixon, T. (2017). *IKEA Delaktig Bed Sofa* [Furniture]. Adapted from <https://www.ikea.com/jp/en/catalog/products/S69257743/>

Dixon, T. (2017). *IKEA Delaktig Bed Sofa* [Furniture]. Adapted from <https://www.ikeahackers.net/2018/01/delaktig-worlds-first-hackable-sofa.html>

Eames, C., Eames, R., (1946). *LCW Chair* [Furniture]. Adapted from <http://www.eamesoffice.com/the-work/lcw/>

Eames, C., Eames, R. (1954). *Sofa Compact* [Product]. Adapted from http://www.bonluxat.com/a/Charles_and_Ray_Eames_Sofa_Compact.html

Edwards, M. (2018, April 19). *Leather is Not a Meat Byproduct - A Hard Look At the Leather Industry*. Retrieved from <https://www.organiclifestylemagazine.com/leather-is-not-a-meat-byproduct-a-hard-look-at-the-leather-industry>

Ellen MacArthur Foundation. (2012). *Renault Choisy-le-Rois remanufacturing facility* [Photography]. Adapted from <https://www.ellenmacarthurfoundation.org/news/the-circular-economy-applied-to-the-automotive-industry-2>

Ellen MacArthur Foundation. (2015). *Growth Within: A Circular Economy Vision For a Competitive Europe* [PDF version]. Retrieved from <https://www.ellenmacarthurfoundation.org/publications/growth-within-a-circular-economy-vision-for-a-competitive-europe>

Ellen MacArthur Foundation. (2016) *The New Plastics Economy, Rethinking the Future of Plastics* [PDF version]. Retrieved from <https://www.ellenmacarthurfoundation.org/publications/the-new-plastics-economy-rethinking-the-future-of-plastics>

Ellen MacArthur Foundation. (2017a). *Designers are enablers of positive change*. Retrieved from <https://www.circulardesignguide.com/story/designers-are-enablers-of-positive-change>

Ellen MacArthur Foundation. (2017b). *Rethinking the future of plastics*. Retrieved from <https://www.ellenmacarthurfoundation.org/publications/the-new-plastics-economy-rethinking-the-future-of-plastics>

Ellen MacArthur Foundation. (n.d.). *What is a Circular Economy?* Retrieved from <https://www.ellenmacarthurfoundation.org/circular-economy/concept>

Etherington, R. (2011). *Repair It Yourself by Eugenia Morpurgo*. Retrieved from <https://www.dezeen.com/2011/12/16/repair-it-yourself-by-eugenia-morpurgo/>

European Parliament, Environment, Public Health and Food Safety Committee. (2017). *Making consumer products more durable and easier to repair*. Retrieved from <http://www.europarl.europa.eu/news/en/press-room/20170629IPR78633/making-consumer-products-more-durable-and-easier-to-repair>

EUROPUR. (n.d.). *Health and safety*. Retrieved from <https://www.europur.org/sustainability/health-and-safety>

Fairphone. (n.d.). *Our Goals*. Retrieved from <https://www.fairphone.com/en/our-goals/>

Fairs, M. (2017). *IKEA to introduce furniture that snaps together in minutes without requiring tools*. Retrieved from <https://www.dezeen.com/2017/03/06/ikea-introduce-furniture-snaps-together-minutes-without-requiring-tools/>

Fairs, M. (2018). *The rising use of recycled plastic in design is "bullshit" says Jan Boelen*. Retrieved from <https://www.dezeen.com/2018/09/27/the-rising-use-of-recycled-plastic-in-design-is-bullshit-says-jan-boelen/>

Fallows, J. (2016). *The Maker Revolution: What It Has Changed, and What It Hasn't - Yet*. Retrieved from <https://www.theatlantic.com/notes/2016/06/the-maker-revolution-what-it-has-changed-and-what-it-hasnt-yet/486662/>

Farquhar, R. (Director). (2018). *Flatpack Empire Episode 1* [Television series]. London, UK: BBC.

Feather. (n.d.). *Furniture subscription service for lighter living*. Retrieved from <https://www.livefeather.com/>

Frearson, A. (2017). *"Simplicity is the key to excellence" says Dieter Rams*. Retrieved from <https://www.dezeen.com/2017/02/24/dieter-rams-designer-interview-simplicity-key-excellence/>

Gammelgard, N. (1985). *Ikea 'Moment' Sofa* [Furniture]. Adapted from <http://www.nielsgammelgaard.com/moment-survivor-ikea-se/>

Gilbert, S. (2015). *The Vision of Charles and Ray Eames*. Retrieved from <https://www.theatlantic.com/entertainment/archive/2015/11/charles-and-ray-eames-beyond-the-chair/415764/>

Grahame, A. (2015). *Can the Ikea generation buy into vintage furniture?* Retrieved from <https://www.theguardian.com/sustainable-business/2015/jun/17/ikea-generation-buy-antique-vintage-furniture>

Griffiths, A. (2018). *Braun philosophy is about "reducing the bling-bling" says Dietrich Lubs*. Retrieved from <https://www.dezeen.com/2017/09/18/braun-philosophy-about-reducing-bling-bling-watch-clock-designer-dietrich-lubs-interview/>

Gubana, B. (2018). *Prepare for the great nurdle invasion, as a wave of 1 billion plastic pellets bears down on WA*. Retrieved from <https://www.abc.net.au/news/2018-10-26/nurdles-wash-up-near-albany-on-wa-south-coast/10433348>

Hawken, P., Lovins, A. B., & Lovins, L. H. (2000). *Natural capitalism creating the next industrial revolution*. New York, New York: Little, Brown and Company.

Hay. (n.d.). *Can*. Retrieved from <https://hay.dk/en/hay/furniture-brand/seating-brand/sofa-and-ottoman-brand/can>

Herman Miller Healthcare. (2008). *A Life Cycle Assessment: Comparing Fixed and Modular Structures* [PDF version]. Retrieved from https://www.hermanmiller.com/content/dam/hermanmiller/documents/research_summaries/wp_Life_Cycle_Assessment.pdf

Holligan, A. (2015). *Can an ethical smartphone change the world?*. Retrieved from <https://www.bbc.com/news/business-35094050>

Howarth, D. (2014). *TOG's customisable furniture means "no more trends" - Philippe Starck*. Retrieved from <https://www.dezeen.com/2014/04/08/tog-customisable-furniture-no-more-trends-philippe-starck-milan-2014/>

Hullinger, J. (2017). *Ikea Wants You To Stop Throwing Away Your Ikea Furniture*. Retrieved from <https://www.fastcompany.com/3055971/ikea-wants-you-to-stop-throwing-away-your-ikea-furniture>

Ikea. (n.d.a.). *Sofas and armchairs guarantee*. Retrieved from <https://www.ikea.com/gb/en/customer-service/guarantees-and-warranties/sofas-and-armchairs-guarantee/>

Ikea. (n.d.b.). *Klippan Loveseat*. Retrieved from <https://www.ikea.com/us/en/p/klippan-loveseat-kabusa-dark-gray-s29251781/>

Ikea Hackers. (2018) *Delaktig the hackable sofa, to be launched in February*. Retrieved from <https://www.ikeahackers.net/2018/01/delaktig-worlds-first-hackable-sofa.html>

International Institute for Sustainable Development. (n.d.). *Sustainable Development*. Retrieved from <https://www.iisd.org/topic/sustainable-development>

Ito, F., & Picchi, F. (2006). *Naoto Jasper = Super Normal*. Retrieved from <https://www.domusweb.it/en/design/2006/07/10/naoto-jasper-super-normal.html>

Jenkins, R. (2018). *British people spend over £680 million every year fixing broken phone screens, survey claims*. Retrieved from <https://www.independent.co.uk/life-style/gadgets-and-tech/news/broken-phone-screen-fix-iphone-cost-price-uk-a8536236.html>

Jernkontoret. (2018). Steel production residues. Retrieved from <https://www.jernkontoret.se/en/the-steel-industry/production-utilisation-recycling/steel-production-residues/>

Jori. (n.d.). *Configure here your furniture*. Retrieved from <https://www.jori.com/en/configurator>

Kelly, K. (2009). *Better Than Owning*. Retrieved from <https://kk.org/thetechnium/better-than-own/>

Komninos, A. (2018). *Norman's Three Levels of Design*. Retrieved from <https://www.interaction-design.org/literature/article/norman-s-three-levels-of-design>

Kurutz, S. (2013). *Analyzing the Couch*. Retrieved from <https://www.nytimes.com/2013/02/28/garden/analyzing-the-couch.html>

Land Rover. (1948). *Land Rover Series I* [Product]. Adapted from [https://commons.wikimedia.org/wiki/File:Land_Rover_Series_I_1948_\(HUE_166\).jpg#file](https://commons.wikimedia.org/wiki/File:Land_Rover_Series_I_1948_(HUE_166).jpg#file)

Land Rover. (2015). *From Series One to Defender: A Brief History*. Retrieved from <https://www.landrover.co.uk/explore-land-rover/one-life/design/series-one-defender-history.html>

Latham, R. (2005). *Wishbone Bike 3in1* [Product]. Adapted from <http://wishbonedesign.com/>

Lee, U., Han, J., & Wang, M. (2017). Evaluation of landfill gas emissions from municipal solid waste landfills for the life-cycle analysis of waste-to-energy pathways. *Journal of Cleaner Production*, 166, 335-342. doi:10.1016/j.jclepro.2017.08.016

Lissoni, P. (2010). *Cassina Aire Sofa* [Furniture]. Adapted from <https://spotonmodern.wordpress.com/2010/09/10/aire-sofa-series-designed-by-piero-lissoni-for-cassina/>

Luminaire. (n.d.). *Vico Magistretti*. Retrieved from <https://www.luminaire.com/designers/vico-magistretti/>

Magistretti, V. (1981). *Sinbad* [Product]. Adapted from <https://www.konsepti.com/en/vico-magistretti-1920-2006>

Mario Bellini Architects. (n.d.). *Camaleonda*. Retrieved from http://www.bellini.it/design/BeB_Camaleonda.html

Matney, L. (2016). *Apple's new MacBook Pro kills off most of the ports you probably need*. Retrieved from <https://techcrunch.com/2016/10/27/apples-new-macbook-pro-just-killed-off-most-of-the-ports-you-probably-need/>

McDonough Braungart Design Chemistry. (2012). *Banned list of chemicals*. Retrieved from https://s3.amazonaws.com/c2c-website/resources/certification/standard/C2CCertified_Banned_List_s_V3_121113.pdf

Mevo. (n.d.). *Mevo Car Share*. Retrieved from <https://mevo.co.nz/>

Mikel, B. (2017). *This Is Ikea's Best Product Ever, the Head of Design Says*. Retrieved from <https://www.inc.com/betsy-mikel/1-ikea-product-thats-the-fairest-of-them-all-their-head-of-design-says.html>

Møllerup, P. (2015). *Simplicity: A matter of design*. Amsterdam: BIS.

Morpurgo, E. (2011). *Repair-it-yourself shoe* [Product]. Adapted from <https://www.dezeen.com/2011/12/16/repair-it-yourself-by-eugenia-morpurgo/>

Nee, A. Y. C., Song, B., & Ong, S.-K. (2016). Re-engineering manufacturing for sustainability: proceedings of the 20th Crip International Conference on Life Cycle Engineering, Singapore 17-19 April, 2013. Singapore: Springer.

Neiman, A. M. (2011). *Sporulation in the Budding Yeast Saccharomyces cerevisiae*. Retrieved from <http://www.genetics.org/content/189/3/737>

New Zealand Government, Ministry for the Environment. (2018). *Waste work programme to tackle tough problems*. Retrieved from <https://www.beehive.govt.nz/release/waste-work-programme-tackle-tough-problems>

Niels Gammelgaard Design. (n.d.). *"MOMENT" sofa ikea se*. Retrieved from www.nielsgammelgaard.com/moment-survivor-ikea-se/

Norman, D. A. (2005). *Emotional design: Why we love (or hate) everyday things*. New York, NY: Basic Books.

Onesimos. (500 B.C.). *Wine Cup with a Woman Playing a Game* [Terracotta]. Adapted from <http://blogs.getty.edu/iris/reclining-and-dining-and-drinking-in-ancient-greece/>

Opsvik, P. (1972). *Tripp Trapp® Chair* [Furniture]. Adapted from <https://www.stokke.com/en-nz/highchairs/tripp-trapp/5289.html>

Packard, V. (1960). *The Waste Makers*. New York, New York: Van Rees Press.

Paddison, L. (2016). *Single clothes wash may release 700,000 microplastic fibres, study finds*. Retrieved from <https://www.theguardian.com/science/2016/sep/27/washing-clothes-releases-water-polluting-fibres-study-finds>

Palmer, K. J. (2012). Sofas: How old is too old? Retrieved from <http://www.startribune.com/sofas-how-old-is-too-old/177662441/>

Papanek, V. (1973). *Design for the Real World human ecology and social change*. New York, New York: Bantam Books.

Peeples, A. (2017). *Sofa Story: A Brief History of Ten Iconic Forms*. Retrieved from <https://www.furnitureofdalton.com/blog/sofa-story-a-brief-history-of-ten-iconic-form>

PETA. (2016). Vegan fashion revolution [Photography]. Retrieved from <https://www.peta.org.uk/blog/photos-vegan-fashion-revolution-hits-london-fashion-week/>

Petersen, A. H. (2017). *How One Generation Changed The Way We Think About Furniture*. Retrieved from <https://www.buzzfeednews.com/article/annehelenpetersen/how-one-generation-changed-the-way-we-think-about-furniture>

Petit Pli. (n.d.). *Clothes that grow*. Retrieved from <http://petitpli.com/>

Philips Lighting. (n.d.). *Circular lighting at Schiphol Airport*. Retrieved from <http://www.lighting.philips.com/main/cases/cases/airports/schiphol-airport>

Pitas, C. (2016). *After 68 years, last classic Land Rover Defender 4x4 rolls off production line*. Retrieved from <https://www.reuters.com/article/us-britain-landrover-idUSKCN0V71D6>

Poppelaars, F. (2014). *Designing for a Circular Economy. The conceptual design of a mobile device*. Cowes, UK: Ellen MacArthur Foundation.

Porcelijn, B. (2016). *The hidden impact: Everything you want to know and what you can do to live eco-neutral*. Amsterdam, NL: Think Big Act Now.

Radio New Zealand. (2019). *The right to repair consumer goods*. Retrieved from <https://www.radionz.co.nz/national/programmes/summer-days/audio/2018678453/the-right-to-repair-consumer-goods>

Rams, D., & Lubs, D. (1980). Calculator (model ET55) [Product]. Adapted from <http://www.thimet.de>

Rams, D. (1962). *620 Chair* [Product]. Adapted from <https://www.vitsoe.com/rw/620>

Renault. (2017). *Renault, actively developing circular economy throughout vehicles life cycle*. Retrieved from <https://group.renault.com/en/news/blog-renault/renault-actively-developing-circular-economy-throuhout-vehicles-life-cycle/>

Ringstrom, A. (2018). *IKEA to use only renewable and recycled materials by 2030*. Retrieved from <https://www.reuters.com/article/us-ikea-sustainability/ikea-to-use-only-renewable-and-recycled-materials-by-2030-idUSKCN1J31CD>

Rittel, H. W., & Webber, M. M. (1973). "Dilemmas in a General Theory of Planning." Policy Sciences, 4(2), 155-169. doi.org/10.1007/BF0140573

Roche Bobois. (n.d.). *The Mah Jong. An Iconic Sofa*. Retrieved from <https://www.roche-bobois.com/en-PH/rochebobois/mah-jong-sofa-an-iconic-sofa>

Salant, K. (2008). *A solutions to the particle board problem?* Retrieved from <http://www.washingtonpost.com/wp-dyn/content/article/2008/05/30/AR2008053001485.html>

Schneider, A. (2017). *How One Company is Driving Innovation in the Furniture Buying Process*. Retrieved from https://www.huffingtonpost.com/entry/how-one-company-is-driving-innovation-in-the-furniture_us_59f51894e4b06acda25f4a8f

Schön, D. A. (1987). Educating the Reflective Practitioner. Toward a New Design for Teaching and Learning in the Professions. San Francisco, California: Jossey-Bass

Scion Research. (n.d.). *Ligate™ bioadhesives from 100% renewable resources*. Retrieved from <https://www.scionresearch.com/science/biopproducts-for-sustainable-industries/bioadhesives>

Shepherd, J., & Shepherd, J. (2018). *A decade of domesticity: How the 1950s made the modern home*. Retrieved from <https://www.historyextra.com/period/20th-century/a-decade-of-domesticity-how-the-1950s-made-the-modern-home/>

SketchChair. (2011). *SketchChair by Diatom Studio*. Retrieved from <http://www.sketchchair.cc/>

Solomon, K. R. (1996). Chlorine in the bleaching of pulp and paper. *Pure & Applied Chemistry*, 68, 1721-1730

Stahel, W., & Reday, G. (1981). *Jobs for Tomorrow, the Potential for Substituting Manpower for Energy*. New York, New York: Vantage Press

Stahel, W. (1982). *The Product Life-Factor*. Retrieved from <http://www.product-life.org/en/major-publications/the-product-life-factor>

Starritt, A. (2017). *Sweden is paying people to fix their belongings instead of throwing them away*. Retrieved from <https://www.weforum.org/agenda/2016/10/sweden-is-tackling-its-throwaway-culture-with-tax-break-s-on-repairs-will-it-work/>

Stevens, R. E. (2006). *Worn Out or Worn In?* [Master's thesis]. Victoria University of Wellington.

Stokke. (n.d.). Tripp Trapp® Chair. Retrieved from <https://www.stokke.com/en-nz/528902.html>

Stylepark. (n.d.). *Aire sofa by Cassina*. Retrieved from <https://www.stylepark.com/en/cassina/aire-sofa>

Sudjic, D. (1999). *Ron Arad*. London, UK: Laurence King.

Sustainable Brands. (2015). *'Eco-Friendly,' 'Renewable,' 'Sustainable' - Are 'Green' Buzzwords Reaching, Influencing American Consumers?* Retrieved from <https://sustainablebrands.com/read/marketing-and-comms-1/eco-friendly-renewable-sustainable-are-green-buzzwords-reaching-influencing-american-consumers>

Terstiege, G. (Ed.). (2009). *The Making of design*. Basel, Switzerland: Birkhauser Verlag Ag.

The European Chemical Industry Council. (2011). *Guidelines for Measuring and Managing CO2 Emission from Freight Transport Operations* [PDF version]. Retrieved from <http://www.cefic.org/Industry-support/Responsible-Care-tools-SMEs/5-Environment/Guidelines-for-managing-CO2-emissions-from-transport-operations/>

Thompson, D. (2014). *What to do about e-waste*. Retrieved from <https://good.net.nz/article/what-to-do-about-ewaste>

Tom Dixon. (n.d.). *Jack*. Retrieved from <https://www.tomdixon.net/story/post/jack/>

Tucker, E. (2017). *RCA graduates propose Strata system as a way to extend the lifecycle of furniture*. Retrieved from <https://www.dezeen.com/2017/06/26/rca-graduates-propose-strata-system-extend-furniture-lifecycle-design/>

United Nations. (2016). *Rate of Environmental Damage Increasing Across the Planet but There Is Still Time to Reverse Worst Impacts if Governments Act Now, UNEP Assessment Says*. Retrieved from <https://www.un.org/sustainabledevelopment/blog/2016/05/rate-of-environmental-damage-increasing-across-planet-but-still-time-to-reverse-worst-impacts/>

United Nations. (2018). *Capitalism is not suitable for the future, says inventor and designer Philippe Starck*. Retrieved from <https://www.unenvironment.org/news-and-stories/story/capitalism-not-suitable-future-says-inventor-and-designer-philippe-starck>

Van Abel, B. (2013). *Fairphone 1* [Product]. Adapted from <https://waag.org/en/article/fairphone-growth-brings-new-ethical-dilemmas>

Vitra. (n.d.). *Algue*. Retrieved from <https://www.vitra.com/en-au/living/product/details/algue>

Vitsoe. (n.d.). *620 Chair Programme*. Retrieved from <https://www.vitsoe.com/rw/620>

Ward, A. (n.d.). *The Sofas of L.A.* Retrieved from <http://sofasofla.tumblr.com/>

Watts, J. (2018). *We have 12 years to limit climate change catastrophe, warns UN*. Retrieved from <https://www.theguardian.com/environment/2018/oct/08/global-warming-must-not-exceed-15c-warns-landmark-un-report>

Weyman-Jones, L. (2018). *New Zealand Bans Mulesing!* Retrieved from <https://www.peta.org.au/news/new-zealand-bans-mulesing/>

Wingfield, J. (n.d.). Philippe Starck Biography. Retrieved from <https://www.starck.com/about>

Wishbone Design. (n.d.). *Wishbone Bike, the ultimate pre-bike*. Retrieved from <http://www.wishbonedesign.com/#!/products/bike/details/>

Wong, D. (2011). *NikeiD Makes \$100M: Co-Creation Isn't Just a Trend*. Retrieved from https://www.huffingtonpost.com/danny-wong/nikeid-makes-100m-co-creation_b_652214

World Wildlife Fund. (2013). *The Impact of a Cotton T-Shirt*. Retrieved from <https://www.worldwildlife.org/stories/the-impact-of-a-cotton-t-shirt>

World Wildlife Fund. (2017). *Sustainable Cotton Rankings* [PDF version]. Retrieved from https://www.wwf.de/fileadmin/fm-wwf/Publikationen-PDF/Report_Sustainable_Cotton_Ranking_2017.pdf

World Wildlife Fund. (n.d.). *Cotton*. Retrieved from <https://www.worldwildlife.org/industries/cotton>

Yasin, R. M. (2017). *Petitpli Press Pack* [Photography]. Adapted from <http://petitpli.com/>

You Sustain. (n.d.). *How much CO2 is that?* Retrieved from <http://www.yousustain.com/footprint/howmuchco2?co2=200kg>

Zimmerman, J., & Forlizzi, J. (2014). Research Through Design in HCI. In Olson J., & Kellogg W. (Eds.) Ways of Knowing in HCI. doi.org/10.1007/978-1-4939-0378-8_8

Ztijl. (n.d.). *Vintage Early BR02 Sofa by Martin Visser for 't Spectrum, 1960s*. Retrieved from <https://www.ztijl.com/mid-century-design/ztijl-archive/sofa-by-martin-visser-for-t-spectrum>

Bibliography

Abbas, A. (n.d.). *Avoid These 5 Common Mistakes When Buying a Sofa*. Retrieved November from <https://www.thespruce.com/mistakes-to-avoid-when-buying-a-sofa-1391272>

Abbas, A. (n.d.). *Our Top 13 Tips for Buying a Great Sofa*. Retrieved from <https://www.thespruce.com/tips-for-buying-a-great-sofa-1391218>

Aouf, R. S. (2016). *Seymour powell shows Google's Project Ara pushed to its limits*. Retrieved from https://www.dezeen.com/2016/06/08/seymourpowell-google-project-ara-move-wear-link-play-gadget-module-concepts-fairphone/?li_source=LI&li_medium=bottom_block_1

Bakker, C.A., Wever, R., Teoh., Ch., & de Clercq, S. (2010). Designing Cradle to Cradle products: a reality check. *International Journal of Sustainable Engineering*. 3(1), 2-8.

Berman, D. B. (2009). *Do good: How designers can change the world*. Berkeley, California: AIGA.

Bjørn, A., & Strandesen, M. (2011). *The Cradle to Cradle concept - is it always sustainable*. Poster presented at The Life Cycle Management (LCM) conference, Towards Life Cycle Sustainability Management, Berlin, Germany.

Brown, T., & Katz, B. (2011). *Change by design: How design thinking transforms organizations and inspires innovation*. New York, New York: Harper Business.

Budds, D. (2017). *This Invisible Joint Is Making Ikea's Furniture Stronger And Easier To Build*. Retrieved from <https://www.fastcompany.com/3067215/how-ikea-designs-a-new-dowel>

Charles Parsons Interiors. (n.d.). *Sun Damage and Fading*. Retrieved from <https://www.charlesparsonsiinteriors.co.nz/sun-damage-and-fading.html>

David Trubridge. (n.d.). *Footprint*. Retrieved from <https://www.davidtrubridge.com/about/footprint/>

Eaqub, S. (2017). *Has anything changed for Generation Rent?* Retrieved from <https://thespinoff.co.nz/politics/25-03-2017/shamubeel-eaqub-has-anything-changed-for-generation-rent/>

Good Housekeeping. (2015). *How to Choose a Sofa That Will Last Forever*. Retrieved from <https://www.goodhousekeeping.com/home/decorating-ideas/a17492/sofa-buying-may07/>

Groover, M. P. (2004). *Fundamentals of modern manufacturing: Materials, processes, and systems*. New York, New York: John Wiley & Sons.

Grossman, P., & Van Dusen, L. A. (2014) *What does "eco friendly" vinyl mean?* Retrieved from <https://oecotextiles.wordpress.com/2014/01/28/what-does-eco-friendly-vinyl-mean/>

Hammer & Heels. (2015). *What no one told you about buying a sofa*. Retrieved from <https://hammers-and-heels.com/blogs/hammers-heels/19573380-what-no-one-told-you-about-buying-a-sofa>

Hasek, G. (n.d.). *Interest in Sustainable Furniture on the Rise*. Retrieved from <https://www.greenbiz.com/news/1969/12/31/interest-sustainable-furniture-rise>

Heals. (n.d.). *Sofa Buying Guide*. Retrieved from <https://www.heals.com/buying-care-guides/buying-guide-sofa>

Hezel, A. (2017). *Why Does This One Couch From West Elm Suck So Much?* Retrieved from <https://www.theawl.com/2017/02/why-does-this-one-couch-from-west-elm-suck-so-much/#.8k0urp1r9>

Hill, A. (2013). *Couch conundrum: How to ditch your old sofa*. Retrieved from <https://www.mercurynews.com/2013/03/05/couch-conundrum-how-to-ditch-your-old-sofa>

Holdefehr, K. (2017). *How "Slow Design" Can Give You the Home You Really Want*. Retrieved from <https://www.apartmenttherapy.com/the-5-principles-of-the-slow-design-movement-240942>

Ikea. (2018). *Furniture shared with everyone – but what is open source all about?* Retrieved from <http://ikea.today/furniture-shared-with-everyone-but-what-is-open-source-all-about/>

Leland, J. (2002). *How the Disposable Sofa Conquered America*. Retrieved from <https://www.nytimes.com/2002/12/01/magazine/how-the-disposable-sofa-conquered-america.html>

Lucas, D., & Rogers, L. (2011). *Green Design Volume 1*. Salenstein, Switzerland: Braun Publishing.

Lucas, D., & Rogers, L. (2013). *Green Design Volume 2*. Salenstein, Switzerland: Braun Publishing.

Mallon, B. (2018). *10 Household Items With Actual Expiration Dates*. Retrieved from <https://www.elledecor.com/life-culture/cleaning-organizing/a7842/lifespan-of-common-home-items/>

Margolis, J. (2017). *Sweden tries to curb buy-and-throw-away culture through tax breaks*. Retrieved from <https://www.pri.org/stories/2017-01-02/sweden-tries-curb-buy-and-throw-away-culture-thr>

McLellan, T. (2013). *Things come apart: A teardown manual for modern living*. London, UK: Thames & Hudson.

Ministry for the Environment. (n.d.). *Mandatory product stewardship*. Retrieved from <http://www.mfe.govt.nz/waste/we-all-have-role-play/responsible-product-management/mandatory-product-stewardship>

New Zealand FSC Certified Timber. (2015, January 27). Retrieved November 5, 2018, from <https://nz.fsc.org/en-nz/buy-fsc-certified/certified-timbers-in-new-zealand>

Nicksin, C. (2008.). *Buying Guide: Sofa*. Retrieved from <https://www.elledecor.com/shopping/furniture/advice/a915/how-to-buy-a-sofa-17390/>

Nielsen. (2015). *Green Generation: Millennials Say Sustainability Is a Shopping Priority*. Retrieved from <https://www.nielsen.com/nz/en/insights/news/2015/green-generation-millennials-say-sustainability-is-a-shopping-priority.html>

Radio NZ. (2017). *Waste not, want not*. Retrieved from <https://www.radionz.co.nz/national/programmes/ninetonoon/audio/201844276/waste-not-want-not>

Richer, E. (2016). *Chinese Furniture Exports Reach All-Time High in 2015*. Retrieved from <https://www.forest-trends.org/blog/chinese-furniture-exports-reach-all-time-high-in-2015/>

Saxby, A. (n.d.). *Revealed: Europe's bold plan to kill planned obsolescence*. Retrieved from <https://buymeonce.com/blogs/articles-tips/revealed-europe-bold-plan-kill-planned-obsolence/>

Sowle, D., & Dye, R. (2015). *Complete step-by-step upholstery*. East Petersburg, PA: IMM Lifestyle Books.

Sustainable Cotton Ranking. (n.d.). *Towards a more sustainable cotton market*. Retrieved from <http://www.sustainablecottonranking.org/>

Taylor, M. C. (2014). *Fast, cheap and out of control: How hyper-consumerism drives us mad*. Retrieved from https://www.salon.com/2014/11/02/fast_cheap_and_out_of_control_how_hyper_consumerism_drives_us_mad/

Thackara, J. (2005). *In the bubble: Designing in a complex world*. Cambridge, MA: MIT.

Thompson, R., & Thompson, M. (2016). *Sustainable materials, processes and production*. London, United Kingdom: Thames & Hudson.

Tilley, A. R. (1993). *The Measure of man and woman: Human factors in design*. New York, New York: Whitney Library of Design.

Tucker, E. (2016). *Bouroullec brothers design flat-pack Can sofa for Hay*. Retrieved from <https://www.dezeen.com/2016/04/13/bouroullec-brothers-design-flat-pack-can-sofa-for-hays-2016-collection/>

Tucker, E. (2017). *RCA graduates propose Strata system as a way to extend the lifecycle of furniture*. Retrieved from <https://www.dezeen.com/2017/06/26/rca-graduates-propose-strata-system-extend-furniture-lifecycle-design/>

Vezzoli, C., Kohtala, C., & Srinivasan, A. (2014). *Product-service system design for sustainability*. Sheffield, UK: Greenleaf Publishing.

Waddell, T. (2010). *Design without fashion: Works*. Milan, Italy: Skira.

Welch, A. (2011). *Couches Have Carbon Footprints Too: Why Sustainable Furniture Rules*. Retrieved from <https://greenlivingaz.com/couches-have-carbon-footprints-too-why-sustainable-furniture-rules/>

Wells, R. (n.d.). *CNC Plywood sofa*. Retrieved from <http://richwells.me/designing-a-plywood-sofa/>

Westwood Furniture (n.d.). *Furniture Facts: Upholstery Shopping Checklist*. Retrieved from http://www.westwoodfurniture.com/facts_upholstery.html

Zimmerman, J., Stolterman, E., & Forlizzi, J. (2010). An Analysis and Critique of Research through Design: towards a formalization of a research approach. DIS 2010 - Proceedings of the 8th ACM Conference on Designing Interactive Systems. DOI: 10.1145/1858171.1858228