LIVING BESIDE THE RISING TIDE

Adapting to sea level rise in Auckland,
New Zealand

Georgina Hart

Thesis
ENVIRONMENTAL STUDIES 593
2011

A 90 point thesis submitted to Victoria University of Wellington,
as partial fulfilment of requirements for the degree of
Master of Environmental Studies

School of Geography, Environment, and Earth Sciences
Victoria University of Wellington
October 2011

Sea level is rising and the shoreline is retreating. We face economic and environmental realities that leave us two choices: (1) plan a strategic retreat now or (2) undertake a vastly expensive program of armoring the coastline and as required, retreating through a series of unpredictable disasters.

Howard et al., 1985.

LIVING BESIDE THE RISING TIDE: Adapting to sea level rise in Auckland, New Zealand

Georgina Hart

Abstract

The Earth's climate system is entering a period of dynamic change after millennia of relatively stable climate. Coastal communities will need to adapt to dynamically shifting coastal environments as the climate system changes and sea levels rise. This study adds to a growing literature that investigates coastal vulnerability, adaptation, and resilience to climate change. It investigates regional scale social and institutional barriers to adaptation to sea level rise; examines the exposure, sensitivity and adaptation options at two coastal settlements in the Auckland region – Mission Bay/Kohimarama and Kawakawa Bay; and it analyses coastal adaptation response options from a resilience perspective. Mission Bay/Kohimarama and Kawakawa Bay, Auckland will experience increasing coastal hazard risk as the numbers of people and property potentially affected by storm events increases as sea level rises. Findings from the present study suggest that existing settlements in the Auckland region may already be 'locked in' to a coastal adaptation approach focused on maintaining the current coastline through coastal stabilisation, an approach that will decrease community resilience and increase vulnerability in the long term, even if this is found to be a successful response in the short term. Retreat offers an alternative approach that is strongly aligned with reducing community vulnerability and increasing resilience; however, strong opposition from communities to any retreat approach is expected. Developing trusted climate science information, education around coastal hazard risk, and participatory community led decision-making are identified as central enablers for a retreat approach to be included as a viable coastal adaptation option for communities in the Auckland region.

Key words: sea level rise; coastal hazards; vulnerability; adaptation; resilience; managed retreat.

...preserving our coastal resources and the businesses that depend on them will require insightful and long-term planning. Beginning an honest assessment of how we may deal with inevitable sea level rise can help ensure that our coastal communities remain the vibrant places that they are today.

Pilkey & Young, 2009, p.182

Acknowledgements

This research project would not have been possible without the support and input of a number of dedicated people. I would like to sincerely thank:

my family, in particular: my daughter Ileana Dante Hart-Daley and her father Hamish Daley, my mother Lilicherie McGregor, and my father Richard Hart;

the Crib team: Miranda, Sally, Laura, Mon, and Bree who were my daughter's 'other mothers' while I wrote;

my mentor and primary supervisor Associate Professor Ralph Chapman who devoted many hours to the design and write-up of this study, and was always available with considered advice and guidance; Dr. Andy Reisinger, who co-supervised this study for the first 7 months and was instrumental in its establishment and design; Judy Lawrence for her thoughtful guidance and editorial skills;

the other team members of the climate change vulnerability, adaptation, and resilience research team: Professor Martin Manning, Liz Thomas, Nigel Taptiklis, Simon Tegg, Dorothee Quade, Shabana Khan, Philippa Howden-Chapman, Darren King, Tord Kjellstrom, Ann Magee, Simon Hales, Graeme Lindsay, Alistair Woodward and others, for their ongoing support, feedback and encouragement;

the New Zealand Climate Change Research Institute and Victoria University of Wellington for funding support;

the other contributors to this study: inundation modelling was conducted by Doug Ramsay, Rob Bell, and colleagues at the National Institute of Water and Atmospheric Research (NIWA), and initial GIS analysis was conducted by Scott Schimmel (Victoria University of Wellington);

Auckland Regional Council, and Auckland and Manukau City Councils for their ongoing input and support, including GIS data and data licences for inundation modelling. I am particularly grateful to: Rob Perry, Greg Holland, Jane Olsen, Quentin Smith, Ryan Paulik (Auckland Regional Council), Mohammed Hassan (Manukau City Council), and Colin Craig (Auckland City Council) for initial consultation and ongoing support and input into this study;

all those who gave their time and knowledge by participating in interviews conducted for this study (listed in Appendix Three), without whose participation the study would not have been possible;

and all of my friends for their ongoing support, in particular: Charis Boos, Elizabeth Borrie, Melissa Goddard, Rachel Meadowcroft, Aaron Packard, Bodhi Twilley, and Liz Willoughby-Martin.

Table of Contents

Abstract	iii
Acknowledgements.....	v
Figures & Tables.....	viii
1 Introduction	1
The local context.....	3
Research aim and objectives.....	5
2 Sea level rise & adaptation options	8
Sea level rise observations	8
Sea level rise projections	10
Sea level rise adaptation	12
3 Conceptual framework	18
Adaptation	18
Vulnerability	20
Resilience	23
Framework summary	27
4 Methodology.....	29
Research context.....	29
Epistemology	29
Interpretivism	30
Environmental pragmatism	30
Research design.....	31
Methods.....	34
Objective One method.....	34
Objective Two method.....	38
Objective Three method.....	42
Potential limitations.....	42
5 National and regional contextual assessment	46
National legislative context	46
Coastal hazards management context	48
Auckland Regional Council	48
Territorial authorities	49
Barriers to proactive coastal hazards management	51
Response to sea level rise.....	55
Ministry for the Environment guidance	56
Sea level rise research	56
Sea level rise adaptation: barriers and opportunities.....	59
Summary	62
6 Vulnerability & adaptation assessment: Mission Bay/ Kohimarama & Kawakawa Bay:	64
Mission Bay/Kohimarama	64
Coastal hazards.....	66
Kawakawa Bay	68

Coastal hazards.....	70
Potential impacts of sea level rise.....	71
Change to 1% AEP levels	71
Potential socioeconomic impacts	75
Adaptation response options	77
Mission Bay/Kohimarama.....	78
Kawakawa Bay.....	83
Summary	86
7 Coastal community resilience analysis	89
Maintaining the current coastline	90
Allowing coastline migration	94
Summary	98
8 Discussion & Conclusion	100
National and regional contextual assessment	100
Critical reflection on methods used to address Objective One.....	103
Vulnerability and adaptation assessment	104
Critical reflection on methods used to address Objective Two.....	106
Coastal community resilience analysis	108
Critical reflection on methods used to address Objective Three.....	110
Further research	110
Conclusion	111
References.....	115
Appendix One: NIWA methodology.....	126
Appendix Two: VUW Human Ethics Committee Approval.....	129
Appendix Three: Interview participants	130
Appendix Four: Interview information sheet	132
Appendix Five: Interview consent form.....	133
Appendix Six: Interview schedule.....	134

Figures & Tables

Figure 1.1: Map showing the case study locations within the Auckland Region. The map also shows the former district and regional council boundaries prior to council amalgamation on 01/11/2010. The inset map shows Auckland region within the North Island of New Zealand (© Auckland Council, reprinted with permission).	4
Figure 2.1: Annual averages of global mean sea level (mm). The red curve shows reconstructed sea level since 1870; the blue curve shows coastal tide gauge measurements since 1950; the black curve shows observations based on satellite altimetry. Error bars show 90% confidence intervals. Source: Bindoff et al. (2007).....	8
Figure 3.1: The process of adaptation. Source: Reisinger et al. 2010, reproduced from Hennessy et al. (2007), based on Warrick (2000).	19
Figure 3.2: Components of vulnerability. Source: Allen Consulting, 2005.....	21
Figure 3.3: Conceptual framework for vulnerability assessment. Source: Smit and Wandel, 2006.	23
Figure 6.1: Satellite image of the Eastern Bays area, Mission Bay (left) and Kohimarama (right) are circled (Source: Google Earth, 2010).	65

Figure 6.2: Looking east along Kohimarama beach at mid-tide, 2010. (© 2010 Georgina Hart).....	67
Figure 6.3: Looking east along Kohimarama Beach in the storm of January 23 2011 (© 2011 Benjamin Eitelberg. Reprinted with permission.).....	67
Figure 6.4: Satellite image of Kawakawa Bay (Source: Google Earth, 2010).....	69
Figure 6.5: Change to extreme tide levels and subsequent potential static inundation for a 1% AEP event with sea level rise of 0.5m, 1.0m, and 1.5m (lower bound), at Mission Bay/Kohimarama, Auckland, New Zealand.	73
Figure 6.6: Change to extreme tide levels and subsequent potential static inundation for a 1% AEP event with sea level rise of 0.5m, 1.0m, and 1.5m (lower bound), at Kawakawa Bay.	74
Figure 6.7: Number of properties potentially affected by coastal inundation during a 1% AEP event, under present day sea level and with sea level rise of 0.5, 1.0, and 1.5m sea level rise (lower bound) at Mission Bay/Kohimarama and Kawakawa Bay.....	76
Figure 6.8: Total economic value of properties potentially affected by coastal inundation during a 1% AEP sea level, for the present day and with sea level rise of 0.5, 1.0, and 1.5m (lower bound) at Mission Bay/Kohimarama and Kawakawa Bay.....	76
Figure 7.1: The develop-defend cycle. Adapted from Carter et al. (1999), cited in MfE (2008).	91
 Table 2.1: Rates of global mean eustatic sea level rise for the 20th century, as reported by the IPCC (Bindoff, et al., 2007). Adapted from Ministry for the Environment (2008).	9
Table 2.2: Recent scientific projections of sea level rise by 2100, adapted from The Royal Society (2010).	11
Table 2.3: Sea level rise response options for coastal areas and classification of their adaptation type. Adapted from: Klein, et al. (2001), Bijlsma, et al., (1995), and Feenstra et al. (1998).	14
Table 6.1: Predicted water levels above Auckland Vertical Datum 1946 (AVD-46) for AEP of 50%, 10%, 2% and 1%, for the Waitemata Harbour, for the present day and with sea level rise of 0.5, 1.0 and 1.5m relative to the present day (2007 MSL).	72
Table 6.2: The number of people and percentage of census area population potentially affected during a 1% AEP event for the present day and three sea level rise scenarios.....	75
Table 8.1: Predicted storm tide water levels in metres above Auckland mean sea level datum (mAVD-46) at the Auckland Ports Ltd. gauge site and their approximate annual exceedance probability (%) and approximate return interval) for the present day and for mean sea level rise of 0.5, 1.0, and 1.5m relative to present day (2007 MSL).	128

1 Introduction

The Earth's oceans are rising as a result of atmospheric warming and will continue to do so for centuries, even if global greenhouse gas emissions are stabilised in the near term (Bindoff, et al., 2007). Sea level rise is not something that might happen in the distant future, it is happening now and particularly vulnerable communities are already experiencing its effects. Some areas will become completely submerged over the 21st century. In expectation of projected progressive coastal change a growing number of communities are developing and implementing adaptive responses to sea level rise (Pilkey & Young, 2009).

Sea level rise is expected to increase the frequency and magnitude of coastal erosion and inundation; to cause salt-water intrusion of fresh water aquifers; and to raise ground water levels (IPCC, 2007b), among other things. These effects will have serious implications for coastal settlements and ecosystems globally. Impacts may include displacement of coastal populations; disruption of coastal settlement activities; and widespread damage to coastal property and infrastructure during storms (IPCC, 2007a). If sea level rise rates remain slow, natural coastal ecosystems may migrate landward as sea level rises. However, where immobile human settlements exist at the coast, coastal squeeze¹ is expected to put increasing pressure on coastal ecosystems and land, and in the event that human settlements at the coast remain in their current form, will eventually result in the loss of those coastal ecosystems as coastal space disappears (Turner, et al., 2007).

Sea level rise is not geographically uniform, but differs from region to region. Around New Zealand mean sea level is expected to rise approximately in line with, or slightly more than, the global mean over the 21st century (Ministry for the Environment, 2008; Reisinger, et al., 2010). Recent studies have shown that

¹ 'Coastal squeeze': where human modification of the coast using hard immobile structures causes the immobilisation of naturally dynamic and adaptive ecosystems to adapt by migrating landward in response to sea level rise. The result is the loss of intertidal habitats through inundation and erosion (Turner et al.; 2007).

sea level rise is occurring faster now than in previous decades (Velicogna, 2009; Domingues, et al., 2008); that the contribution of glacier and ice sheet melt to observed sea level rise is more than previously thought, and has increased significantly; and that sea level rise to 2100 could be significantly higher than previously projected (Domingues, et al., 2008; Rohling, et al., 2008). The findings of these recent studies emphasise the need to investigate the risks associated with the full range of potential future sea level rise at the regional scale, and initiate adaptation response in areas potentially affected.

Local specific sea level rise effects will drive adaptation at coastal settlements. Because of the large numbers of coastal residents globally, sea level rise has been a concern for more than 20 years (Barth & Titus, 1984; IPCC, 1990; Nicholls, et al., in press; Nicholls & Lowe, 2004). Response options have been developed in the climate change adaptation field based on traditional coastal management practice. The Intergovernmental Panel on Climate Change (IPCC) (IPCC CZMS, 1990; IPCC, 2007a) outline three broad strategic options for responding to sea level rise: protect, accommodate, and retreat. Beneath these high-level response approaches sits a range of specific response options and mechanisms for their implementation, discussed in more detail in subsequent sections.

Response to sea level rise and changing coastal conditions can now be seen to be occurring around the world, with multiple central and/or local governments undertaking comprehensive assessments of potential sea level rise and coastal change (Titus, et al., 2009; Australian Government, 2009; Foresight, 2004; Heberger, et al., 2009). A wide range of responses to experienced and projected risks now offers examples of the implementation of sea level rise adaptation. Examples include: restricting new development (e.g. Yorke Peninsula, South Australia) (Briggs, et al., 2010); holding the line of the coast through coastal engineering (e.g. Florida, U.S.A); and allowing the coast to retreat and abandoning property as it does (e.g. Surfers Point, Ventura, California and Norfolk Broads, England) (Pilkey & Young, 2009; Barboza, 2011; Elliot, 2008). Recent research and responses in already affected areas highlight how seriously

this issue is being regarded internationally, and provide examples of sea level rise assessment and management approaches.

In the New Zealand context, already existing coastal hazard issues; increasing development pressure; rising coastal property values; and other climate change related effects such as storm frequency and intensity, as well as sea level rise, are expected to significantly increase coastal hazard risk this century. In New Zealand, responsibility for the sustainable management of natural and physical resources, including avoiding or mitigating the effects of coastal hazards, is devolved to local authorities². Local authorities are uniquely positioned to investigate, plan for, initiate, and support adaptation to coastal change. However, large uncertainties around the rate of sea level rise and the response of coastal systems to sea level rise, and institutional and social barriers, make responding to and coping with future sea level rise and its impacts a challenging coastal management issue (Cutter S. , 2008; Ministry for the Environment, 2008).

Early impact and adaptation studies have been criticised for taking a simplistic view of adaptation response that failed to take into account broader social and institutional contexts specific to the system³ of interest that may constrain or enable adaptation response (Smit & Wandel, 2006). The aim of this study was to gain a detailed understanding of the context for coastal hazards management and sea level rise adaptation in the Auckland region, and to investigate the implications of different coastal adaptation response options for increasing resilience at coastal settlements.

The local context

Auckland is New Zealand's largest city, home to one third of the country's population, and is growing quickly. Auckland's current population of 1.4 million (Statistics New Zealand, 2010) is projected to reach two million by

² 'Local authority', 'local government', and 'council' are used interchangeably in this study.

³ In this study 'system' is defined based on Chapman (2004) who states that a system is a '*set of elements joined together to make a complex whole*'. In this study the elements of the system of interest include both ecological and human activity components.

2035, in just 24 years (Auckland Regional Council, 2010). Sea level rise was identified by the councils that participated in this study as a key issue for the Auckland region that requires further investigation. Auckland is a coastal region with significant areas of existing development at risk from coastal hazards, such as erosion and episodic inundation. Coastal hazards are expected to be exacerbated by projected sea level rise, suggesting that significant areas of existing coastal settlement will be affected by sea level rise in the future and that local government will need to take adaptive action to mitigate coastal hazard impacts (Auckland Regional Council, 2009).

Figure 1.1: Map showing the case study locations within the Auckland Region. The map also shows the former district and regional council boundaries prior to council amalgamation on 01/11/2010. The inset map shows Auckland region within the North Island of New Zealand (© Auckland Council, reprinted with permission)

Two study sites were selected to assess and compare adaptation options and issues for *existing development* in the Auckland region. Both areas have been identified as having existing settlements that may be affected by sea level rise, primarily due to their low-lying elevation and proximity to the coast (Ramsay, et al., 2008a; Ramsay, et al., 2008b). The adjacent bays Mission Bay and Kohimarama are considered as one study site, and Kawakawa Bay another site.

The sites relative positions are seen in Figure 1.1 - a map of the Auckland region.

Mission Bay/Kohimarama is a centrally located settlement with high density, high value development, existing coastal defence structures, and very low social deprivation scores⁴ (Crampton & Atkinson, 2007). In contrast, Kawakawa Bay is a small settlement on the fringes of the Auckland region, with low levels of development, lower value property, and mid to high social deprivation scores (Crampton & Atkinson, 2007). Until November 1st 2010 the sites were under the jurisdiction of different territorial authorities. Mission Bay/Kohimarama was within the Auckland City Council boundary, and Kawakawa Bay was within the Manukau City Council boundary. On November 1st 2010 all the Auckland authorities were amalgamated into one – the Auckland Council, a unitary authority with combined regional and district council powers and responsibilities. Auckland Council is developing both a spatial plan and a unitary plan for the region.

Research aim and objectives

The aim of this study was to answer the following central research question:

What are the implications of different coastal adaptation response options for increasing resilience to coastal change, and what is the situational, institutional, and social context for coastal hazards management and sea level rise adaptation in the Auckland region that may enable or constrain coastal adaptation?

To answer the above central research question the study addressed the following research objectives (framed as research questions):

⁴ The New Zealand socioeconomic deprivation index (Salmond, et al., 2007) combines nine variables (e.g. number of people: on a benefit, in rental accommodation, with no access to a car) to give a deprivation score for each meshblock in New Zealand. An ordinal scale is used to assign each meshblock with a socioeconomic deprivation score from 1–10, 1 being the lowest recorded deprivation scores and 10 being the highest recorded deprivation scores in New Zealand. For example, a value of 10 indicates that the meshblock is in the most deprived 10% of areas in New Zealand, based on the deprivation index scores (Crampton & Atkinson, 2007).

Objective One

What situational, institutional, and/or social context for coastal hazards management and sea level rise adaptation exists in the Auckland region that may enable or constrain adaptation to sea level rise?

Specifically, identify:

- The current approach to coastal hazards management and sea level rise, including barriers and enabling factors for sea level rise response.

Objective Two

What is the potential exposure and sensitivity of the case study sites; what are the potential implications of that exposure and sensitivity; and what are the opportunities for, issues with and barriers to various adaptation response options at the study sites?

Specifically, conduct a comparative case study of Mission Bay/Kohimarama and Kawakawa Bay, Auckland, in which:

- the extent to which Mission Bay/Kohimarama and Kawakawa Bay are exposed to sea level rise is assessed and the key implications of that exposure for a range of scenarios of future sea level rise are assessed;
- the sensitivity of Mission Bay/Kohimarama and Kawakawa Bay is assessed, including an estimate of the numbers of people and value of property at risk, and
- the specific situational context of the two case study sites are investigated, and potential response options are investigated to build a picture of how the study site communities might adapt to coastal change in practice.

Objective Three

What are the implications of different response options for increasing resilience to coastal change at the study sites?

Specifically:

- analyse response options from a resilience perspective and reflect on how coastal resilience could be increased for the study sites, and more generally in the Auckland region.

2 Sea level rise & adaptation options

Sea level rise observations

Recent warming of the Earth's climate system is now evidenced as unequivocal by countless studies worldwide that document increases in: average air and ocean temperatures; the melting of snow and ice; global mean sea level rise; and other warming related changes to ecosystems (Bindoff, et al., 2007; IPCC, 2007). Very high confidence exists that these changes are caused by the increase of greenhouse gas concentrations in the atmosphere due to anthropogenic fossil fuel combustion, deforestation, and farming practices (IPCC, 2007).

Figure 2.1: Annual averages of global mean sea level (mm). The red curve shows reconstructed sea level since 1870; the blue curve shows coastal tide gauge measurements since 1950; the black curve shows observations based on satellite altimetry. Error bars show 90% confidence intervals. Source: Bindoff et al. (2007).

When the Earth's climate warms a number of well understood physical processes are affected that lead to global sea level rise. These are: 1) *increasing ocean volume* due to ocean thermal expansion, i.e. the water in the ocean

expands as it warms, and as it becomes less saline; and 2) *increasing ocean mass* as land based water (glaciers and ice sheets) melts and is redistributed to the oceans (Bindoff, et al., 2007; Ministry for the Environment, 2008).

Observations show that global mean sea level has been rising for the last 50-150 years (Bindoff, et al., 2007; Lambeck, et al., 2004), after a period of relatively stable global mean sea level (Jansen, et al., 2007; Bindoff, et al., 2007). Bindoff et al. (2007) found that the most likely rate of sea level rise for the 20th century was 1.7mm/yr (1.7cm/decade). Figure 2.1 shows averaged global sea level results based on multiple studies assessed by the IPCC (Bindoff, et al., 2007), indicating that global average sea level has risen about 18cm since 1870.

Table 2.1: Rates of global mean eustatic sea level rise for the 20th century, as reported by the IPCC (Bindoff, et al., 2007). Adapted from Ministry for the Environment (2008).

Period	Mean rate of sea level rise
20 th century	1.7 (± 0.5) mm/yr
1961-2003	1.8 (± 0.5) mm/yr
1993-2003	3.1 (± 0.7) mm/yr

Observations also show an increase in the rate of sea level rise from the first half to the second half of the 20th century (Church & White, 2006), as shown in Table 2.1 (Ministry for the Environment, 2008). The average rate of rise for the period 1993-2003 was 3.1(± 0.7) mm/yr, but for the period 1961-2003 it was only 1.8(± 0.5) mm/yr (Bindoff, et al., 2007). Bindoff et al. (2007) cautioned that it was unknown whether this increase in the rate of sea level rise is related to anthropogenic climate system warming or is related instead to decadal variability in sea levels caused by regional climate systems such as the El Niño Southern Oscillation (IPCC, 2007).

Sea level rise projections

The most recent scientific assessment of climate change by the IPCC (2007), presented multiple model-based projections of sea level rise that ranged from 18 to 59cm to the 2090s relative to 1990 (Meehl, et al., 2007). The range represents outputs from 17 global climate models (GCMs) for six different future emissions scenarios. Because GCM assumptions include ice sheet melt at a static rate based on an average for the 1990s period, the IPCC cautioned that an additional 10-20cm of sea level rise could be expected if the rate of ice sheet melt *increased* linearly with global temperature (2007). Dynamic ice sheet processes are not currently included in GCMs. For this reason the IPCC (2007) emphasised that current model-based projections do not represent an *upper limit* for sea level rise over the 21st century, nor could a *best estimate* be given.

In the four years since the 2007 IPCC report projections of sea level rise have changed dramatically as significant advances have been made in understanding the processes contributing to sea level rise (The Royal Society of New Zealand, 2010). Recent studies have shown that *all* sea level rise observed since 1950 can be explained by climate change when previously it could not (Domingues, et al., 2008); that the contribution of glaciers and ice sheet melt to observed sea level rise is much higher than was previously thought (Velicogna, 2009; Domingues, et al., 2008); and that in the past, sea level may have risen more than 2 metres per century (Rohling, et al., 2008).

Recent projections of sea level rise to 2100 include higher levels of rise than have previously been published, based on semi-empirical methods used to extrapolate from past temperature and sea level records (Rahmstorf, 2007; Horton, et al., 2008). The increase of sea level rise to 2100 in recent projections is due to the inclusion of much higher contributions of ice sheet melt. The IPCC (2007) model-based projections assumed glacier and ice sheet melt contributed just 25% to sea level rise. However, Domingues et al. (2008) showed that the contribution of glacier and ice sheet melt to sea level rise is now around 60%, and indicated that the contribution of these factors will continue to increase over the 21st century. The semi-empirical method for projecting sea level rise

developed by Rahmstorf and others has been supported by recent work (Kemp, et al., 2011) that has found that it is the *rate* of sea level rise rather than the total amount of rise that correlates with global mean temperature over the last 2000 years.

Table 2.2 shows recent scientific projections of sea level rise by 2100. Dynamic ice sheet melt could result in sea level rise considerably larger than IPCC model-based projections, with some studies finding that increases of 1.6 to 2.0 metres by 2100 cannot be ruled out (Rahmstorf, 2007; Horton, et al., 2008; Pfeffer, et al., 2008). The serious risks associated with these higher estimates of sea level rise by 2100 affirm the need for the full range of plausible sea level rise projections to be carefully considered when making decisions in the areas of long-lasting infrastructure and settlement development (Nicholls, et al., in press).

Table 2.2: Recent scientific projections of sea level rise by 2100, adapted from The Royal Society (2010).

Source	Projected sea level rise by 2100 (m)
Rahmstorf (2007)	0.5 - 1.4
Horton (2008)	0.5 – 1.0
Pfeffer (2008)	0.8 – 2.0
Grinstead (2009)	0.3 – 2.2
Vermeer (2009)	0.75 – 1.9
Jevrejeva (2010)	0.6 – 1.6

Observed sea level rise since 1990 has been tracking at the upper end of IPCC projections (Bindoff, et al., 2007). To achieve sea level rise around the lower end of the projected ranges, global greenhouse gas emissions would have to be stabilised in the very near term (Ministry for the Environment, 2008). This

presents an even stronger argument for the inclusion of the full range of plausible sea level rise projections in adaptation assessment, as little progress towards global greenhouse gas emissions stabilisation has been achieved to date.

Sea level rise adaptation

The potential effects of sea level rise on coastal communities are most commonly characterised as the exacerbation of coastal hazards. Coastal hazards refer primarily to coastal erosion and coastal inundation (flooding). Erosion and inundation are natural components of the dynamic processes at work in the coastal environment and do not constitute a hazard in the absence of human settlements. Coastal hazards exist primarily due to a legacy of coastal development that has not taken the changing coastal environment into account, allowing development that does not provide room for coastal fluctuations to occur without affecting human settlements (Ministry for the Environment, 2008).

Erosion has the potential to result in permanent loss of land and buildings, and is a key driver of coastal management responses. Coastal inundation is more likely to result in periodic disruption to a community (e.g. road access), and potential damage to buildings, but alone does not usually result in the permanent loss of land area (Ministry for the Environment, 2008). However, permanent inundation will occur as a result of sea level rise that may drive adaptation response.

The development of sea level rise adaptation response options has been based upon coastal management approaches for coastal hazards management. The IPCC (IPCC CZMS, 1990; IPCC, 2007a) outline three broad strategic options for responding to sea level rise:

- 1) **Protect** landward property using hard and soft coastal engineering structures,
- 2) **Accommodate** human settlements to the changing conditions through structural changes to buildings and infrastructure, and
- 3) **Retreat** from coastal hazard prone areas of the coast.

Beneath these high-level response approaches sits a range of specific response options and mechanisms for their implementation: see Table 2.3. As well as this, methods and tools have been developed to assist in decision-making about what adaptation response might be appropriate at various scales from the global to the local (Stratus Consulting Inc., 1999; Dickinson, 2007). Generally, these methods focus on vulnerability assessment as a means to prioritise where adaptation is needed and cost-benefit analysis (and others such as multi-criteria analysis) to compare and assess response options (Smit & Pilifosova, 2007). Comprehensive integrated coastal management plans have been identified as an appropriate framework for implementing coastal adaptation responses at specific locations (IPCC, 2007b).

Table 2.3: Sea level rise response options for coastal areas and classification of their adaptation type. Adapted from: Klein, et al. (2001), Bijlsma, et al., (1995), and Feenstra et al. (1998).

Response option

Protection
Hard structural options
• Dikes, levees, floodwalls
• Seawalls, revetments, and bulkheads
• Groynes
• Detached breakwaters
• Floodgates and tidal barriers
• Saltwater intrusion barriers
Soft structural options
• Periodic beach nourishment
• Dune restoration and creation
• Wetland restoration and creation
• Afforestation
Accommodation
• Emergency planning and management
• Modification of land use
• Modification of infrastructure
• Modify buildings and building codes
• Regulation of hazard zones
• Hazard insurance to reinforce hazard regulation
• Provision of information about climate change risks for coastal properties
• Limiting ground water use to limit salt water intrusion
Retreat
• No new development in susceptible areas
• Conditional phase-out of existing development
• Withdrawal of government subsidies
• Abandonment of property (unplanned retreat)

Coastal protection includes: hard coastal engineering such as sea walls, revetments, groynes and breakwaters; and soft coastal engineering such as beach nourishment, and dune creation and restoration. Coastal protection refers to ‘hold the line’ response strategies that attempt to control natural processes, as opposed to a focus on managing people and land use to *avoid* coastal hazards.

Erosion and inundation management has a history going back centuries in some places (Kwadijk, et al., 2010). More recently, throughout the 20th century coastal stabilisation techniques have been employed widely to hold the line of

the coast (coastal protection), for example hard, immobile engineering structures such as seawalls and groynes. In recent decades negative effects of hard coastal stabilisation have been widely critiqued as they can result in the: loss of natural ecosystems; worsening of coastal erosion on-site (i.e. loss of beach seaward of the structure) or further down the coast; and increased potential for catastrophic flooding when a coastal structure's design standards are exceeded. Coastal stabilisation can also result in:

- the misconception that coastal hazard risk no longer exists, which can lead to increased developed in protected areas with a subsequent further increase in risk as the numbers of people and property at the coast increase; and
- the public expectation that coastal engineering will be initiated or maintained by local government in light of the legacy of stabilisation (Titus, et al., 2009; Ministry for the Environment, 2008).

Following widespread recognition of problems associated with hard coastal stabilisation techniques, alternative coastal management approaches have been developed and employed widely, internationally, and in New Zealand (Dahm, et al., 2005; McKenna, et al., 2007). Alternative techniques include soft coastal stabilisation, combined hard and soft engineering (that limits hard stabilisation), off-shore engineering works, 'living shorelines' approaches, planning tools to limit development in exposed coastal areas, and public education of the risks of living at the coast.

Accommodation measures include emergency planning, and individual flood protection measures such as raising site levels, buildings and infrastructure; and changing building codes. Accommodation measures by themselves do not attempt to control natural processes, but rather adjust human structures and behaviour to minimise risk. Accommodation measures may be an effective response to periodic inundation, but are unlikely to be an effective response to a trend rise in the scale or frequency of inundation and erosion. Insurance operates in New Zealand to underwrite risk, but recent disasters have highlighted that its availability and affordability is likely to change. Increasing

limits to the insurability of coastal property will have to be addressed by local government, but at present this is an issue not well investigated in New Zealand.

Managed (or planned) retreat refers to the landward relocation of buildings and infrastructure when they are threatened by coastal hazards, and can include: policies and rules to limit new development and redevelopment in coastal hazard areas, and the eventual removal or landward relocation of buildings and assets in identified areas. Retreat can be reactive (abandonment of property) or planned. Retreat adjusts human settlements/structures in response to coastal hazards to avoid risk. Managed retreat is not considered as widely applicable for highly developed urban areas with high levels of sunk costs. Examples of managed retreat are predominantly cases where the land reclaimed by the sea has been rural farmland or a natural system (e.g. a wetland or estuary) (Rupp & Nicholls, 2002).

Managed retreat has the potential to achieve attractive social and environmental benefits, but would also incur significant costs that would need to be considered. Managed retreat has the potential to:

- retain, enhance or restore amenity values at the coast, including coastal access to beaches, parks, and wetlands;
- retain, enhance or restore environmental systems (and their services) at the coast, including biodiversity;
- avoid the costs of protection and accommodation measures, including the risk of catastrophic failure of protection works and increased development in hazard areas;
- ensure that coastal hazard management outcomes are equitable (as opposed to when reactive protection and abandonment occurs).

Managed retreat can be implemented as either a voluntary, or a compulsory process; however, compulsory retreat is seen as being prohibitively unpopular. To achieve voluntary retreat from the coast community buy in for a retreat approach would be required. As well as this the various costs of retreat would need to be considered.

It is important to note that sea level rise and increasing risk of coastal hazards will not occur in isolation. Coastal regions will be subject to a range of climate

change impacts, as well as numerous non-climate pressures and competing priorities for resources. Other climate change effects will include changing temperature, precipitation, wind and storm patterns. Non-climate pressures include: increasing population, urban development needs, and pressure on transport and other infrastructure. Thus, measures to adapt to changing coastal conditions will need to be identified and implemented in an integrated manner, within the context of broader regional and local scale issues, pressures and goals (Smit & Pilifosova, 2007).

3 Conceptual framework

Climate change impacts and adaptation research (IPCC, 2007a) has focused on a number of concepts, which include adaptation, vulnerability, and resilience. This research project was conducted based on a conceptual framework linking adaptation, vulnerability, and resilience. Each of these concepts and its application to this research project is outlined below.

Adaptation

Adaptation describes the process taken and specific actions implemented by a system to moderate the negative impacts of, or take advantage of the opportunities created by, environmental change, in this case of expected or experienced climate change impacts. The IPCC (2007a) define climate adaptation as the *'adjustment in natural or human systems in response to actual or expected climatic stimuli or their effects, which moderates harm or exploits beneficial opportunities'* (IPCC, 2007, p. 27). Climate change adaptation usually refers to *'a process, action or outcome in a system (household, community, group, sector, region, country) in order for the system to better cope with, manage or adjust to some changing condition, stress, hazard, risk or opportunity'* (Smit & Wandel, 2006, p. 282).

Adaptation involves more than just individual actions but is an ongoing *iterative process* (Reisinger, et al., 2010). Figure 3.1 presents the key components of the adaptation process. This process involves: the development of knowledge, data and tools to understand and clarify the issues; risk assessments to identify key vulnerability, and areas that would require specific actions; integration of responses into existing frameworks (local and central government strategies etc.) and implementation; and the monitoring and evaluation of actions taken to adapt. At all points in this process awareness raising and capacity building can be taking place at all scales, from individual members of the public through to central government.

Figure 3.1: The process of adaptation. Source: Reisinger et al. 2010, reproduced from Hennessy et al. (2007), based on Warrick (2000).

Adaptation is *desirable* as it will minimise potential adverse effects of climate change that have the potential to cause significant disruption to current systems (e.g. economic loss due to damaging storm events; transport and commercial activity disruptions; and potential loss of life or health). Adaptation is now *required* as the Earth is ‘committed’ to a certain degree of future warming even if stringent mitigation is put in place. Due to inertia in the climate system the effect of greenhouse gases already released into the atmosphere will not be fully felt for 20 – 30 years or longer (IPCC, 2007b). The latest report from the IPCC (IPCC, 2007a) noted that few adaptation actions had actually occurred: however, in the four years since its release the number of climate change adaptation activities being initiated has been increasing, as communities respond to changing conditions, and prepare for future expected changes (Atkins, 2007; Maunsell Australia Ltd., 2008; Australian Government, 2009).

Climate adaptation research has been undertaken for a number of distinct purposes. Impacts and adaptation studies have been used to compare potential climate change damages under a variety of response options (e.g. costs and

damages to a system or community with and without adaptation). Vulnerability analysis has been undertaken to make comparisons across regions or countries, often with the purpose of prioritising funding for adaptation in developing countries. Smaller scale participatory vulnerability studies, such as this research project, are usually undertaken to investigate feasible, practical, and preferred adaptive responses at the community scale (Smit & Wandel, 2006).

Vulnerability

No universally accepted model of vulnerability exists; and its definition is widely contested. This study adopts a broad general conceptual model of vulnerability developed in the climate adaptation field that defines vulnerability (of any system at any scale) as being a function of exposure, sensitivity, and adaptive capacity (Figure 3.2). This model of vulnerability is standardised by the IPCC in its definition:

‘Vulnerability is the degree to which a system is susceptible to, and unable to cope with, adverse effects of climate change, including climate variability and extremes. Vulnerability is a function of the character, magnitude, and rate of climate change and variation to which a system is exposed, its sensitivity, and its adaptive capacity’
(IPCC, 2007a, p. 21).

Figure 3.2 outlines the basic components of vulnerability. Exposure refers to the external climatic stressors that a given system is subject to. Sensitivity refers to the *responsiveness* of a given system to its exposure to climatic stimuli. The result of exposure (e.g. sea level rise of 1.0 metre) plus sensitivity (e.g. low-lying land area, number of buildings, building type, number of inhabitants) represents the potential impacts experienced by a given system in the absence of any adaptation. Adaptive capacity refers to a given system’s ability to respond to climatic stimuli to either avoid adverse impacts or take advantage of opportunities (i.e. its ability to adapt to current and future exposure and sensitivity and to reduce exposure and sensitivity to future impacts).

Vulnerability is thus represented by the potential adverse impacts (or opportunities not taken) that occur as a result of a given system's combined exposure, sensitivity, and adaptive capacity. This model assumes that adaptation will take place that is relative to the existing adaptive capacity of a given system, and that remaining potential impacts represent *vulnerability*. This residual vulnerability may be accepted, but the potential exists that it may be further reduced if adaptive capacity can be increased.

Figure 3.2: Components of vulnerability. Source: Allen Consulting, 2005.

This model (Figure 3.2) presents a static model of vulnerability, which fails to capture the relationships between the components of vulnerability, or the dynamic temporal, spatial, and culture-specific nature of vulnerability (Adger, 2003; Smit & Wandel, 2006). Smit and Wandel (2006) propose another general vulnerability framework that incorporates the dynamic nature of vulnerability. Smit and Wandel's (2006) 'nested hierarchy' model represents the various processes, relationships, and scales that determine vulnerability.

Smit & Wandel describe broader and local scale factors as influencing exposure, sensitivity, and adaptive capacity of a community. Broad scale factors include, for example, sea level rise and central government activities. These broad scale environmental and social factors interact with local scale factors to influence exposure and sensitivity, while actual activities to adapt are considered to be realisations of adaptive capacity. The smaller scale factors represent local scale determinants of exposure, sensitivity, and adaptive capacity, and adaptation actions. Smit & Wandel's key points are that

vulnerability is dynamic, and place, system, and stimulus specific (Smit & Wandel, 2006). Smit & Wandel (2006) argue that vulnerability determinants should not be selected a priori, but can only be discovered through participatory research at the community level.

Smit and Wandel's nested vulnerability framework does not show explicitly a time reference. For example, climate vulnerability is usually expressed as future vulnerability to future climate change, which involves either making assumptions about future vulnerability based on observations about a system today, or through modeling approaches. However, Smit and Wandel (2006) make explicit a temporal component in their vulnerability assessment research framework shown in Figure 3.3. The goal of this type of adaptation research is to understand the nature of vulnerability and its components and determinants so that adaptive capacity can be increased, and exposure and sensitivities decreased. The system investigated is the community, as well as the broader context that influences its function.

In their vulnerability assessment framework, Smit and Wandel (2006) make a distinction between current and future vulnerability and both are investigated, as well as local and regional government structures and the views of local resource managers and scientists. The aim is to identify the past and current situation, and how people have dealt with these, including constraints on their options and the process (current and past adaptive capacity). Further to this, potential future exposures, sensitivities (what are the future risks the community faces), and adaptive capacity (how might the community plan for and respond to those risks) are explored and identified through information from and discussion with scientists, policy analysts, and decision makers.

Figure 3.3: Conceptual framework for vulnerability assessment. Source: Smit and Wandel, 2006.

Within a coastal hazards management context, the legacy of past decisions (e.g. the location of existing settlements and protection measures) affect today's management choices, and decisions made today will in turn affect the pathways taken in the future. In the present study, the current context for coastal hazard management, and the governance regime within which adaptation will take place, is taken as a starting point for examining the potential barriers to coastal adaptation to sea level rise (Moser & Ekstrom, 2010).

Resilience

Over the last decade resilience has emerged as an important concept for thinking about the design and planning of coastal communities (Beatley, 2009). Resilience has roots in many disciplines, but it is the work of C.S.Holling and others in the field of ecology that most influences the concept of resilience in the fields of global environmental change and climate change adaptation. Early definitions of resilience focussed on the ability of a system to return to a

previous state following a disturbance (Holling, 1996; Dovers & Handmer, 1992). However, the concept has been developed to represent a more dynamic view of system states and functioning. The Resilience Alliance define resilience as *‘the magnitude of change or disturbance that a system can experience without shifting into an alternate state that has different structural and functional properties and supplies different bundles of the ecosystem services that benefit people’* (Resilience Alliance, 2010, p. 5). One emphasis of the resilience concept is that regeneration following disturbance does not mean the return to the previous state if regeneration can include adapting to new environmental stimuli to better cope with and absorb disturbances.

Resilience is commonly seen as providing a conceptual framework for managing natural resource systems from a complex systems perspective that takes into account and manages for interrelated multi-scale system components. In this way resilience based resource management moves away from traditional resource management approaches that address individual problems as they arise – an approach that can result in increasing system vulnerability by neglecting to take into account related system properties that may be affected when intervention occurs (Walker, et al., 2006).

The Resilience Alliance (Resilience Alliance, 2010) emphasise the idea that the resilience of social-ecological systems (SESs)⁵ can be managed or influenced. A resilient system has the capacity to both build resilience and to identify and avoid thresholds beyond which a shock or intervention would tip the system into an undesirable alternate state. Further to this, a resilient system would also have the capacity to identify if it is operating in an undesirable state and to then erode resilience, allowing it to tip into another more desirable state. This view argues that resilience can be identified and manipulated for the maintenance of the current state, or for transformational change to another state depending on what is preferred. This approach to resilience is based on Gunderson and

⁵ SESs refer to systems of interrelated social and ecological components that interact with the result of a more complex whole. The SES framework (Resilience Alliance, 2010) emphasises the relationships between components of a system, and that each SES has slow and fast moving changing components, and external influences.

Holling's theory of panarchy⁶ for explaining transformation in complex social-ecological systems (Gunderson & Holling, 2002). In depth analysis of the ethics of who decides what is a desirable state or not, and when, where and why to build or erode resilience are outside the scope of this study, but are acknowledged here as significant issues; fuller discussion of this important component of resilience management can be reviewed in Lebel et al., (2006).

Depending on one's viewpoint, the characteristics of resilience, and the ways to develop those characteristics, can differ significantly. Walker and Salt (2006) identify nine key characteristics of resilience:

- 1) **Maintaining diversity** (biological, land use, social, economic) is an important component of maintaining ecosystem services, and can limit adverse effects to disturbances.
- 2) **Ecological variability** is accepted, rather than attempting to control natural environments and processes.
- 3) **Modularity** limits the connectedness of system components thus minimising the adverse impacts of disturbance events.
- 4) **Acknowledgement of slow variables**, rather than focus on short-term experiences and cycles.
- 5) **Tight feedbacks** allow a community to respond rapidly to change, and limit large-scale governance constraints such as institutional inertia.
- 6) **High social capital**, for example, trust, well developed social networks, and leadership.
- 7) **Innovation** that emphasises learning, experimentation, locally developed rules, and embracing change.
- 8) **Redundancy**, for example, overlap in governance structures, or adaptation strategies.
- 9) **Ecosystem services** are acknowledged and enhanced. Full accounting of ecosystem services is conducted; to aid decision making that acknowledges and understands the environmental implications of activities.

⁶ Panarchy here refers to linked adaptive cycles across scales within SESs. The four stages of change of the adaptive cycle of ecological systems are: rapid growth, conservation of resources, release of resources, and reorganisation (Gunderson & Holling, 2002).

Further to the above, the following characteristics have also been emphasised as resilience characteristics (Nelson, et al., 2007):

10) **Flexibility.**

11) **Anticipating change**, surprises, or the unexpected.

12) **Self-organisation.**

An important insight of the resilience literature (Nelson, et al., 2007) is that adaptation can go beyond being related to specific risks: through a resilience lens, adaptation is seen as the ability to maintain a response capacity in the face of risks that keep changing and evolving. Human capital, governance structures and institutional flexibility are salient characteristics of social-ecological systems that strongly influence successful adaptation to such changing risks, that is, adaptation in which responses exhibit opportunity taking, and through system feedbacks, adaptation of the system as a whole over time (Nelson, et al., 2007, p. 199).

The field of *adaptive management* (adaptive governance) has grown out of the resilience knowledge domain. Originally applied to ecological conservation projects, adaptive management is now being generally applied to a broad range of management problems (Foxon, et al., 2009). Adaptive management revolves around applying a flexible, iterative approach, based on social and institutional learning, addressing uncertainty, and expecting the unexpected (Nelson, et al., 2007; Resilience Alliance, 2010). Adaptive management acknowledges that our knowledge of social-ecological systems is incomplete and decision making must be undertaken within a context of uncertainty – thus management itself is an adaptive process through which understanding of a system can be gained and improvements to management approaches made.

Resilience is consistent with the concepts of both adaptive capacity and sustainability. Resilience without sustainability must in the longer term be acknowledged to be both a contradiction, and an undesirable goal (Folke, et al., 2002). Thus, resilience discussed here incorporates the idea of sustainability. As is discussed further below, sustainability is embraced in New Zealand's Local Government Act (2002) and, rather less comprehensively, in the Resource

Management Act (1991) as ‘sustainable management’. These two Acts are key drivers of local government activity in New Zealand.

Framework summary

This study integrates components of the vulnerability concept and vulnerability research framework outlined above with key concepts from the resilience literature to create a systems-oriented approach for considering adaptation options, policy implications, and the broader context in which adaptation processes take place.

Early vulnerability studies did not typically consider local scale coastal interactions – such as those between local scale ecological and geomorphological systems and external climatic stimuli, and those between local scale place-specific community aspirations, local government activities and external climatic stimuli (Hinkel & Klein, 2009), nor were local scale constraints and barriers to specific adaptation options investigated (Smit & Wandel, 2006). It is this sort of interaction, particularly between local government and the communities in the Auckland region, and the local barriers that policies face, that the present study explored. For example, this study investigated the extent to which the system for governing coastal hazards is starting to move beyond the legacies of past rather static coastal hazard management concepts, take a more dynamic view of risks over time, and look to processes of community engagement as part of building resilience to changing risks.

Adopting a dynamic resilience framework expands upon traditional adaptation concepts by moving away from static stimuli- and actor-focused adaptation and focusing on system characteristics that will allow for more flexible adaptation to a range of stimuli. Actions that can be seen to build resilience likewise increase adaptive capacity and thus theoretically reduce overall vulnerability. A risk exists in focusing on a traditional vulnerability and adaptation framework, whereby actions thought to reduce exposure and sensitivity, or increase adaptive capacity, may in fact increase exposure and sensitivity and decrease adaptive capacity in relation to some other stimuli, especially in the long term. The

adoption of the broader, systems based concept of resilience provides an opportunity to assess adaptation response implications at a broader scale with the aim of avoiding maladaptation (Barnett & O'Neill, 2010)⁷.

⁷ Maladaptation refers to an increase in risk or vulnerability to climate change occurring as a result of processes and actions aimed at adapting to climate change (Barnett & O'Neill, 2010).

4 Methodology

This section outlines the research context, epistemological position, and research methods upon which this study has been based.

Research context

This research has been conducted simultaneously as a master's thesis research project and a 'case study' contributing to a Ministry for Science and Innovation (MSI)⁸ funded research project, led by the New Zealand Climate Change Research Institute (CCRI), and entitled *Community Vulnerability, Resilience and Adaptation to Climate Change*. The aim of the project was to develop a 'New Zealand specific framework for the comprehensive identification of community vulnerability and options for increasing resilience' (CCRI, 2008, p. 3).

This master's thesis research project contributes to Objective 2 of the CCRI project, looking at the specific issues local government faces in relation to climate change adaptation. Manukau City Council, Auckland City Council, and Auckland Regional Council agreed to participate in and contribute to this study. The study was completed with the support of the National Institute of Water and Atmospheric Research (NIWA), CCRI, and the School of Geography, Environment and Earth Sciences, Victoria University of Wellington.

Epistemology

Many epistemological paradigms are now defined and in use. In his book on the foundations of qualitative research, Willis (2007) states "*There are serious flaws in the logic of all three of the major paradigms [post-positivist, interpretive, and critical analysis]. There is no winner in any effort to find the paradigm that has no flaws or weaknesses*" (Willis, 2007, p. 22). To find a

⁸ Formerly the Foundation for Research Science and Technology, now the Ministry for Science and Innovation (MSI).

single epistemological framework that fits perfectly with one's own view and that of one's research is challenging. The epistemological foundations of this research are best described as a combination of the paradigms of interpretivism and environmental pragmatism.

Interpretivism

The interpretivist paradigm developed as a reaction to the traditional positivist and post-positivist paradigms that are founded on the assumption that the social world can be studied and understood via the same methods as those used in the physical sciences (objective scientific method using only quantitative data) (Willis, 2007). Interpretivism posits that the social world must be understood contextually and therefore post-positivist approaches alone are not sufficient.

In opposition to post-positivism, the central tenets of interpretivism are: that reality is a social construct; that the purpose of research is to gain and share understanding; that understanding can only be contextual; and that practice and research are connected and can influence each other. Relativism and rationalism are usually central concepts of an interpretivist approach. Relativism is based on the notion that reality is a mental construction created by individuals through their social, and other, experience of the world (Guba, 1990). Rationalism positions thinking and reflection as important parts of the process of understanding the world and creating knowledge. Rationalism allows for theory building that is based on internal reflection, and not just on induction, deduction, and empirical experiment (Willis, 2007). Rationalism, therefore, allows for the use of much broader sources for knowledge generation, such as the recounted experiences of practitioners.

Environmental pragmatism

The development of a pragmatist philosophical theory is closely linked to that of the interpretivist paradigm. In both schools of thought philosophers in the early 20th century were reacting to and rejecting many of the traditional assumptions employed in the physical sciences. Such assumptions include a belief in: human-nature duality; mind-body duality; the study of an objective

reality that exists external to human experience, social structures and history; foundationalist epistemology; and the existence of universal truths.

Environmental pragmatism developed in the field of environmental philosophy as a reaction to rigid theories of environmental ethics that have proven to hold little practical use in the real-world solution of environmental issues (Light & Katz, 1996). Environmental pragmatism is consistent with an interpretivist foundation to research, and goes further in that it focuses research on practical outcomes (Creswell, 2007). Environmental pragmatism allows for and actively seeks the full range of views, values, and beliefs that may be in conflict around an issue. It is also concerned with the practical use of research to solve environmental problems and thus seeks to provide information about real world problems that can readily be translated into decisions and policy regarding the topic (Light & Katz, 1996).

According to Light & Katz (1996) environmental pragmatism is about achieving practical solutions in the real world, rather than getting tied up in irresolvable theoretical debates. For Light & Katz, environmental pragmatism is *‘the open-ended inquiry into the specific real-life problems of humanity’s relationship with the environment’* (Light & Katz, 1996, p. 2). They argue that environmental pragmatism *‘is a new strategy for approaching environmental philosophy and environmental issues...that refers to a cluster of related and overlapping topics, rather than to a single view’* (Light & Katz, 1996, p. 5).

From this perspective the researcher of the present study was concerned with developing straightforward, accessible, and high-quality information for those interested in the fields of climate change adaptation and coastal management. This study is therefore based on a pragmatic approach concerned with gaining a contextual understanding that enables the translation of research into practical outcomes.

Research design

This research has been developed using a *case study* design with multiple sources of data including: relevant literature and other documents; historical

data; existing quantitative data; and primary source spatial and interview data. This section outlines the general characteristics of, and an accepted format for, case study research and goes on to outline the key characteristics and design of this case study.

A case study is ‘*an examination of a specific phenomenon such as a program, an event, a process, an institution or a social group*’ (Merriam, 1988, p. 9). The case study is a commonly used *and* widely criticised qualitative research method. The term case study has been used so broadly to cover such a wide range of methods that it escapes easy definition: however, a general framework for case studies is described by Willis (2007). Willis states that case studies:

- have a focus on a particular context;
- are about real people and situations;
- tend to use thick descriptive data (such as interviews);
- often utilise multiple sources of information; and
- are heuristic (using experience, available information and common sense for problem solving).

The present study can be described as an *interpretive place-based comparative case study*. Merriam (1988) describes interpretive case studies as using thick descriptive data to ‘develop conceptual categories or to illustrate, support or challenge theoretical assumptions held prior to the data gathering’ (Merriam, 1988, p.28, cited in Willis 2007).

Case studies are a commonly used method in climate change research, and are becoming more common in climate adaptation research as the emphasis in this field has moved from global and national scale assessments of vulnerability to place-specific studies for, and of, adaptation activities. Place-based local-scale case studies are believed to be a particularly well-fitted approach to researching climate adaptation because of the place-specific nature of climate impacts and the adaptation process (Ford, et al., 2010).

A key step in conducting a case study is defining the unit of analysis to be studied. However, adaptation, vulnerability, and resilience exist at multiple

interrelated scales. In this case study the community⁹ is the unit of analysis. However, the vulnerability and resilience of the two study communities is considered in relation to the role and activities of local government, which is a dominant meso-scale¹⁰ influence on the adaptive capacity and resilience of the communities of interest. The activities of local government are not the only influences on adaptive capacity: however, exploration of all factors influencing vulnerability, adaptive capacity, and resilience of the two communities of interest lay outside the scope of this study.

The study sites were selected in a two-stage process. Firstly, council staff were engaged to develop a list of sites they felt were of particular significance to their council (the former Auckland and Manukau City Councils). Further to this an informal meeting was held with former Auckland Regional Council staff to discuss the potential case study sites from another perspective. Secondly, information about each of the potential sites was collated and considered. This second stage of the selection process set some important limits to the study, predominantly to ensure that the scope of the study conformed to the remit of a master's level project. With this in mind the study was limited to considering just *two* sites of *existing* residential settlement. The two sites were chosen because they represented two contrasting 'types' of *existing settlement potentially affected by sea level rise*.

Other important methodological decisions, made through the research design process, such as what data to collect and what quantitative variables to consider, are discussed in greater detail in the following section detailing the methods applied to address each of the three objectives of the study, as well as potential limitations of the research design.

⁹ In this study "community" is used to mean a spatially limited aggregation of households that are connected in some way (Smit & Wandel, 2006), in this study the connection is their being identified as potentially affected by sea level rise.

¹⁰ That is, neither a micro-scale influence such as the immediate community, nor a macro-scale influence such as central government.

Methods

Literature review, qualitative, and spatial (Geographic Information Systems (GIS)) analysis methods were used to achieve the objectives of this study. The methods used to address each of the three objectives are detailed below.

Objective One method

Objective One and the methods used to address it are summarised as follows:

What broad situational, institutional, and/or social context for coastal hazards management and sea level rise adaptation exists in the Auckland region that may enable or constrain adaptation to sea level rise at the study sites?

Specifically, identify:

- *The current approach to coastal hazards management and sea level rise, including contextual barriers and enabling factors for sea level rise adaptation.*

Objective One aimed to identify the current coastal hazards and sea level rise management context at the local government scale at the Auckland Councils that participated in this study (the former Auckland City, Manukau City and Auckland Regional Councils). To address this objective an analysis of relevant local government documents and in-depth semi-structured interviews were conducted.

The desktop document review utilised key-word searches in databases and search engines. The review was focused on four interrelated topics: coastal hazards and their management, natural hazards and risk management, sea level rise adaptation, and planned retreat in the Auckland region. Semi-structured in-depth interviews were utilised to build distinct perspectives of the people working on coastal issues and land use planning in the Auckland Region and at the case study sites.

Interview design

The following sections detail the in-depth semi-structured interview design. The data collected in these interviews were used to address Objective One (National and regional contextual assessment) and Objective Two (Vulnerability and adaptation assessment: Mission Bay/Kohimarama and Kawakawa Bay). The interview design outlined here details the primary source qualitative data collection for both Objectives One and Two.

Components of Objective One's document review and Objective Two's sea level rise inundation and impacts information were used to develop interview materials and questions for discussion of the current approach, opportunities for various response options and their implications, and implementation barriers.

The interviews followed a format focused around two themes:

- 1) The current approach to coastal hazards management and sea level rise.
- 2) Managed retreat – implementation and barriers.

The interview questions were designed using Wengraaf's (2001) CRQ-TQ-IQ framework, distinguishing between research questions and interview questions.

As participants from a wide range of backgrounds were engaged, interview questions were modified to reflect the background and expertise of each interview participant. With this in mind, the *semi-structured* interview was chosen to allow for some control of the interview subject to be retained by the participant, with the aim of allowing the participant to use their personal experience to explore and discuss the issues of sea level rise and adaptation response options. Depending upon the interests and experience of each participant the themes differed, as did the depth to which each theme was discussed.

The questions asked were identified as being of importance in relation to coastal hazards management, sea level rise response options, and the adoption of a managed retreat adaptive strategy in response to sea level rise, based on background document review and informal discussion with council staff. Other themes were expected to emerge throughout the interview process. The interview design was flexible enough to allow for discussion of emerging

themes or narratives as they came up, and the interviewer used probing follow-up questions from time to time.

The interview process aimed to build from one interview to the next, developing the interview questions to better gain understanding of the issues around coastal adaptation to sea level rise as each interview was completed. This meant employing a reflexive process whereby the researcher revised questions and focus for the next interview based on learning from previous interviews. A final component of the data collection process was follow-up phone calls and emails with participants, for clarification where needed.

Interviews conducted to achieve Objectives One and Two received approval from Victoria University's Human Ethics Committee (Approval No. 17990: see Appendix Two).

Participant selection

21 interviews were conducted with 25 participants. Interview participants were selected based on a purposive sampling method. Purposive sampling is a method used to collect in-depth information from key informants or experts in the area of interest (Teddlie & Yu, 2007). Participants must be willing to participate and need to have a certain degree of expertise or experience with the issues to be discussed (Flick, 2002).

The participants were selected from a range of backgrounds, to give their views from experience working in areas related to coastal hazards management, sea level rise, or expertise in a specific field. Interviews were conducted with council officers and councillors from the former North Shore, Auckland, Manukau and Franklin District Councils and the former Auckland Regional Council, and coastal stakeholders. Coastal stakeholders included: an environmental non-government organisation (NGO) policy adviser; a local iwi representative; two coastal scientists working in different fields; a coastal engineer from a consultancy; and a legal expert (see Appendix Three for interview participants' details).

Interview procedure

Interviews were conducted in-person, usually one to one. However, two of the interviews differed: four council officers were interviewed together at Manukau City Council, and two central government officials were interviewed together at the Ministry for the Environment. Interview participants were provided with an information sheet, a consent form to sign, and an indicative interview schedule (see Appendices Four, Five, and Six). Interview schedules were amended for interviews with non-council staff. All participants consented to be interviewed. All but one of the interview participants opted to contribute to the study openly and gave permission to be named in association with their comments. One participant opted for confidentiality. All contributions represent the views of the individuals and not the organisation that they work for.

Interview analysis

The aim of employing an in-depth interview method is to enable the construction of detail rich contextual descriptions of participant's experiences and views. To achieve this, a wide range of views was sought regarding the current approach to coastal hazards and sea level rise; and sea level rise adaptation response options, barriers to them, and their implications for Mission Bay/Kohimarama and Kawakawa Bay.

The interviews were analysed using a thematic analysis framework, as outlined by Braun and Clarke (2006). Thematic analysis is a method used to analyse and report themes in qualitative data in rich contextual detail (Braun & Clarke, 2006). The language of 'themes emerging' from data is often used to describe the qualitative analytic process; however, Braun and Clarke (2006) argue that it is more likely that themes are developed *by the researcher* as they think deeply about their research topic and the data they have gathered. Braun and Clarke (2006) place emphasis on the importance of the theoretical position of the researcher in qualitative research. In this research project, therefore, the researcher has attempted to make their theoretical position clear, and to acknowledge the influence that this may have had in determining the results of this research.

Each interview was transcribed and coded by theme. Themes were identified where an interview participant described an idea about an issue. Themes were then grouped and summarised across all of the interviews. This thesis does not describe all themes discussed by interview participants. The researcher developed a set of ‘key themes’ based on the researcher’s interpretation of the emphasis placed on themes by interview participants, as well as the researchers own knowledge of the subject area gained over the research project period. Because the questions, issues and themes discussed varied from interview to interview a quantitative summary of interview responses (e.g. 20% of interview participants felt that...) could be misleading and has been avoided. However, the terms *many* and *most*, or alternatively *one*, or *a few* were used to emphasise when an idea or comment was widely held or only rarely held by the interview participants collectively.

Objective One is addressed in Section 5 of this thesis – *National and regional contextual assessment*.

Objective Two method

Objective Two and the methods used to address it are summarised as follows:

What is the potential exposure and sensitivity of the case study sites; what are the implications of that exposure; and what are the opportunities for, issues with, and barriers to, various adaptation response options at the study sites?

Specifically, conduct a comparative case study of Mission Bay/Kohimarama and Kawakawa Bay, Auckland, in which:

- *the extent to which Mission Bay/Kohimarama and Kawakawa Bay are exposed to sea level rise is assessed;*
- *the key implications of that exposure for a range of scenarios of future sea level rise is assessed, including an estimate of the numbers of people and value of property at risk, and key socio-economic characteristics that may be associated with vulnerability; and*
- *the specific situational context of the two case study sites is investigated, and potential response options are discussed to build a picture of how the study site communities might adapt to coastal change in practice.*

Objective Two aimed to conduct two main sections of analysis: 1) a high-level assessment of potential exposure and sensitivity of the case study sites to sea level rise based on GIS analysis of potential inundation for extreme sea levels under a range sea level rise scenarios; and 2) a detailed contextual description of the adaptation options and their implications (in a general sense) for the two study sites based on in-depth key informant interviews. The interview methods are detailed in the previous section, Objective One methods.

The information generated in this component of the case study was not designed to be the basis of specific planning decisions. Rather, the information was designed to give an indication of the scale of the issue at the case study sites and in doing so, provide contextual background for the interviews conducted to achieve Objectives One and Two, which investigate experiences and views regarding adaptation to sea level rise.

Selection of sea level rise scenarios

Scenarios of future sea level rise were selected for this study based on an adaptive risk management approach consistent with IPCC guidance on developing sea level rise scenarios (Nicholls, et al., in press). Sea level rise scenarios of 0.5, 1.0 and 1.5m were selected for this study, which reflect the latest scientific findings projecting sea level rise to the end of the century (see section 2, sea level rise projections). A fourth scenario of 2.0m sea level rise was also assessed: however, it was found that the difference in terms of impact, and expert views regarding the required adaptive response, between 1.5m to 2.0m sea level rise scenarios was found to be minimal at the *study sites* due to the sites' topography. Consequently, the results for the 2.0m scenario are not presented here.

Timeframes are not assigned to the three sea level rise scenarios. This is consistent with an adaptive management approach, whereby risks and responses are assessed independent of the timeframe at which impacts and responses may occur. Specific timing of responses may be applied subsequently, and can be reviewed as new information becomes available. The higher sea level rise scenarios allowed *investigation* of the implications of high impact and low likelihood scenarios of sea level rise and the potential responses required to

cope with the associated change. Options can be investigated and left open for the future: however, if the rate of sea level rise does not increase rapidly in the 21st century, adaptive responses planned to cope with this can be put off or modified. In the same way, if rates of sea level rise increase more rapidly than expected, responses planned for the higher sea level rise can be brought forward to respond to changing conditions. Such an approach gives decision makers some flexibility in response.

GIS mapping of potential coastal inundation extent

Sea level rise scenarios can be added to extreme sea level values to estimate how inundation risk may change with a rise in local relative mean sea level. GIS mapping was used to visualise and assess the potential inundation extent of a 1% annual exceedance probability (AEP) event for three sea level rise scenarios at the two coastal settlements. To do this, the National Institute of Water and Atmospheric Research (NIWA) was commissioned to derive extreme sea level static inundation contours for the Waitemata Harbour for each of the selected sea level rise scenarios. Appendix One to this thesis provides a summary of the methods used and results achieved by NIWA. Full details of the methods used to generate the inundation contours can be found in studies, conducted by NIWA, on the influence of climate change on extreme sea levels around the Auckland and Manukau city district coastlines (Ramsay et al., 2008b; Ramsay et al., 2008a).

To assess potential inundation extent at the study sites the lower AEP level derived by NIWA was used in the creation of inundation maps. The water levels derived by NIWA were converted to land contours in GIS using LiDAR based digital elevation models of city districts provided by Auckland and Manukau City Councils.

GIS analysis of socioeconomic exposure

Potential socioeconomic impacts associated with rising sea level at the study sites were investigated by estimating the numbers of people and properties, and the total economic value of properties potentially affected by a 1% AEP storm

event, based on current population and property value data. Estimating the numbers of people, property and total economic value of property potentially affected by inundation during a 1% AEP event provides an indication of the scale of potential consequences of inundation at the study sites.

Population data refers to counts of *usually resident population*¹¹ and was retrieved from Statistics New Zealand's 2006 national census meshblock¹² data. Property information was made available by Auckland Regional Council, and property value data was based on the most recent available ratings valuation (2007/2008). The ArcGIS software *ArcMap* was used to conduct GIS analysis to extract property numbers and values, and the numbers of people residing seaward of mapped inundation contours.

Adaptation options assessment: Mission Bay/Kohimarama and Kawakawa Bay

To address the second core section of analysis under Objective Two – a detailed contextual description of the adaptation options and their implications for the two study sites – in-depth key informant interviews were conducted. For this section of the interviews (outlined in the previous section, Objective One methods) participants were asked a series of questions regarding the implications of and potential for response options at the study sites (see Appendix Six: Interview Schedule). Maps of 1% AEP static inundation (Appendix Six) were shown to the interview participants, and coastal hazard issues and management response options at the study sites were discussed to set the context for this section of the interview.

Objective Two is addressed in Section 6 of this thesis – *Vulnerability and adaptation assessment: Mission Bay/Kohimarama and Kawakawa Bay*.

¹¹ The census *usually resident population* is a count of all people who usually live in a given area and are present in New Zealand on census night. This count excludes visitors to the area and usual residents who are temporarily overseas on census night (Statistics New Zealand Census 2006, accessed August 11, 2010).

¹² A meshblock is the smallest geographic unit for which statistical data can be accessed. 2006 census data is the most recent census data.

Objective Three method

Objective Three and the methods used to address it are summarised as follows:

What are the implications of different response options for increasing the resilience of coastal communities in the Auckland region to coastal change?

Specifically, based on the results of Objectives One and Two, analyse response options from a resilience perspective, and building on objectives One and Two reflect on coastal resilience at the study sites and the Auckland region.

Objective Three aimed to analyse the implications of sea level rise adaptation options from a resilience perspective to assess and discuss the potential opportunities that response options provide for increasing community resilience and adaptive capacity. This study drew on the literature review from the resilience field to suggest a set of resilience characteristics that provide a ‘resilience lens’ through which to view and analyse coastal change response options for the case study communities. Objective Three of this study also considered the broader scale institutional and governance factors influencing the adoption of such response options. The results of Objectives One and Two were drawn upon to analyse the implications of the key sea level rise response strategies for the case study sites from this resilience-based perspective.

Objective Three is addressed in Section 7 of this thesis – *Coastal community resilience analysis*.

Potential limitations

Objective One

The study design involved opting to interview and analyse the views of experts in related fields and council staff. In order to limit the cost of and time invested in the study, information was not sought from two important groups: individuals among the general public, and residents at the study sites.

Public perceptions and views are an important component of understanding the adoption of any particular adaptation strategy by a local authority: however, it was outside the scope of this study to survey public views on sea level rise and managed retreat. The study assessed the views and attitudes of council staff and coastal stakeholders towards various responses to sea level rise – based on participants’ experiences dealing with the public on coastal issues. This provides some insight into the ways that members of the public have responded to various policies in the past, but cannot provide specific insights into public perceptions and attitudes toward future projected sea level rise, associated coastal hazard risks, and response options. This potential limitation also applies to the interview methods used to address Objective Two.

Objective Two

This study assessed the effect of sea level rise on extreme sea levels and coastal inundation; and the potential consequences of inundation to the 1% AEP water level at the study sites. Coastal erosion, permanent inundation, groundwater level rise, and the interaction of freshwater flooding and sea level rise are further processes that may be affected by *sea level rise* that lay outside the scope of this study, but may have significant implications for existing development around the Auckland region, and warrant further investigation. Climate change may result in local changes to extreme sea levels, not only through sea level rise, but also due to changes to the frequency, intensity, and tracking of low-pressure systems, and the occurrence of stronger winds. Changes to these phenomena are not assessed in this study, but may have significant implications for coastal hazard risk along the Auckland region coast, and warrant further investigation.

The mapped land contours represent static inundation only, identifying land area that lies below the derived storm tide levels. They do not take into account other factors present during a coastal storm, such as wave action, or the effect that existing or future coastal structures may have on inundation extent. Hannah et al. (2011) show that above any rise in local relative mean sea level due to climate change, an additional 20cm should be taken into account for regional sea level change due to the effects of seasonal, interannual and interdecadal

climate-ocean cycles on regional sea levels. The derived inundation maps may therefore, underestimate inundation extent during a 1% AEP event.

More comprehensive approaches to estimating the potential damage that may be caused by coastal inundation can be undertaken by various methods, for example: undertaking integrated hydrodynamic modeling of storm events; deriving damage estimates; and incorporating future socioeconomic scenarios into vulnerability assessment. The Riskscape Tool¹³ developed by NIWA and the Institute of Geological and Nuclear Sciences (GNS) is an already existing multi-hazard assessment tool that could be used to develop more detailed vulnerability assessments at the case study sites and for the Auckland region. However, substantial further hydrodynamic modeling and asset database development would be required to do this (R.Bell, June 13, 2011). This was beyond the resources available for this case study.

Erosion is an important component of coastal hazard management not specifically investigated in this study. However, some brief discussion of erosion did take place, around current rates of erosion; the potential for increased erosion at the study sites; and potential responses.

Table 6.2 (p.76) shows the number of people usually resident within the meshblock area units that were at least 50% covered by the related inundation contour. This may under-represent the number of people potentially affected at Mission Bay/Kohimarama for the 1.0m sea level rise scenario, as the same number of meshblocks were affected as for the 0.5m scenario to different degrees (but both at least 50% covered). This results in the same number of people being potentially affected for the 0.5m and 1.0m sea level rise scenarios. Data at a finer scale than the meshblock would be required to correct this.

Objective Three

Objective Three drew on the results of key informant interviews to conduct analysis of sea level rise adaptation response options through a resilience lens. However, it is difficult to draw definitive conclusions regarding the resilience implications of response options based on a limited number of key informant

¹³ <http://www.riskscape.org.nz/about>

interviews, particularly in relation to future changes that are of unknown timing or magnitude.

5 National and regional contextual assessment

This section addresses Objective One of this case study, which asked the question:

What broad situational, institutional, and/or social context for coastal hazards management and sea level rise adaptation exists in the Auckland region that may enable or constrain adaptation to sea level rise at the study sites?

Specifically, identify:

- *The current approach to coastal hazards management and sea level rise, including contextual barriers and enabling factors for sea level rise adaptation.*

Issues surrounding recent coastal development and coastal hazards management have been well documented in New Zealand (Hume & Blackett, 2007; Wilson, 2010; Turbott, 2006; Gregory & Young, 2002; New Zealand Climate Change Office, 2003; Blackett, et al., 2010; Duthie, 2005; Cheyne, 2007; Hayward, 2008). This case study investigated the current approach to coastal hazards management, and issues with the current approach, specifically for the Auckland Region as a key part of the process of identifying broad contextual factors influencing adaptation (Moser & Ekstrom, 2010).

National legislative context

In New Zealand, responsibility for the sustainable management of natural and physical resources, including avoiding or mitigating the effects of coastal hazards is devolved to local authorities; with national instruments, technical support, and emergency funding from central government. New Zealand has a two-tiered local authority structure of regional councils and territorial authorities (district and city councils) within regional boundaries. Local

authorities derive their powers and responsibilities from a number of statutes that define, support, and guide the management of coastal hazards and sea level rise in New Zealand.

The key statutory instruments setting out the roles and responsibilities for the management of coastal hazards and sea level rise are the: Local Government Act 2002; Resource Management Act 1991; New Zealand Coastal Policy Statement (NZCPS) 1994 and 2010; Building Act 2004; and the Civil Defence Emergency Management Act 2002. Principally, the Resource Management Act has empowered those exercising functions under the Act to have particular regard to the effects of climate change since 2004, and thus provides for anticipatory planning approaches for sea level rise risk.

Coastal hazard management is the joint responsibility of regional and district councils under the Resource Management Act (1991) (RMA). The RMA does not make clear distinctions between the roles of regional and territorial authorities in their similar and sometimes overlapping responsibilities to avoid or mitigate coastal hazards and the effects of coastal hazard management responses on the environment. However, the RMA provides for the Regional Policy Statement (RPS) to give high level planning direction to this effect, and the RPS must be implemented by both regional and district councils.

The emergency management legislation addresses reduction, readiness, response and recovery from hazards – in practice the emphasis is on the last three components. However, none of the key instruments mentioned here explicitly encourage communities to consider long-term dynamic adaptation to evolving coastal hazards, or mention concepts such as transformational change, which may be required as changing risks signal that ‘coping’ will not remain tenable in the future. With the exception of the 1994 NZCPS’s recognition of the need to consider coastal management options such as ‘abandonment or relocation of existing structures’¹⁴, and the 2010 NZCPS’s mention of managed retreat in the context of climate change¹⁵.

¹⁴ Policy 3.4.6 of the NZCPS 1994.

¹⁵ Objective 5 and Policy 25 of the NZCPS 2010.

New Zealand's current national level guidance on incorporating sea level rise into long-term council planning and coastal hazard management (Ministry for the Environment, 2008) is based on the 2007 IPCC projections. MfE recommends that for the timeframe to 2100 a base value sea level rise of 0.5m relative to 1990 be assessed, as well as:

assessment of the potential consequences from a range of possible higher sea-level rises of at least 0.8m (relative to 1990) (Ministry for the Environment, 2008, p. 20).

The 0.8m value takes into account a linear increase in the rate of ice sheet melt with global temperature. The MfE guidance also emphasises that sea level will continue rising beyond 2100, even if greenhouse gas emissions are stabilised in the near term. Thus, it is recommended that for timeframes beyond 2100, sea level rise of 10cm per decade be taken into consideration.

Coastal hazards management context

Auckland Regional Council

The role of the former Auckland Regional Council (ARC) was to conduct regional scale coastal hazards research, and to provide coordination and support for on-the-ground coastal hazards management by territorial authorities. ARC fulfilled its roles predominantly through regional planning documents: The Auckland Regional Policy Statement and The Auckland Regional Plan: Coastal (Auckland Regional Council, 1999a; Auckland Regional Council, 1999b). The regional plans have provided general policies to guide district councils in coastal hazards management.

The Auckland Regional Policy Statement (RPS) establishes the region's approach to coastal hazards and sets the region's flood protection standard (1% AEP water level). The RPS states that new development should avoid exposure to coastal hazards, and where development already exists measures to mitigate the adverse effects of coastal hazards should not adversely effect the coastal environment, or worsen coastal hazard risk. The phenomenon of sea level rise is acknowledged but no specific guidance is included, nor is the ongoing and evolving nature of coastal risks highlighted (Auckland Regional Council,

1999a). However, an update of the RPS in respect of climate change effects and adaptation is overdue, and a review of the RPS is underway¹⁶.

Participants from Auckland Regional Council reported significant regional knowledge gaps in the information held on coastal hazards. The only monitoring of coastal hazards done regionally is of beach erosion at 16 sites around the region. Sea level is recorded through the sea level tide gauge record kept by Ports of Auckland Ltd. in the Waitemata Harbour. Limited, incomplete information is kept on coastal storm events. Inundation is not monitored. This monitoring gap was identified by the former ARC, with the aim of eventually establishing an inundation component to coastal hazards monitoring. However, this had not yet occurred at the time of writing.

In terms of assessing future risks, a regional coastal hazards assessment projecting potential erosion for the 21st century, and a regional assessment of potential sea level rise for the 21st century have been completed. Significant knowledge gaps include: storm event and inundation monitoring; regional assessment of future inundation risk; the collation of coastal hazard information into a (publicly accessible) natural hazards database; and research into the potential social, economic, and environmental implications of coastal hazard impacts and response options. These matters are currently under discussion in the new Auckland Council in the context of the spatial and unitary plans being prepared.

Territorial authorities

The approach taken by the seven territorial authorities (district and city councils) that operated in the region until 31st October 2010 varied. For *new development*, planning tools have been used to manage coastal hazards. These have included: requiring coastal setbacks; setting minimum site levels; setting minimum freeboard levels within identified floodplains; and requiring resource consent within identified coastal flooding areas (controlled activity), which may

¹⁶ A review of the RPS was started in 2008. However, the draft RPS was not publicly notified due to planned changes to the Auckland Region governance structure, which took effect on November 1st 2010. The draft RPS was passed on to the new Auckland Council for consideration.

include attaching conditions to resource consents requiring hazards be avoided or mitigated.

In Auckland the need for coastal hazard management at *existing properties* exists today due to a legacy of coastal development that has not taken the dynamic nature of the coast into account (i.e. development has been allowed to occur too close to the coast). For *existing development*, the response by councils has been reactive and driven by affected property owners' resource consent applications for structures to protect their property from erosion, or calls from a community that a public asset is being damaged and requires protection. The result is a legacy of *ad hoc* hard coastal protection works (consented *and* unconsented), which have been constructed along the region's coastline to protect private property. Works directly protecting private property have predominantly been privately funded and executed. Where public property has been affected (e.g. coastal reserves and roads) district councils have routinely opted for engineered protection works, and more recently, beach nourishment to protect public assets from erosion. However, response by the councils to develop and fund coastal erosion management to protect public assets has occurred only once significant erosion and damage to property has occurred. Erosion management generally, has not been planned in anticipation of predicted erosion.

Over recent decades problems associated with hard coastal protection works have arisen, both nationally and internationally, which has caused a shift in approach to coastal hazards management in several countries. In New Zealand, the need to consider alternative response options has been introduced into coastal hazard management guidance through The New Zealand Coastal Policy Statement (1994 and 2010) (NZCPS). The NZCPS discourages the use of hard coastal protection as a response to coastal hazards. The NZCPS stipulates that structural protection works should only be constructed if they are the *best practicable* option, and that other options including managed retreat should be considered (Department of Conservation, 2010). This approach has been reflected in Auckland planning documents including the Auckland Regional Policy Statement and the Auckland Plan: Coastal.

However, at the implementation level structural coastal protection continues to be the status quo coastal hazard management response, and no examples of planned retreat of private property from coastal hazards yet exists in the Auckland region. A number of ‘soft’ protection examples exist, most notably Mission Bay/Kohimarama, where the beaches have been nourished in works funded by council to protect high value public assets, with the co-benefit of improving coastal amenity.

Barriers to proactive coastal hazards management

As outlined above, the response to coastal hazards historically has been reactive and focused on coastal stabilisation even though New Zealand’s statutory guidance signals that alternatives to stabilisation need to be considered. Recent developments in coastal engineering have focused on minimising adverse environmental impacts of coastal stabilisation rather than reducing exposure to risk. The following sections outline summarised views of participants on the multi-scale barriers that exist to more strategic, proactive coastal hazard management. Following this the views of interview participants regarding barriers specific to incorporating sea level rise into council planning are summarised.

Low priority status

Coastal hazards are not seen as a serious issue for the Auckland Region and are thus not a priority issue. Quentin Smith (former Auckland Regional Council, senior coastal scientist, 18/11/10) reflected on this:

Auckland doesn’t have a lot of coastal hazard problems...most of the eroding parts of the coast are fairly well armoured now, so most of our beaches are backed up by seawalls, and accordingly the erosion there is not a major problem.

Participants reported that barriers to improving knowledge around coastal hazards and their management stemmed from coastal hazards having a low priority in competition with other issues on Councils’ agendas, which results in a lack of resources being allocated for this issue. Several reasons were given for its low priority status, including: few reports of actual damage to private

property due to coastal hazards; the low frequency of large coastal storms; and the length of time since the *last* large scale coastal event to impact Auckland's developed coastal areas. Quentin Smith (former Auckland Regional Council, senior coastal scientist, 18/11/10) recalled the last big coastal storm event:

We haven't had any serious storm events here in Auckland for many years, the last big one I recall was in the 1950s and it was parts of Milford Beach that were damaged or washed away...but I don't recall anything of that significance since.

These possible reasons for a low priority focus on coastal hazards management were expanded upon to identify perceived risk of coastal hazards as low by the public, key management staff, and Councillors. Several regional council participants expressed frustration regarding limited capacity to complete important coastal hazard management functions under the Regional Policy Statement because of the limited focus on this issue.

The political nature of coastal hazards responses

Interview participants noted the political nature of decision making about coastal hazard response options, where pressure from property owners may override regional policy, district rules and advice to Council. Several interview participants reported that because of this, managing coastal hazards on existing development was seen predominantly as a political issue that is beyond the power of advisors. This influence was related to an individual's influence within their community; their wealth (i.e. access to resources); and their personal level of determination to protect their property (i.e. how much time and resources they were willing to pour into gaining a consent to engineer the coast).

Conflicting views regarding coastal hazard management approaches

Conflicting views were expressed regarding what approach to coastal hazard management for existing property is most appropriate. From the comments of participants it appears that in the Auckland context views differ around: 1) the right of individuals to protect their property, versus the potential adverse social

and environmental effects of coastal protection works; and 2) who bears the cost for coastal hazard management response. For example, costs may be spread across ratepayers or borne by the individual property owners affected. Conflicting views among key advisers in relation to these social, environmental and economic factors increases the complexity of decision-making for coastal hazard management.

Emphasis was placed by several regional council interview participants on the highly variable nature of coastal hazard risk along the coast. It was therefore felt that the most appropriate approach to coastal hazards management is to require coastal hazard assessment on a case-by-case basis through the resource consent process. Supporting this approach was a view that to impinge on a property owner's development rights by applying development restrictions through generalised hazard zoning may not be justified, given the site specific nature of coastal hazards. There was also a view held that such action by council could be indefensible in the Environment Court, if contested.

Lack of integration and silo problems

The management of coastal hazards requires an integrated cross-disciplinary approach to address the multi-disciplinary and cross-boundary nature of coastal hazards issues. Participants expressed difficulties in terms of achieving comprehensive or consistent coastal hazards management due to the prevalence of silos operating within council organisations. Lack of integration of coastal hazards management across areas, vertically and horizontally within councils, was identified as a key-limiting factor to achieving comprehensive coastal hazard management for the region.

Participants reported lack of clarity regarding the roles and responsibilities of Auckland regional and territorial authorities in relation to coastal hazard management. The Auckland Regional Policy Statement Proposed Plan Change 10, notified in 2005, aimed to define more clearly the distinct roles of the regional and territorial authorities in this area. However Plan Change 10 only became operative at the end of October 2010, several days prior to the establishment of the new Auckland Council, a unitary authority with combined

regional and territorial responsibilities and powers. How this more clearly defined natural hazards management approach is to be adopted, modified and carried out under the new governance structure of the Auckland Council is yet to be seen.

Existing use rights

Several district council participants expressed that they ‘*can’t really do anything*’ about coastal hazards on existing properties.

We can’t do much about existing use rights, its what we sometimes term existing abuse rights, unfortunately as a council we are limited by our powers under the RMA. We tend not to take them on too much.

(Chris Stumbles, North Shore City Council, interview, 11/10/10)

Under section 10 of the RMA, District Councils cannot affect land use on existing development. However, Regional Councils can override existing use rights in Regional Plan policies and rules, which must then be given effect by District Councils. In Auckland no such regional and district coordination for the management of coastal hazards has been initiated, and regional guidance is broad and does not directly affect existing development.

Inadequate community engagement

In contrast to local government staff interviewed for this study, who tended to identify institutional inertia due to the above mentioned barriers as key issues with coastal hazards management response, Jim Dahm (Coastal scientist and coastal hazards management consultant) identified a lack of adequate community engagement with communities as the core issue with current approach. This lack of comprehensive and appropriate engagement stems from a planning approach that focuses on the development and review of plans, but fails to engage communities.

the biggest problem we have within our current approach to planning is that we do not adequately engage our communities, we tend to rely to much on technical expertise, which have been saying the same thing for

20, 30, 40 years...not making a lot of headway because we haven't gone out there [to engage the community]. The model we have for working with communities is inappropriate. We need an approach that places much greater emphasis on active community engagement and moving people's headspaces...We are stuck in this engineering paradigm with regards our approach to coastal hazards – so, we are really going to have go out there and move that mindset in society by more active community engagement.

(Jim Dahm, Coastal scientist/Consultant, 5/11/10)

Response to sea level rise

Coastal hazards management presents significant challenges to local government and communities, as discussed above. Sea level rise adds a further dimension to the challenges of coastal hazard management that had yet to be fully addressed by councils in the Auckland region prior to council amalgamation. The legislative amendment introducing consideration of the effects of climate change as a local government responsibility in 2004, together with general increased attention to the issue of sea level rise has seen coastal hazards take on greater significance for council natural hazards staff. However, the interviews carried out in this study suggest that sea level rise response was seen as being in its very early stages in the Auckland region; and involves significant barriers to progression. This study assessed how consideration of sea level rise is being incorporated into the participating council's activities by investigating:

- use of and views on the Ministry for the Environment's (MfE) national guidance (Ministry for the Environment, 2009) on incorporating sea level rise into coastal hazards management;
- sea level rise research and response to date; and
- perceived issues and barriers to incorporating sea level rise into coastal hazards management, and opportunities to improve adaptive response to projected sea level rise.

Ministry for the Environment guidance

The Ministry for the Environment (MfE) first published guidance on sea level rise for local government in 2004. This information was updated in 2008 (Ministry for the Environment, 2008; Ministry for the Environment, 2009). The MfE guidance: focuses on coastal hazards management; recommends and outlines the use of a risk management approach for decision-making in response to increased coastal hazard risk; and recommends projections of sea level for use in coastal hazard assessment. The MfE guidance has been used widely to begin incorporating consideration of sea level rise effects into council long-term planning, but several issues emerged from discussion of the guidance with participants.

Several participants expressed a *lack of trust* in information from MfE – those participants were resistant to using the MfE guidance to guide work in this area, or to trust the outcomes of applying the guidance for coastal hazards management. Misinterpretation of the guidance was also an issue. One participant felt that the guidance recommends a national scale blanket approach to considering sea level rise and to developing coastal policy, as opposed to conducting regional and local scale assessments and basing locale specific policy on these. This misinterprets the guidance, which allows organisations to set the parameters of the risk assessment being undertaken, and places emphasis on the locale specific nature of sea level rise impacts. Finally, positive responses were narrowly focused upon participants' (or organisations') use of the report's sea level rise projections, and not the overall approach suggested by the guidance. In some cases the lower level projection only has been adopted, without consideration of the higher-level projection included in the guidance document. This presents a significant potential for maladaptive planning, if higher levels and faster rates of sea level rise continue not to be considered.

Sea level rise research

To meet legislative requirements regarding climate change, and because of concerns regarding sea level rise, councils assessed in this study have been commissioning research to assess the effects of sea level rise (and other climate

change effects) on coastal hazards over century scale timeframes (e.g. the next 50 - 140 years). The aim of this work has been that knowledge generated can be the basis for evidence-based decision-making for long-term planning by council.

The former ARC commissioned a technical study (Hannah, et al., 2011) to assess the most likely regional rate of mean sea level rise for the 21st century. Conflict over what sea level rise to plan for is a key issue for sea level rise adaptation, discussed below in the subsequent section, *Debate over what sea level rise to plan for*. The findings of Hannah et al. (2011) provide an evidence base for selection of a regional rate of sea level rise that could underpin impacts assessment and planning decisions, in the absence of statutory guidance. However, Hannah et al. (2011) under-emphasise important components in sea level rise projections such as the effect of dynamic ice sheet melt (Nicholls & Cazenave, 2010; Church J. , et al., 2008; Vermeer & Rahmstorf, 2009).

Hannah et al. (2011) conclude that the MfE guidance provides an adequate mean sea level rise rate (0.5-0.8m by 2100) for the Auckland Region based on: the Auckland long-term tide gauge record; the short term (10 year) digital sea level record; Holocene period sea level data; and projections of future sea level rise. Hannah et al. argue that based on sea levels for Auckland Region derived from geological records, a low-probability upper limit of sea level rise for next 90 years is no more than 0.8m. However, recent studies from the international scientific community emphasise that global mean sea level rise of 1.5 – 2.0m by 2100, based on recent observations of ice sheet melt and the potential for dynamic ice sheet melt over the 21st century, cannot be ruled out.

A regional study assessing potential coastal erosion over the 21st century was completed in 2006 (Reinan-Hamill et al., 2006). The study includes the potential effect of a linear rate of sea level rise of 0.5m by 2100 on beach erosion rates, based on the Bruun Rule¹⁷ (Bruun, 1988). The study does not consider the potential for more rapid rates of sea level rise; the continued effect

¹⁷ The ‘Bruun Rule’: an empirical model that provides a formula for estimating shoreline erosion for a given rise in sea level. The rule suggests that for a given rise in sea level there is a corresponding landward and upward movement of the coastline (Reinan-Hamill, R., et al., 2006).

of sea level rise beyond 2100; or other climate changes effects on erosion (i.e. increased frequency and intensity of storm events).

The former Auckland and Manukau City Councils both commissioned the National Institute of Water and Atmospheric Research (NIWA) to investigate the effect of sea level rise on mean and extreme sea levels along each council's jurisdictional coast (Ramsay, et al., 2008a; Ramsay, et al., 2008b). Sea level rise scenarios were developed based on MfE guidance on sea level rise (Ministry for the Environment, 2009). However, the two studies utilised different approaches to assessing sea level rise. Auckland City Council assessed ranges of sea level rise for each of three future time periods: 0.18-0.27m (2050s), 0.47-0.81m (2100s), and 0.97-1.31m (2150s). Manukau City Council assessed a single sea level rise for two future timeframes – 0.33m (2050s) and 0.66m (2080s).

In response to Ramsay et al.'s (2008a) findings, the former Auckland City Council was advised that no immediate action was required as current storm surge risk is adequately accounted for through Council's information systems, which identify properties at risk of stormwater flooding, and require minimum freeboard within those areas. It was therefore noted that the new Auckland Council would be best positioned to plan for sea level rise and other climate change effects at the coast, which would need to include a strategic consideration of if, when and where retreat options would be adopted (Craig, 2010).

Based on Ramsay et al.'s (2008b) findings, the former Manukau City Council was advised to manage increasing coastal inundation risk through Engineering Quality Standards (EQS) minimum site levels set in the District Plan. To ensure that building site levels are above the 1% AEP water level with 0.66m sea level rise its was recommended that minimum site levels be adjusted up by several tens of centimetres. The adjustment was not adopted because of the Auckland Council amalgamation process.

The new Auckland Council was considered the most appropriate body to make changes in response to the new information regarding sea level rise and coastal hazards. Participants from both councils noted that the results of the reports

(indication of areas potentially at risk of coastal inundation in the future) should be already being applied in the resource consent process. However, how they would be applied is unclear – without guidance for interpreting the results of the studies being available to consenting officers and decision makers. Further to this, the consenting process does not generally apply to existing settlements, except where significant changes to existing uses are proposed.

Sea level rise adaptation: barriers and opportunities

Interview participants identified a number of barriers perceived to limit response to sea level rise and increasing coastal hazard risk. In the first instance the issues that already exist for coastal hazard management have impacted on the capacity of councils to incorporate sea level rise, as outlined in previous sections. Further to this, participants discussed barriers and opportunities specific to incorporating sea level rise into coastal hazards management practices, these are discussed in the following subsections.

Focus on climate change mitigation

Climate change response has to date focused on efforts to reduce greenhouse gases (mitigation), and not on adaptation. Although a co-benefit of any mitigation efforts will be the reduced need for adaptation, especially if greenhouse gas emissions reductions are achieved globally, this lack of focus on adaptation response has left a gap in the area of understanding and developing adaptation responses.

Acceptance and saliency of sea level rise as an issue

All participants personally accepted that sea level rise is happening, and agreed that adaptation to sea level rise is an important issue for local government attention. However, participants reported that climate change science, including sea level rise, is not always accepted with high levels of confidence at upper levels within council and this presents an ongoing barrier to progress on adaptation. Greg Hill (planning consultant, 16/11/10) noted in relation to climate change and sea level rise that:

I think there are still quite a few sceptics...in the councils that I've dealt with there's certainly not universal agreement that it's actually even occurring...There is already a tension because there is not automatically agreement on that it is happening, I don't think we are over that bar.

It was highlighted that it may only be one or two Councillors (or managers within an organisation) who hold these views, but this opposition to the acceptance of the reality of climate change and/or sea level rise can reduce the priority given to adaptation. The importance of robust sea level rise information from trusted sources was emphasised by a number of participants as a key enabler to overcome scepticism and allow for more proactive decision making. In relation to scepticism around sea level rise, Rob Harris (District Planning Manager, former Franklin District Council, 05/10/10) commented that information about sea level rise has in the past come from unconventional sources:

In the early days its [sea level rise] proponents were people who were not seen as having authority or political clout. Its been seen as a green issue and only recently an economic issue, or a mainstream issue. There is an old political adage: "If a complaint comes from outside the tent then it has less weight than if it comes from inside the tent".

Even though all participants accepted the occurrence of sea level rise, the risks it poses and thus its relative importance was gauged differently. Some felt that sea level rise was one of the most important climate change impacts for the Auckland region. Others viewed the risks posed by sea level rise as relatively small, far into the future, and/or manageable with adjustment to current flood risk measures. Some noted that sea level rise research is in competition with other issues and that managing sea level rise is not important enough to warrant serious effort at this point in time. Quentin Smith (Senior Coastal Scientist, former Auckland Regional Council, 18/11/10) commented:

My feeling is that sea level change is really not a major factor, it's such a small impact – half a metre doesn't make any difference – a big storm will. And that will depend on a range of elements, not just the strength of

the storm, but also the length of period that it hangs around and the particular location.

The impacts of worsening coastal erosion and inundation are generally expected to occur decades from now. This long timeframe acts as a disincentive for advancing potentially unpopular policy or expenditure to prepare for sea level rise, and can act to validate prioritising attention and expenditure on more pressing near-term issues.

Debate over what sea level rise to prepare for

There are large uncertainties regarding the rate at which sea level will rise this century, and beyond. This has led to considerable debate within local government over what sea level rise to plan for, and the call for a ‘best estimate’ figure for sea level rise has been made. The MfE guidance has been prepared to guide councils through a process of risk management, identifying specific sea level rise values for every decade out to 2100, as well as advice for considering sea level rise beyond 2100 for land uses and assets that will be long lived. However, because the guidance is not statutory, council personnel have argued that it may not stand up to being contested in the Environment Court. One senior planner from the former Auckland City Council commented:

If the government set out that we have to plan for half a metre sea level rise that would make our lives a lot easier, because we wouldn't be arguing about the half metre [i.e. that the half a metre is going to happen or not].

Local government leaders have called on central government to produce a national environmental standard specifically on sea level rise, and although a draft was apparently produced to this effect in 2009, further progress on a sea level rise NES has stalled. Participants in this study noted that adaptation work at their councils has been hindered by uncertainty associated with sea level rise projections. Confronting decision-makers with information that is uncertain as to timing and levels of sea level rise is perceived as providing no clear answers regarding change and consequently can result in the issue being disregarded. In some cases decision-makers have seen uncertainty as a reason for inaction.

There is also a lack of understanding that there is no “best estimate” of sea level rise, and that one is unlikely to be reliably given in the foreseeable future.

Opportunities for the new Auckland Council

The council amalgamation process emerged in this study as a limiting factor in that multiple work streams on sea level rise management discussed in this study were put off by the Auckland councils in anticipation of amalgamation. How work in this area is to be continued under the new Council and governance structure was unknown, but the view of participants was generally that the new Auckland Council could not afford to ignore this issue and will need make decisions regarding response to the latest sea level rise projections and increasing coastal risk.

Leadership and support for adaptation to sea level rise is required at a political level to progress proactive response to sea level rise; to fill knowledge gaps, develop policy and response options, and to engage in participatory decision-making processes in affected areas. However, leadership on driving sea level rise adaptation was identified as lacking within Auckland councils that participated. Some participants noted their strong view that a strategic approach from a management level is required to overcome some of the identified barriers to progressing coastal adaptation.

Summary

This section presented a contextual assessment of coastal hazard management and sea level rise response for the Auckland Region, New Zealand. The aim of this assessment was two-fold: 1) to identify broad scale governance, institutional, and social context for adaptation to sea level rise at the study sites, and 2) to develop a context specific background for discussion of adaptation response options at the two local scale study sites in the next section of the study.

Key findings of this assessment were that a legacy of coastal stabilisation already exists for the Auckland region, which is expected to result in the public expectation that stabilisation will continue to be afforded by the Council once

coastal hazards again affect property in the region. Sea level rise has begun to be incorporated into activities and long-term planning at the local government level: however, significant barriers to sea level rise adaptation exist, including: knowledge gaps, climate change scepticism, and uncertainty around what sea level rise to plan for.

In terms of local government response to sea level rise and increasing risk, the interviews highlighted the importance of:

- the responsibility of the Council to develop and disseminate information on changing coastal risk;
- the Council ensuring that further development in areas susceptible to coastal hazards is minimised (or avoided altogether);
- the joint responsibility of property owners and the Council for adaptive response at existing sites; and
- a participatory process for decision-making in response to coastal hazards for existing settlements.

The following section builds on this regional assessment of context and key influences, by assessing exposure, sensitivity, and adaptation response options at the local scale at Mission bay/Kohimarama and Kawakawa Bay.

6 Vulnerability & adaptation assessment: Mission Bay/Kohimarama & Kawakawa Bay:

This section addresses Objective Two of this study, which asked the question:

What is the potential exposure and sensitivity of the case study sites; what are the implications of that exposure; and what are the opportunities for, issues with, and barriers to various adaptation response options at the study sites?

Specifically, conduct a comparative case study of Mission Bay/Kohimarama and Kawakawa Bay, Auckland, in which:

- *the extent to which Mission Bay/Kohimarama and Kawakawa Bay are exposed to sea level rise is assessed;*
- *the key implications of that exposure for a range of scenarios of future sea level rise is assessed, including an estimate of the numbers of people and value of property at risk; and*
- *the specific situational context of the two case study sites is investigated, and potential response options are discussed to build a picture of how the study site communities might adapt to coastal change in practice.*

Mission Bay/Kohimarama

Mission Bay/Kohimarama has a population of around 12,180 and lies about seven kilometres east of central Auckland on the southern shore of the Waitemata harbour. Mission Bay/Kohimarama is an affluent area, with one of the highest average income levels in New Zealand; some of New Zealand's

most expensive properties; and low socioeconomic deprivation scores (Statistics New Zealand, 2010; Crampton & Atkinson, 2007). Figure 6.1 shows the Eastern Bays area with Mission Bay/Kohimarama circled. The area's views, beaches, coastal reserves, restaurants, and retail centres, and the Tamaki Drive 'Scenic Way' make this stretch of coastline one of the most popular recreational areas in the region (Auckland City Council, 1999).

Figure 6.1: Satellite image of the Eastern Bays area, Mission Bay (left) and Kohimarama (right) are circled (Source: Google Earth, 2010).

This area has a long history of Maori settlement. Ngati Whatua (iwi of the Auckland isthmus region) regard the coastline and waters of this area as having high cultural significance (B. Papa, December 08, 2010). European settlement began in the 1840s. Rapid development of the eastern bays suburbs began after the completion of Tamaki Drive in 1932 (Auckland City Council, 1999). Since then land use in this area has been predominantly low to mid-intensity residential development, with limited multilevel and commercial development. The area is considered both a highly modified residential (and in some parts semi-urban) environment, and a sensitive coastal system, with a coastal sensitivity rating of five ('significant sensitivity'), on a scale of seven (one being low sensitivity and seven being extreme sensitivity)¹⁸. Significant natural

¹⁸ See Buckland Brown Ltd. (1994) for methodology and criteria of this rating.

character, amenity value, and indigenous flora are important issues highlighted by local authorities in the region (Auckland City Council, 1999).

The Eastern Bays coastline is a sheltered harbour environment with relatively low energy wave action (Auckland City Council, 1999). Construction of Tamaki Drive involved considerable modification of the coastline including the construction of a seawall that runs from Mechanics Bay to St. Heliers Bay (this includes the study area). The sea wall altered the natural shape of the coast and coastal processes. As well as this, the increase in impermeable surface area and development of storm water drainage into the small embayments has resulted in altered sediment and current patterns.

Coastal hazards

Mission Bay/Kohimarama has experienced long-term coastal erosion following the construction of the Tamaki Drive seawall (Abott.J.E., 1987, cited in Hamill, 1988). Beach erosion impacts have included the loss of the high tide beach and consequent loss of coastal access and amenity value, and damage to existing seawalls. Council response has been to publicly fund beach nourishment at Mission Bay in the mid 1990s, and at Kohimarama in the mid 2000s. It is unknown how long nourishment undertaken at the sites will last. Further coastal protection works are expected to be required in the future if protection of the seawall, road and adjacent coastal reserve is to continue (Beca Carter Hollings & Ferner Ltd, 2003).

A small number of properties are believed to be currently at risk of inundation during a 1% annual exceedance probability¹⁹ (AEP) event (Ramsay et al.,

¹⁹ AEP refers to the probability that a given water level will be reached or exceeded within any one-year period. 1% AEP is the current flood protection design standard prescribed in the Auckland Regional Policy Statement, and refers to the water level that has a 1% probability of being reached or exceeded in a given year, this approximately corresponds to a 100-year return interval event.

Figure 6.2: Looking east along Kohimarama beach at mid-tide, 2010. (© 2010 Georgina Hart)

Figure 6.3: Looking east along Kohimarama Beach in the storm of January 23 2011 (© 2011 Benjamin Eitelberg. Reprinted with permission.)

2008a). However, in today's context the main disruptions caused by large coastal storms are:

- over topping of seawalls and inundation of reserve land and Tamaki Drive;
- traffic disruption due to the road being inundated; and
- potential damage to the Tamaki Drive seawall and erosion of beaches.

Areas susceptible to current inundation risk up to the 1% AEP storm tide water level are considered by council to be adequately accounted for by council's maps of areas prone to flooding (Craig, 2010). New development in areas identified as at risk of flooding is subject to minimum freeboard standards under section 5D of the Auckland City Council District Plan Isthmus section (Auckland City Council, 1999). Because current flood risk is managed through minimum freeboard levels for buildings, no further action has been taken in response to new information showing changing risk of coastal inundation (Craig, 2010).

Figure 6.2 shows Kohimarama beach at mid-tide, looking east. Figure 6.3 shows Kohimarama beach at high tide during a large coastal storm event on the weekend of 22-23 January 2011, also looking east. This storm resulted in coastal inundation, as well as stormwater flooding. Floodwater affecting private property has been caused predominantly by stormwater flooding. In contrast, coastal inundation primarily affected public property and use of the road.

Kawakawa Bay

Kawakawa Bay has a population of just over 1000 and sits about 40 kilometres southeast of central Auckland on the southern shoreline of the Tamaki Strait, to the South-east of Waitemata harbour. Above the permanent resident population there is a non-resident population of absentee holiday home property owners. The Bay has low to mid-level socioeconomic deprivation scores (Crampton & Atkinson, 2007).

Land use in the Bay has been predominantly grazing for farming. Since around 1950 the coastal margin has been developed for residential dwellings, mostly for retirement and holiday homes, although the number of permanent residents has increased substantially more recently. Dwellings at Kawakawa Bay have been unserviced and have relied on tank water for supply and septic tank systems for wastewater disposal. Development has occurred primarily in two areas of low-lying land adjacent to the road and coastline in areas zoned *residential settlement unserviced*; beyond this land is farmland zoned *rural*, see Figure 6.4 (Manukau City Council, 2002).

Kawakawa Bay's western embayment, Figure 6.4, has a sandy shoreline, while the eastern embayment has a mix of sandy and cobble shoreline with several rock outcrops (Tonkin & Taylor Ltd, 2007). The Kawakawa Bay shoreline is designated a Regionally Significant Landscape (Rating 5), but has no coastal protection areas identified in statutory plans (Auckland Regional Council, 1999b). Kawakawa Bay is classed as an *inshore wave environment*, exposed to fetch and depth limited wind-generated waves from the northwest to northeast (Tonkin & Taylor Ltd, 2007; Auckland Regional Council, 2000).

Figure 6.4: Satellite image of Kawakawa Bay (Source: Google Earth, 2010).

Coastal hazards

Tonkin & Taylor (2007; 2003) found that Kawakawa Bay is exposed to erosion and inundation risk. Much of the Kawakawa Bay coastline is stable; however, erosion has been observed where the coastline has been modified or land has been reclaimed. These localised areas of erosion are at Te Iwira Point and Rautawa stream (east and west). The erosion rate is considered low, but because of the proximity of infrastructure the risk is considered significant.

Ad hoc consented and unconsented coastal protection structures have historically been built along the Kawakawa Bay shoreline. Manukau City Council commissioned a study of the area in 2003, and subsequently an upgrade of coastal protection measures in 2007. Tonkin & Taylor designed a mixed hard and soft coastal protection response plan to manage erosion at Kawakawa Bay, including nourishment of some areas, and a stone revetment in one area. The management response does not include a long-term plan and the environmental effects report for the area acknowledges that the effects of climate change and sea level rise will need to be considered for the area. In summary, coastal protection at the site can only be considered a short-term response to coastal erosion and further measures will be required.

Tonkin & Taylor (2007) found that low-lying areas of the bay are likely to experience inundation during a 2% AEP water level event. The former Manukau City Council managed flood risk through Engineering Quality Standards (EQS) in its District Plan. The EQS prescribes that all development will have a minimum site level (mAVD-46), and minimum freeboard levels for all development sites adjacent to open channels and overland flow paths (Manukau City Council, 2002). The District Plan does not directly refer to coastal inundation or coastal areas, but it is assumed that minimum sites levels adequately protect building from coastal inundation at least up to the 1% AEP level. Adjusted minimum site levels have been recommended to take into account sea level rise of up to 0.66 metres to the 1% AEP standard (Ramsay, et al., 2008b), but this recommendation has yet to be implemented.

Potential impacts of sea level rise

Sea level rise is expected to worsen the occurrence of erosion and inundation around New Zealand's coast. The geophysical characteristics of a given area of coast will determine to what degree erosion or inundation increases or is initiated. Currently coastal inundation risk exists at both sites. However, the risk is low and presents only a small disruption to people so it is not considered a priority at either settlement, and current flood risk management is considered satisfactory. This section presents the results of the investigation into how coastal inundation (flood) risk could change with sea level rise, conducted to address Objective Two of this study.

Change to 1% AEP levels

This section presents the results of the extreme sea level analysis and inundation mapping. Table 6.1 shows the upper and lower water levels along the Waitemata harbour for four AEP levels and for present day mean sea level, and three scenarios of future sea level rise. A 'lower' and an 'upper' water level and associated contour were derived for the present day and each sea level scenario (0.5, 1.0, and 1.5m) to account for the variance in water levels for each AEP and the confidence limits associated with each estimate.

Potential inundation extent was initially assessed for the 50%, 10%, 2% and 1% AEP levels. Comparing AEP water levels (Table 6.1) indicates that the Waitemata harbour extreme sea level distribution curve is shallow, meaning that the difference between the highest water level during a relatively frequent storm (50% AEP) and a relatively infrequent storm (1% AEP) is not large. It can be seen that the current (highest) water level associated with a 1% AEP event (2.2 – 2.4m AVD-46) will be experienced almost yearly once sea level has risen 0.5m. The current 1% AEP water level does not present a significant risk to people or property at the study sites; however, what the results of this analysis show, is that a *1% AEP* event in the future *will* present a significant risk to people and property at both communities, indicating that current coastal hazard management measures will not be satisfactory. Further to this, the relatively small-scale disruption experienced at the study sites during large but infrequent

storms *today* will be experienced as often as *yearly* with a 0.5m sea level rise, and more frequently with sea level rise above 0.5m.

Table 6.1: Predicted water levels above Auckland Vertical Datum 1946 (AVD-46)²⁰ for AEP of 50%, 10%, 2% and 1%, for the Waitemata Harbour, for the present day and with sea level rise of 0.5, 1.0 and 1.5m relative to the present day (2007 MSL).

Sea Level Scenario		1% AEP	2% AEP	10% AEP	50% AEP
Present Day	Lower	2.18	2.15	2.01	1.87
	Upper	2.40	2.35	2.21	2.07
0.5m SLR	Lower	2.68	2.65	2.51	2.37
	Upper	2.90	2.85	2.71	2.57
1.0m SLR	Lower	3.18	3.15	3.01	2.87
	Upper	3.40	3.35	3.21	3.07
1.5m SLR	Lower	3.68	3.65	3.51	3.37
	Upper	3.90	3.85	3.71	3.57

Figures 6.5 and 6.6 show mapped potential static inundation for Mission Bay/Kohimarama and Kawakawa Bay for the 1% AEP water level (lower estimate) for the present day and with local relative sea level rise of 0.5, 1.0 and 1.5 metres relative to present day (2007 MSL). The 1% AEP level was mapped and is presented here as this represents the statutory flood risk-planning standard used by councils (Auckland Regional Council, 1999a), and the AEP shown and discussed in the interviews conducted for this study.

Figures 6.5 and 6.6 show the degree to which coastal inundation may affect Mission Bay/Kohimarama and Kawakawa Bay during a 1% AEP event as local relative mean sea level rises. For the present day a 1% AEP event will result in little inundation, and is not expected to represent any major disruption to either site. With 0.5m sea level a significant portion of residential property at Mission Bay and Kawakawa Bay could be inundated, whereas at Kohimarama the impact is relatively small. A rise up to 1.0m represents a relatively small increase (from 0.5m) in inundated area and affected property at both sites. For a

²⁰ 0m AVD-46 measured as 1.743m above Chart Datum and defined as mean sea level for Auckland Region.

Figure 6.5: Change to extreme tide levels and subsequent potential static inundation for a 1% AEP event with sea level rise of 0.5m, 1.0m, and 1.5m (lower bound), at Mission Bay/Kohimarama, Auckland, New Zealand.

Figure 6.6: Change to extreme tide levels and subsequent potential static inundation for a 1% AEP event with sea level rise of 0.5m, 1.0m, and 1.5m (lower bound), at Kawakawa Bay.

rise of 1.5m a significantly larger area is affected in all areas, except the Eastern Kawakawa Bay embayment where the additional flooding for increased sea level of 1.5m is relatively small. In the present study this analysis represents potential exposure of the study sites to inundation as sea level rises.

Potential socioeconomic impacts

Potential socioeconomic impacts associated with rising sea level at the study sites were investigated by estimating the numbers of people and properties, and the total economic value of properties potentially affected, based on current population and property value data. Estimating the numbers of people, property and total economic value of property potentially affected by inundation during a 1% AEP event provides an indication of the scale of potential consequences of inundation at the study sites. In the present study this analysis represents assessment of the sensitivity of the study sites to sea level rise exposure described in the previous section, *Change to 1% AEP levels*.

Table 6.2: The number of people and percentage of census area population potentially affected during a 1% AEP event for the present day and three sea level rise scenarios.

Study area		Sea level scenario			
		Present day (mAVD-46)	0.5m SLR (mAVD-46)	1.0m SLR (mAVD-46)	1.5m SLR (mAVD-46)
Mission Bay/Kohimarama	Number of people	0	~518	~518	~1653
	% of population	0%	4.2%	4.2%	13.6%
Kawakawa Bay	Number of people	0	~324	~399	~525
	% of population	0%	32.4%	39.9%	52.5%

Table 6.2 shows the number of local residents potentially affected by inundation during a 1% AEP event at the study sites will increase with sea level rise. At Mission Bay/Kohimarama 0% are potentially affected by a 1% AEP event

Figure 6.7: Number of properties potentially affected by coastal inundation during a 1% AEP event, under present day sea level and with sea level rise of 0.5, 1.0, and 1.5m sea level rise (lower bound) at Mission Bay/Kohimarama and Kawakawa Bay.

Figure 6.8: Total economic value of properties potentially affected by coastal inundation during a 1% AEP sea level, for the present day and with sea level rise of 0.5, 1.0, and 1.5m (lower bound) at Mission Bay/Kohimarama and Kawakawa Bay.

today. 4.2% of the area's residents are potentially affected by a 1% AEP event with sea level rise of both 0.5 and 1.0m, and 13.6% with 1.5m sea level rise. At Kawakawa the proportional impact on the community is much higher with numbers potentially affected by inundation reaching more than 50% of the area's population during a 1% AEP event with 1.5m sea level rise.

Figure 6.7 shows the change in the number of properties potentially affected by coastal inundation during a 1% AEP event as sea level rises up to 1.5 metres above 2007 levels (lower bound estimates) at Mission Bay/Kohimarama and Kawakawa Bay. Figure 6.8 shows the change in total economic value of properties potentially affected by coastal inundation during a 1% AEP as sea level rises up to 1.5 metres above 2007 levels (lower bound estimates) at Mission Bay/Kohimarama and Kawakawa Bay.

Based on the socioeconomic impacts analysis conducted it is clear that, in the absence of adaptation response, the number of people and properties potentially affected and the value of damage to property potentially affected by coastal inundation, will increase substantially with 0.5m sea level rise, and dramatically with sea level rise higher than 0.5m. With a 1.5m sea level rise as many as 360 properties and 1600 people could be affected by coastal flooding during a 1% AEP event in Mission Bay/Kohimarama, and 140 properties and 500 people in Kawakawa Bay.

Adaptation response options

This section outlines views expressed by interview participants regarding coastal adaptation options for Mission Bay/Kohimarama and Kawakawa Bay. Views regarding the risk of inundation presented in the above maps (Figures 6.5 and 6.6) varied among interview participants. A few interview participants were little concerned by risks posed by the scenarios in the inundation maps, while some found the risk presented in the maps alarming and were concerned that considered response from the Council is needed in the near term in relation to the issue of projected sea level rise and changing inundation risk.

For both study sites the majority of interview participants felt that for changing coastal inundation risk up to 0.5m sea level rise, the current approach and/or relatively small scale, incremental adjustments to current hard protection and accommodation would adequately manage risks, in combination with emergency planning and private insurance. The change in inundation risk affected by a 1.0m sea level rise or more, was expected to require a significant shift in response. Many participants identified the existence of a threshold somewhere between 0.5-1.0m sea level rise where the response approach would need to shift dramatically. These responses were based on the participants' judgment of inundation maps shown in the interviews (Appendix Six).

Mission Bay/Kohimarama

Inundation risk during coastal storms was considered the key coastal hazard risk at Mission Bay/Kohimarama as sea level rises. Disruption caused by flooding along Tamaki Drive, a key access route to central Auckland's eastern suburbs, was a key concern. Erosion beyond the current seawall was not expected to affect Mission Bay/Kohimarama because it is broadly expected that the current stabilised coastline will be maintained. However, erosion could occur at Mission Bay/Kohimarama if a strategic decision was made not to maintain the current coastline (Richard Reinan-Hamill, pers. comm., 02/11/2010). Management response to erosion as well as inundation would be required if a decision were made to allow the coastline to migrate naturally with sea level rise.

Most participants felt that increasing inundation risk associated with sea level rise (Figures 6.5 and 6.6) will pose a serious risk to people and property. Even so, participants predominantly felt that serious damage and inconvenience would need to occur before communities would demand a response from the Council, and that this [community demand] in turn would result in a management response.

Most interview participants in this study felt that Auckland Council would be likely to continue protecting Tamaki Drive from erosion by maintaining and adjusting (raising) the current seawall and nourishing beaches. Reasons given

for this included the: high value of Council owned assets along this coastline; high amenity value; high value development; aversion of Council to the loss of rating income under a retreat strategy; a general aversion to attempting retreat based on a view that it will be socially unacceptable; and that Mission Bay/Kohimarama is home to some of Auckland's wealthiest and most powerful residents who may exert considerable pressure on the Council for coastal protection. For example, interview participants made the following comments:

There's no way in a highly developed urban area that retreat is going to be feasible...you're looking at seawalls basically.

(Raewyn Peart, Senior Policy Analyst, Environmental Defence Society, interview, 21/10/10)

...sea level rise is going to happen very slowly, so the defence mechanisms will be factored in as you go with time...raising the beaches, increasing the height of the retaining wall, raising the road, over a period of time...I think that in 100 years time there will be so much invested that in certain areas people will be prepared to do works to preserve it...

(Mohammed Hassan, Group Manager Environmental Sustainability and Infrastructure, former Manukau City Council, interview, 06/10/10)

...there will be 'no brainer' courses of action, which is like the Mission Bay/Kohimarama case - I don't think there's really a lot of options there...

(Paul Walbran, former Councillor former Auckland Regional Council, interview, 04/11/10)

Physical and technological limits are not expected to limit coastal protection within a relevant timeframe. Richard Reinan-Hamill (Senior Coastal Engineer, Tonkin & Taylor, interview, 2/11/10) anticipates that hard coastal protection works will be able to stabilise the coast at both study sites for the sea level rise scenarios (and changing inundation risk) presented in this study. Reinan-Hamill referred to the example of Holland where land as much as 3m below sea level is protected from inundation to a 1000-year event standard. Reinan-Hamill

estimated that any physical limits to coastal protection would be very far off into the future (i.e. not this century).

However, strong views were expressed both for and *against* coastal stabilisation along the Mission Bay/Kohimarama coastline. Concerns were raised in relation to coastal protection including: equity issues if general rates are used to fund protection for a small number of (wealthy) coastal residents; safety issues around major storm events overtopping sea walls and causing severe damage; the financial costs of coastal protection for council; and the environmental implications of further hard coastal protection. Chris Stumbles (Storm-water Engineer, former North Shore City Council, interview, 11/10/10) commented:

If council, or the community pays to protect a few sites, then to me that's wrong, because a lot of people who can least afford it are paying to protect a privileged few...

...we shouldn't allow people to put any additional protection in. When the water does come in, when they start getting flooded, they should have to rebuild more appropriately or move.

Bot Holm (Senior Planner, former Manukau City Council, interview, 06/10/10) commented on coastal stabilisation (in particular hard engineering works):

I think there is a point where the community won't want to support these very high cost, non-sustainable measures...I would prefer to get all the information out there - say to all owners: "its at your risk", and take Qin's [fellow interview participant] approach that over time people are going to move away from those areas. All the wisdom of years of coastal engineering is that these hard structures don't work over time - you loose the beaches, and the cost of the coastal protection walls is huge...

However, various strategies to deal with the above issues with stabilisation measures were discussed as plausible. Targeted rating attached to flood prone properties was suggested, to direct the costs of protection to those who are being protected. Targeted rates are just one example of a funding mechanism to enable an adaptive response, and it was considered by several interview participants that further research into financial tools for sea level rise adaptation is required.

Several interview participants noted that additional flood protection measures, such as pumping stations, would be used if the Tamaki Drive seawall were raised.

Soft coastal protection works and accommodation measures were seen as plausible alternatives to hard coastal engineering. Beach nourishment, dune restoration, and individual flood protection measures were all seen as viable options for this area. Flood protection measures included: raising minimum site and freeboard levels, floodable basements, creating additional water storage areas, and redirecting traffic during flood events. However, concerns were raised about the costs of re-contouring the land (dune creation), as well as how individuals would afford the additional costs of flood proofing their homes.

A number of interview participants raised the issue of changing insurability for coastal property; and a number of views were expressed regarding this. Two opposing views recorded were that:

- insurance companies would continue to insure properties, but with higher premiums and thus people would be protected through insurance, and
- that properties may become uninsurable and thus coastal residents and councils cannot assume that they will be protected by insurance.

One interview participant felt that *all* risk would be covered by insurance, commenting:

How you handle the risk is going to be like with earthquakes – you are covered by insurance. So if there is a probability of this event increasing then we will need to ensure that there is insurance for it.

(Quentin Smith, Coastal Scientist, former Auckland Regional Council, interview, 18/11/10).

Significant issues related to introducing a retreat approach were also discussed. Community opposition to a retreat approach was the most commonly cited barrier to adopting retreat. It was widely considered that residents would live with the risk of flooding, rather than leave their homes, and would strongly resist any financial or psychological loss that may result from a retreat response.

Some interview participants felt that retreat at Mission Bay/Kohimarama would not be feasible due to the very high value of coastal property. Compensation for land abandoned was not considered an affordable option for the Council (i.e. by those interview participants that felt that coastal stabilisation is a given in this area). However, some participants felt that Council could introduce a long-term approach to retreat that could be accepted eventually, although the issue of compensation remained an unresolved issue. Bot Holm (Senior Planner, former Manukau City Council, interview, 06/10/10) felt that:

Through education a new generation will just learn about these things, more than us, more than generations who are older now and own all these properties...

...future generations will be more accepting of things and some of them may be prepared to pay a lot of money to live in Mission Bay entirely at their own risk, and accept that they can live there for 30 years [for example] and enjoy the view, but also accept that there will be a time when they have to leave.

Several participants noted the importance of this area to Ngati Whatua (iwi of this area), particularly the co-managed tribal land of Orakei and Okahu Bay, adjacent to Mission Bay. No participants felt able to give comment on issues for Ngati Whatua in relation to sea level rise and coastal management in the area, except Bernadette Papa (Ngati Whatua) who was asked to participate on the basis of specifically discussing issues for Ngati Whatua. Papa noted the importance to Ngati Whatua of progress made towards positive environmental outcomes for water quality and ecosystem health in the Waitemata harbour through co-management of Okahu Bay, and through involvement with Auckland Regional Council in coastal marine area (CMA) management.

Papa emphasised the importance of Ngati Whatua participation in decision-making for the coast in response to sea level rise. Papa expressed concern at the idea of the area undergoing any *further* environmental degradation, which might occur with continued hard protection. The area has been modified to such a significant degree already, and recent (slow and minimal) ecological restoration progress achieved through the efforts of Ngati Whatua would represent a

significant loss to the iwi. However, conflict could emerge around this issue as a burial ground sits close to the Okahu Bay coastline, which may result in protection being a preferred option by some Ngati Whatua leaders. Further to this, Papa emphasised the importance of studies specifically focused on issues and areas of particular importance to Ngati Whatua in relation to climate change and sea level rise. Papa generously gave her time to input views from a Ngati Whatua focused view point, but was discouraged by the present study's lack of focus on issues specific to local iwi, and its omission of Okahu Bay (adjacent to Mission Bay), the papa kainga (home base) of Ngati Whatua descendants from Orakei.

Kawakawa Bay

Both erosion and inundation caused by coastal storms were considered critical issues for Kawakawa Bay. Inundation and erosion of the main access road was of particular concern to most interview participants. Views regarding the most likely and appropriate responses at Kawakawa Bay differed among interview participants. Some participants considered that coastal protection works would *not* be economically feasible at Kawakawa Bay because of the low value, and low density of property at the settlement.

Accommodation measures to protect dwellings from floodwaters were considered the most likely response option. These are most commonly individual scale flood protection measures, carried out on a site-by-site basis by individual property owners and at their expense. The role of the Council in enabling individual scale accommodation measures was considered (for both sites). For example, the resource management process was considered onerous or 'punishing' for these types of alterations and the costs on individuals can be high. One participant noted that Auckland Council could look at the removal of potential barriers to individuals flood proofing their homes, such as providing funding assistance for affected property owners to make alterations to flood proof their homes.

The comparatively low number of properties affected, and numerous areas of undeveloped land at Kawakawa Bay lend merit to consideration of a managed retreat approach at this settlement. Interview participants noted that the small

size of the settlement and the potential for local land being made available for relocation of property or new development for displaced residents make managed retreat more readily envisaged in this area than at Mission Bay/Kohimarama. Further to this Kawakawa Bay's distance from central Auckland (outside the metropolitan urban limits) mean that property values are lower than in central suburbs. This implies a significantly lower potential economic loss to property owners in this area, and concurrently, a lower cost to the Council for any compensation offered, and loss of rating value incurred by the Council.

Even given these favorable conditions, some participants felt that there would be a lack of community acceptance for *any* retreat scheme. Paul Kench and Paul Walbran made the following comments regarding retreat at Kawakawa Bay:

...in the rural settings, you've got more tools you can play with, but the problem is convincing the locals, not the Council quite so much...

(Associate Professor Paul Kench, Coastal science and management, University of Auckland, 15/10/10)

...when you look at somewhere that's a bit less intensive, where a lot of the potentially affected area is not developed then you've got some options...but you can't progress those options without engaging with the community straight off – now the difficulty of that is people will want to stick their head in the sand – saying either: “its not gonna happen”, or “It's not gonna be in my lifetime, why should I worry?” and that's going to be the big challenge, I don't know how you get over that, but I think you've got to try.

(Paul Walbran, former Councillor former Auckland Regional Council, 04/11/10)

Several interview participants felt that protection for Kawakawa Bay would not be afforded and that residents in this area would be left to cope on their own. Planning Consultant Greg Hill owns a bach at Kawakawa Bay and has worked with the Kawakawa community numerous times over many years. From his personal experience with this community he commented that if Mission

Bay/Kohimarama were afforded protection but Kawakawa Bay were asked to retreat:

There would be incredible anger, I know from those people, and they would not accept it, and they say we want the council to protect us. And to date the council has done this.

(Greg Hill, Planning Consultant and Kawakawa Bay bach owner, interview, 16/11/10)

The situation for Kawakawa Bay highlights the potential for inequitable coastal management outcomes occurring as coastal risk increases over the 21st century. Coastal hazard management responses are predominantly determined through cost-benefit analysis of response options on a short-term time scale (with net benefit seen as avoided loss of property today less costs of building protection today), with urgency proportional to the potential property values concerned. Other economic considerations, such as difficult-to-quantify non-economic values, and long-term costs and benefits, are rarely taken into account. Small, lower socio-economic status communities are less likely to be afforded public intervention for coastal hazard management.

Several participants felt that the key requirement for adaptive response to coastal hazards and sea level rise is a cultural shift, a shift in terms of attitude to the nature of the coast and living at the coast, and attitudes and expectations around private property rights at the coast.

The policy makers can do whatever, but until you can overcome the societal based private ownership culture you probably won't get very far with your policy.

(Greg Hill, Planning Consultant and Kawakawa Bay bach owner, interview, 16/11/10)

The current cultural paradigm in coastal hazards management was identified as one of coastal stabilisation to protect private property. Jim Dahm (Private consultant/Coastal scientist, 5/11/10) commented:

As a community the dominant paradigm is one of coastal engineering characterised by a desire to hold the line, and tends to be focussed on single issues, particularly property and property rights, and does not take into account wider interests such as natural character, recreational values, and public access. Of all the communities I've worked with, and I've worked with hundreds, that's the dominant paradigm.

Several participants identified the issue that sea level rise, erosion and inundation risk are managed from a natural hazards perspective, which is focused on minimising damage to people and property; however, this approach has historically failed to fully take into account environmental sustainability issues and coastal environment conservation and preservation.

Two interview participants in this study (both from environmental non-government organisations) emphasised the importance of the Council setting aside land for the migration of remaining special ecosystems/environments as sea level rises, *above* planning and response for existing settlements. If new development takes place around remaining natural ecosystems without taking into account sea level rise we may unintentionally cause the loss of those ecosystems through coastal squeeze over the next 100 years.

Summary

Mission Bay/Kohimarama and Kawakawa Bay will face increasing coastal hazard risks throughout the 21st century as sea level rises. The inundation risk presented in this study may be accompanied by increasing storminess, coastal erosion and land based flooding. Depending upon the rate of sea level rise throughout the 21st century the number of properties damaged will vary; however, observations of sea level to date and recent scientific projections of sea level rise indicate that high certainty can be assigned to 0.5m sea level rise by 2100. Higher sea level rise of 0.5-2.0m by 2100 cannot be ruled out. The potential impacts of exposure to sea level rise of >0.5m, as shown in this study, highlight the importance of considering and preparing for higher sea level rise scenarios occurring this century.

Nearly all interview participants in this study viewed council involvement in coastal adaptation for *existing settlements* as particularly complex, involving issues around: public expectations, property rights beliefs, risk perception, high value properties, wealthy property owners, and environmental risks. Views regarding what *would* and *should* be done at both sites varied among interview participants.

A common view amongst many interview participants was that coastal communities will expect coastal protection; that this may not be the most appropriate adaptive response to increasing coastal hazards, but that pressure on politicians may result in this approach being adopted. Accommodation measures (such as individual scale flood proofing) do not address coastal erosion issues, but were generally viewed as acceptable response measures to address coastal inundation risk. However, accommodation measures were seen as time limited in terms of their efficacy for protecting against progressively increasing coastal inundation risk, as is the case with sea level rise. It is unclear whether or not coastal properties will continue to be insurable: however, recent devastating hazards events around the world are influencing insurance markets and this has highlighted the fact that insurance markets are not going to remain static as climate changes (Mills, 2005; Lloyd's, 2010; Mills, 2009).

A key alternative, *managed retreat*, was seen as an expensive and unpopular response, making it untenable at highly developed high-value settlements. Managed retreat was viewed as *more* viable for relatively small, low-value settlements, such as Kawakawa Bay. However, community opposition was considered a considerable barrier to a retreat approach even in communities where other factors for retreat were favourable. Some participants commented that a cultural paradigm shift away from the current coastal protection culture would be necessary to enable retreat.

Reliable, trusted scientific information, comprehensive economic analysis, and community participation were seen as necessary to enable decision making for coastal adaptation. Further to this, a risk exists that conclusions reached on the basis of cost-benefit analysis alone may be biased against the interests of those of lower socioeconomic status (such as those in lower value settlements) where

actions to protect lower value areas are likely to show lower benefit to cost ratios (Cooper & McKenna, 2008).

7 Coastal community resilience analysis

This section addresses Objective Three of this study, which asked the question:

What are the implications of different response options for increasing the resilience of coastal communities in the Auckland region to coastal change?

Specifically, based on the results of Objectives One and Two, analyse response options from a resilience perspective, and building on objectives One and Two, reflect on coastal resilience at the study sites and the Auckland region.

The aim of this section is to integrate the findings of the contextual place-based case study completed for this study and analyse adaptation response options from a resilience-based perspective. Beatley (2009) argues that transformational change in the way we think about and live at the coast is needed to maintain coastal social-ecological system functioning as climate changes, sea level rises, and other external stressors are experienced. Beatley suggests that designing and planning for coastal resilience provides the necessary framework to enable that transformational change.

Resilience is about being able to cope with external disturbance; adapting (changing) current systems to ‘optimise’ the effects of external changes; and being able to recover from shocks or disturbance events. A resilient system (or community, in the context of this study) is able to organise and respond flexibly to change, and thus has high adaptive capacity. However, resilience does not necessarily mean maintaining or recovering status quo institutional, social, and physical arrangements. For example, Funfgeld and McEvoy (2011) argue that recovery to the extent of complete restoration of full pre-shock functionality may be unrealistic, and in some circumstances may be maladaptive (Funfgeld & McEvoy, 2011). Resilience allows for internal system *change* away from status quo arrangements so that advantage can be taken from external changes. For example, proactively responding to the expected impacts of sea level rise could

provide an opportunity to improve Auckland's existing coastal settlement design, social networks, and individual participation in governance. This is consistent with the concept of 'proactive resilience' espoused by Dovers and Handmer (1992).

Coastal adaptation response decisions have the capacity to either increase or decrease community resilience (to a range of disturbances). The following subsections look at the key coastal hazard response options in relation to the characteristics described in Section Three, *resilience* (p.22). The analysis focuses on: flexibility (and 'lock in'), diversity, variability, system feedbacks, social capital, innovation, learning, redundancy, self-organisation, and embracing change. These have been identified as key factors related to resilience in social-ecological systems (Walker & Salt, 2006), and have been selected by the researcher as being the most relevant to the present study. The present study focused on resilience at the community scale: however, it is important to acknowledge that resilience and adaptive capacity are interrelated across scales. For example, community scale adaptive capacity influences adaptive capacity at the individual scale and vice versa. Where relevant multiple scales are discussed.

Maintaining the current coastline

Auckland's coastal legacy is one of widespread development close to the coast, based on an underlying assumption of stable coastal systems and climate. The coastal environment is a highly valued environmental and recreational land type recognised as a national asset in New Zealand's Resource Management Act (RMA 1991). Local authorities in the Auckland region have generally *aimed* to preserve the natural coastal environment through the creation of reserve strips and coastal setbacks at many coastal settlements. However, the threat of erosion to beaches, coastal reserves, and roads has led to intervention to stabilise the coast. Thus, much of Auckland's developed coast is structurally engineered and stabilised with works such as revetments, seawalls, groynes, and beach nourishment. This, in combination with other environmental effects of

urbanisation, has led to the loss of natural coastal environments, and has resulted in much of Auckland region's coastline being highly modified.

The results of this study suggest that coastal settlements of the Auckland Region are already in a typical coastal 'develop-defend' cycle as outlined by Carter et al. (1999), Figure 7.1. On coastal adaptation for existing Auckland settlements, one interview participant commented:

...they're locked into a technological fix. I can't see any way around it.

(Associate Professor Paul Kench, Coastal Science and Management, University of Auckland, interview, 15/10/10)

Figure 7.1: The develop-defend cycle. Adapted from Carter et al. (1999), cited in MfE (2008).

Many areas around the region are currently in the '*community and individuals feel secure*', '*more coastal development*', and '*increasing coastal risk*' stages of the develop-defend cycle (Figure 7.1). When a large scale damaging coastal storm event is experienced perceptions about coastal risk can be expected to change, but rather than adaptation to reduce long-term coastal risk taking place, it seems probable that the '*awareness of risk*' stage of the cycle will result in further reactive coastal stabilisation responses that in fact increase vulnerability in the long term. This suggests that much of Auckland Region's existing coastal settlement may already be 'locked in' to a pathway of continued coastal

development and protection against hazards through coastal stabilisation. Widespread coastal protection as a response to increased coastal hazard risk could erode community resilience and increase vulnerability to coastal hazards in the long term, even if short-term results are seen to be ‘successful’.

One interview participant in this study emphasised the implications of being locked in to a protection oriented development pathway at Mission Bay/Kohimarama when he commented:

If you got committed into a hard option [at Mission Bay/Kohimarama] I think you would end up with a hard option for the whole of the Auckland Isthmus.

(Greg Hill, Planning Consultant, interview, 16/11/10)

Maintaining the current coastline via coastal protection works is attractive to councils and communities for a number of reasons: most importantly it allows current land use practices to continue and meets affected private property owners’ potential expectations regarding the Council’s response to coastal hazards and maintaining existing use rights where development has been historically allowed.

Societal expectations of the Council rather than legal responsibilities may play a dominant role in determining the Council’s response to coastal hazards and sea level rise. It is widely recognised that councils routinely respond to coastal hazard risk following coastal erosion or inundation events even though councils are not liable for damage caused by coastal hazards that were unknown at the time development was allowed (which is commonly the case). The potential does exist, though, that the Council will make individual property owners completely responsible for coastal hazard risks associated with living at the coast as sea level rises and avoid active participation in coastal hazard management, as suggested by several participants in this study. This is a possibility but would be likely to lead to widespread conflict once damage to coastal property occurs.

While allowing existing land uses to continue, widespread intervention to stabilise the coast carries the risk of reducing rather than maintaining ecological diversity, and could expose coastal settlements to large-scale impacts when

coastal defence design limits are exceeded. While some areas of coastal stabilisation are likely (and may be the best solution to a specific local situation) the adoption of a stabilisation approach in one area poses the risk of engendering community resistance to accommodation and/or retreat in other settlements, or even at other sites within the same settlement.

Where protection is adopted, *soft* stabilisation techniques such as dune and wetland creation and restoration will maintain or increase biological diversity where they are implemented. Soft stabilisation techniques include the same risks as hard stabilisation, and while they offer only an interim solution to sea level rise they can, however, have positive environmental outcomes while accommodation and retreat responses are developed.

Current coastal protection approaches are based on engineering design levels that assume risk based on static probability estimation. This leaves communities protected by engineering to a given design level open not only to storm events of higher magnitude than the design level is meant to protect for, but also to any change in event frequency not accounted for in probability estimation. At the very least, where protection is employed, the use of design levels needs to take into account the changing probability of an event occurring due to a range of climate change factors, under a range of plausible scenarios for the future.

The current approach to natural hazards, typified by reactive installation of coastal stabilisation, fails to take into account long-term variables such as sea level rise. Protection is often the result of ‘tight feedbacks’ in a system where hazard events result in rapid response by the Council to community calls for protection of property and assets. In this sense coastal protection operates on tight feedback loops in the hazard-management system, whereas retreat options are constrained by loose feedbacks, such as institutional inertia around proactively responding to sea level rise. Thus in the case of coastal adaptation, the current institutional framework and practice limit local scale response. A challenge is to establish tighter feedbacks for local scale responses that are more far-sighted than reactive protection of private property in the short term. Achieving this could move communities away from being reliant on council’s to

manage coastal hazard response, increasing community resilience, and capacity to adapt.

From a regional perspective it was reported by interview participants that a variety of specific measures under each of the three broad response approaches of protect, accommodate, or retreat will be required to adequately respond to increasing coastal hazard risks. However, developing local specific responses with measures, not just to stabilise the coast, but also to accommodate and retreat, will be challenging.

Allowing coastline migration

Accommodation and retreat approaches can maintain biological, social and adaptation response diversity (increasing modularity and flexibility) if implemented from an environmental sustainability and resilience perspective. Further to this, maintaining the capacity to adopt a diversity of adaptive responses maintains flexibility, as opposed to locking future generations into a particular development pathway. This is one reason why decisions made today can have such significant implications for future generations. The common assumption that built-up urban areas, and settlements such as Mission Bay/Kohimarama must be protected is currently made, based upon no detailed studies into the implications of taking that particular approach. Developing a fuller understanding of the implications of a coastal protection approach is central to avoiding 'lock in', and maintaining adaptation flexibility.

In resilient social-ecological systems, ecological variability is accepted, rather than being controlled. This view of resilient systems suggests that accommodation and retreat options are the only responses that align with a resilience lens for coastal adaptation, at least in the medium to longer term. Interview participants in this study noted in a number of cases how coastal stabilisation (especially hard coastal protection) fails to acknowledge coastal system variability, and were, in effect, attempts to control coastal systems by engineering an artificial coastline, and that such attempts to control natural coastal processes ultimately fail.

Soft stabilisation and individual flood protection measures offer interim approaches that allow for ecological variability while concurrently allowing current land uses to continue, and protecting people and property from coastal hazards – to a given storm design level (e.g. 1% AEP water level). However, as with hard stabilisation, once sea level reaches a particular extent, erosion will continue to occur and, in the case of extreme events, flooding will eventually occur. Once the socially acceptable limits of these approaches (e.g. limit to acceptable height of homes or soft protection, cost to society, loss of coastal ecosystems) are reached, retreat would still eventually be necessary.

Social capital variables (e.g. high levels of trust, well developed social networks and organisations, and leadership) are common denominators for all social interactions and have the capacity to underpin positive social and environmental outcomes, and collective action (Adger, 2003). Social capital is considered a key factor for successful climate adaptation and resilient social-ecological systems (Walker & Salt, 2006). A key finding from the interviews conducted for this study was that lack of trust in sea level rise and climate change information and a lack of leadership on sea level rise were key barriers to developing adaptation response to sea level rise.

Several interview participants identified the development of trusted information for decision making in response to sea level rise as the most important first step to the establishment of leadership for an adaptation process for the region. The existence of social networks and organisations were not directly assessed in this study. However, it was noted by multiple interview participants that limited networking between sections of local authority organisations limited knowledge development in this subject area.

Innovation from a social-ecological systems resilience perspective is focused on learning, experimentation, developing local rules and responses, and embracing change. Auckland region has a legacy of coastal hazard management from which to actively learn. However, the findings of this study suggest that coastal hazards and sea level rise are not priority areas of focus for the Council in this region, and that developing learning from historical examples and innovation around planning for and responding to coastal change as sea level rises are not

currently being undertaken. Latent capacity to learn from and innovate for coastal adaptation was felt to exist; however, it was unclear whether or not capacity would be activated to respond to sea level rise and increasing coastal hazard risk.

From a resilience perspective, redundancy is commonly characterised as providing for overlap in governance functions. The result being that key functional operations can continue during and following disturbance events. In the context of coastal hazards, redundancy might be most saliently related to having multiple lines of defence, or multiple defence strategies so that in the event that one hazard mitigation or avoidance approach failed another would be ready and available to take its place. This approach would also increase the flexibility of the response capacity of a community. The findings of the present study highlighted that little consideration is yet being given to the need for multiple, layered response strategies, although multiple interview participants were not opposed to this type of approach in theory, no evidence of it being considered was found.

A risk with retreat from the coast (with both onsite relocation and abandonment) is the potential for environmental pollution caused by the inundation of urban landscapes. However, managed retreat from the coast, to the extent that it involves comprehensive restoration of residential and urban settlements, can minimise pollution risks. Such a strategy requires a sacrifice of current use potential, which can be expected to be contentious, but it provides the best opportunity to maintain and enhance coastal ecosystem services by making room for natural processes and avoiding coastal squeeze of coastal ecosystems.

Embracing change is considered an important component of resilience (Beatley, 2009; Walker & Salt, 2006). Managed retreat has the co-benefit of providing opportunities for developing world views that embrace change at all scales. A retreat process would require participatory decision making, education and learning on the part of community members and local government organisations. This process of learning and decision making could lead to the adoption of an approach that itself embraces change and natural variability, allowing coastal processes to occur naturally. Adopting this type approach

would have implications for the broader resilience and mindsets of individual community members, which could lead to a greater capacity to embrace change.

Current governance structures mean that communities with active individual members and high socioeconomic status are relatively able to access power and resources in their area to influence collective action. Not surprisingly, therefore, in terms of response to coastal hazards information or events, the results of this study revealed that the current governance structure is resulting in the private property rights of the relatively few being protected at the expense the wider community. This is particularly evident at Mission Bay/Kohimarama where protection of the current settlement was thought to be a given, which would be actively sought by a well-resourced, powerful community, if alternative responses were proposed by the Council.

In the abstract, managed retreat closely aligns with coastal resilience characteristics in an ecological sense, and appears to offer a panacea for coastal adaptation to sea level rise. However, difficulties with implementing managed retreat with real human communities have been documented elsewhere in New Zealand. In particular a study by Hayward (2008) considers the failed attempt to implement retreat at Waihi, Bay of Plenty, New Zealand. Waihi is an exposed ocean beach on New Zealand's east coast that is suffering long term erosion that threatens private property situated on the coast front. Attempts to initiate a retreat approach at Waihi have failed, and the affected property owners succeeded in gaining consent from the Minister of Conservation for a rock seawall along this stretch of coast. Although the Minister of Conservation cautioned that the seawall could only represent a short term (20 years) solution to long-term erosion (Hayward, 2008).

Hayward (2008) argues that pushing through retreat approaches without proper public engagement, and transparent, equitable decision making could work more to erode community resilience than build it, particularly as it could exacerbate deep community divisions. Hayward (2008) strongly argues the importance that decisions made regarding '*whose assets and values are protected, and why, are made inclusively, fairly and transparently*' (Hayward, 2008, p. 59). Supporting Hayward's argument for participatory decision-making

based on an idea of voluntary retreat is the successful voluntary retreat scheme implemented by the former Waitakere City Council, Auckland, as part of their Twin Streams project (Atlas Communications & Media Ltd., 2010).

Blackett et al. (2010) found that positive environmental outcomes were achieved through community coastal hazard management decision making processes, where: co-operative relationships are established, learning and trust are developed, risks are addressed, scientific input is 'managed', lobby groups are 'defused', contending interests are reconciled, and records are kept of the negotiation process and agreements reached. It was found through the interviews conducted for this study that no community engagement around sea level rise and increasing hazard risk has been initiated at the former councils that participated in this study.

Engaging with communities to allow active community participation in knowledge generation and goal setting for coastal settlements provides an opportunity to move beyond protecting *all* existing coastal settlements. Tension within New Zealand communities has been identified as existing around coastal hazard management, between groups wishing to protect private property and groups wishing to maintain or enhance coastal environments, ecosystems, and public access (Hayward, 2008). A participatory process that acknowledges, includes, and works with the multiple, divided views, goals and values of New Zealand coastal communities will need to be sought, if resolution to these issues is to be achieved. Furthermore, a comprehensive public participation process to work through the science and management issues around sea level rise and increased coastal hazard risk may find that *resilience* and/or *environmental sustainability* emerge as core community goals. If this were the case a shift away from a protection approach towards developing multiple site-specific response options could be more achievable.

Summary

Resilience has a number of dimensions and this study has drawn on findings of interviews with key informants to consider some of these dimensions. In particular, it was found that from a resilience perspective, continuing the current

coastal protection approach to coastal hazards management would increase community vulnerability and reduce resilience to coastal hazards and other stressors over time. Whereas, managed retreat from existing settlements is essentially a resilience-gearred approach that maintains and increases resilience on multiple levels. The underlying approach or worldview that would drive a process of retreat from the coast would be one of environmental sustainability and social-ecological system resilience.

Although the resilience framework is useful for discussing the implications of response approaches, such a framework in itself does not provide answers for how to engage diverse and divided communities on the thorny issues of sea level rise and coastal hazard adaptation. Stakeholders engaged with in this study were found to have some awareness of the theoretical merits of managed retreat, and the resilience risks of not pursuing such an approach. But many were also resigned to seeing an approach in which the Council's relevant resources were allocated, for the foreseeable future, to hard protection measures. Further research to review and advise on developing community decision making processes is recommended to further adaptive response.

8 Discussion & Conclusion

The aim of this study was to answer the research question: *What are the implications of different coastal adaptation response options for increasing resilience to coastal change, and what is the situational, institutional, and social context for coastal hazards management and sea level rise adaptation in the Auckland region that may enable or constrain coastal adaptation?* This section discusses the findings of this study and critically reflects upon the methods used to address each of the study's objectives.

National and regional contextual assessment

Objective One of this study aimed to answer the following research question: *What broad situational, institutional, and/or social context for coastal hazards management and sea level rise adaptation exists in the Auckland region that may enable or constrain adaptation to sea level rise at the study sites?* Specifically, identify:

- *The current approach to coastal hazards management and sea level rise, including contextual barriers and enabling factors for sea level rise adaptation.*

Coastal hazards management has not been a priority issue for local government authorities operating in the Auckland region because much of the developed coastline has already been stabilised, minimising erosion issues, and coastal hazard events to date occur only infrequently and affect just small numbers of residents. Acknowledgement of sea level rise as an issue has been integrated into planning documents; however, an overall management strategy, specific policy responses, or specific guidance on sea level rise have yet to be established. Acceptance of climate change is disputed by key leaders in local government, and the basics of how to plan for sea level rise (including what sea level rise to plan for) dominate council debates in this area. The implications of

high sea level rise rates within the 21st century have not been assessed for the Auckland region.

Findings from the interviews suggest that significant barriers to furthering adaptation response to sea level rise and increasing coastal hazard risk exist. Interview participants identified the following barriers to sea level rise adaptation: regional scale knowledge gaps, climate change scepticism, and uncertainty around sea level rise projections. Developing trusted information on sea level rise and associated risks was seen as a key first step towards generating the leadership and political will required to progress this area of thinking and decision making.

Sea level rise skepticism and debate over what sea level rise to plan for were seen as being major barriers to progress on developing adaptive response to sea level rise. The 2010 National Coastal Policy Statement (NZCPS) (Department of Conservation, 2010) may change perceptions around sea level rise and coastal management. This statutory NPS gives quite specific guidance to councils on how to consider sea level rise, which in addition to the MfE guidance is an opportunity to consider sea level rise more specifically in plans. Even if Auckland Council adopts a more comprehensive sea level rise response approach based on the MfE guidance and the 2010 NZCPS, the issue of potential faster rates of sea level rise this century are not being addressed, nor is the static risk management approach being expanded to include changing risk over time or the potential for surprises.

Coastal hazard management issues not just specific to sea level rise were also identified by interview participants as influencing capacity to adapt to sea level rise and increased coastal hazard risk in the Auckland region. One important concern identified by interview participants was an aversion by council to enter into policy that could lead to Environment Court cases. In regards to sea level rise it was observed that many assume that sea level rise projections will not be able upheld in the Environment Court due to uncertainty around projections. Further to this, it was felt by some interview participants that rules to limit development on existing property would also not be upheld in Environment Court. However, it is important to note that in regions where development

restrictions have been put in place in coastal hazard zones in regional or district plans, these have been upheld in the Environment Court (Ministry for the Environment, 2008).

The regional council participants' perspective that coastal hazard management is best handled through the case-by-case resource consent process is consistent with the 'specific risk' approach of conventional risk management, which in turn is well adapted to the largely static structure of the RMA. The RMA puts considerable emphasis on allowing private property owners to pursue their own current interests, or 'wellbeing', as per the language of section 5 of the Act. There is little emphasis on councils pursuing collective action in the public interest, although in principle councils are empowered to take action that is forward looking and speaks to the collective interests of future citizens.

This study found that current coastal management at the participating councils is in the early stages of taking sea level rise effects into consideration, and that in most instances the use of adjusted flood mitigation measures (e.g. minimum site levels) is considered adequate by many participants for protection of private property against hazard risk. However, guidance information generated by participating councils has not taken into account the potential for high rates of sea level rise by 2100. When asked to consider the implications and response required for higher sea level rise scenarios, opinions expressed during interviews in this study shifted considerably, and more substantial, costly, and controversial management responses were considered as being necessary. Recent internationally published projections (e.g. Pfeffer, et al., 2008; Rahmstorf, 2007) indicate that the *rate* of sea level rise could increase dramatically in the second half of the 21st century. This means that responses could be required much more rapidly in the future, if proactive response is delayed, which could have significant structural and economic implications for future generations.

The new Auckland Council was identified as being uniquely positioned to drive climate adaptation for the Auckland region. The Auckland Council is faced with a range of critical issues related to sea level rise in different parts of the city, which will be in competition to receive for resources adaptation response.

National level leadership is also an important component of any adaptive response to climate change and sea level rise. Resourcing of adaptation work is currently minimal at central government level. Climate change mitigation, rather than adaptation, has been the main focus at central government level. This appears to have impacted upon the progress of local government in tackling the management of this relatively new and complex set of issues. An opportunity exists to enable climate change adaptation at the regional and local levels through national level leadership. This could be achieved a number of ways, for example, a climate adaptation strategy and research agenda; a national environmental standard framing sea level rise and coastal management; and more specific guidance on the dynamic and ongoing nature of coastal risks and the need for long-term adaptive management approaches.

Critical reflection on methods used to address Objective One

The use of document review and key informant interviews to investigate and describe the broader institutional scale context for coastal hazards management at coastal settlements in the Auckland region, and specifically the two study sites addressed much of the aim of Objective One of this study comprehensively. One component of the research question addressed in Objective One of this study was to investigate what social context for coastal hazards management and sea level rise adaptation exists. The social context for coastal hazards management was discussed by some interview participants from their experience from working with communities on coastal hazards issues; however, this component of the research question could not be addressed comprehensively via the methods chosen. Further analysis based on community surveys could provide data on the social context for coastal adaptation in Auckland, from which more robust conclusions could be drawn.

On November 1st 2010 Auckland's eight local authorities (regional council and district and city councils) were amalgamated into one body – the Auckland Council. At the time interviews for this study were conducted with council staff

the former Councils were still in operation. Thus, this study assesses the coastal hazards management context of the former Auckland region councils, prior to amalgamation. This historical context carried forward to the new Auckland Council. However, as the Council establishes new regional goals and policies the approach to coastal hazards management may shift somewhat. Analysis of the history and context of coastal hazards management provides an opportunity for reflection and a shift in approach if considered appropriate or necessary. The new Auckland Council has a specific set of challenges and opportunities that it now faces, and this reflection on the historical context can assist in identifying and addressing these.

Vulnerability and adaptation assessment

Objective Two of this study aimed to answer the following research question:

What is the potential exposure and sensitivity of the case study sites; what are the potential implications of that exposure and sensitivity; and what are the opportunities for, issues with and barriers to various adaptation response options at the study sites?

This study has presented site-specific results of the potential impacts of coastal inundation as sea level rises. This study found that the real possibility of higher sea level rise rates within the 21st century (resulting in 1.0-2.0m sea level rise by 2100) hold serious implications for low-lying coastal settlements in the Auckland region. The need to assess the potential for, and anticipate the effects of, these higher rates of sea level rise was highlighted by the results of the Mission Bay/Kohimarama and Kawakawa Bay assessment completed under Objective Two of this study, which show large numbers of houses affected by storm events with higher rates of sea level rise.

Mission Bay/Kohimarama and Kawakawa Bay, Auckland, are shown to face significant coastal change and increased coastal inundation risk as sea level rises. These communities can mitigate ‘exposure’ to coastal inundation events by erecting or increasing coastal defence structures, or they can avoid exposure by retreating from the coast and allowing natural coastal processes to take their course. This study analysed adaptation opportunities and barriers for Mission

Bay/Kohimarama and Kawakawa Bay on the east coast of New Zealand's largest city, Auckland, drawing on the views of local government officers, coastal issues consultants, and community members, as critical stakeholders.

The views expressed by these stakeholders in interviews highlight that significant social and institutional barriers continue to constrain responses to this emerging challenge. Limited options for managing sea level rise are seen within existing coastal hazard management avenues; this suggests that wider perspectives and alternative avenues need to be considered and developed. For example, a strategic regional perspective; and Maori, social justice and equity focused perspectives, and non-economic values assessment could assist in reframing the needs for, and implications of, a range of response options, and the values associated with specific areas.

The need to consider managed retreat from the coast has been signalled in the New Zealand context through the recently revised New Zealand Coastal Policy Statement (Department of Conservation, 2010). However, none of the councils that participated in this study had given any consideration to retreat options prior to engaging in this study. Council participants had limited knowledge of retreat concepts, options and implementation, which limited the breadth of discussions in this study. The regional implications of widespread impacts of increasing coastal inundation indicate that public intervention to engineer the coast to protect both public and private assets is unlikely to be feasible at all sites affected; and that alternatives to 'protection' need to be actively investigated by Auckland Council. Accommodation measures are seen as a likely response. However, given the ongoing nature of sea level rise it is likely that flood protection measures will eventually become ineffective. Retreat is likely to be needed in at least some areas. This poses two significant issues: the first will be the equity issues involved in opting to protect some areas and not others, especially if protected areas have high socioeconomic status and unprotected areas do not; and the second will be the significant social barriers to managed retreat responses. It is likely that these two issues will pose lesser barriers if the longer-term dynamics of sea level rise are better understood, and early consideration of options and their long-term merits, is undertaken.

An important finding of this study was that lower socioeconomic status communities (i.e. with lower value housing) may have lower adaptive capacity and thus greater vulnerability to sea level rise because of bias in cost-benefit analysis for coastal hazard response. Further to this, interview participants generally did not see socioeconomic status as an important factor in coastal hazard management decision-making and adaptation to sea level rise. At the same time, many interview participants felt that Mission Bay/Kohimarama and Kawakawa Bay would elicit different responses from the Council to prepare for and adapt to sea level rise. The fact that these communities are expected to elicit different responses, based on the value of assets at risk in each area, highlights the potential for inequitable adaptive response, and the importance of taking into account socioeconomic factors such as property values, wealth and access to resources into coastal hazard management decision making.

Interview participants in the present study emphasised the importance of community participation and leadership in decision making around coastal adaptation in response to sea level rise and increasing coastal hazard risk. A key finding of this study was that neither community education nor community engagement around sea level rise issues is occurring in the Auckland region. Although this may partially be to do with the Auckland Council amalgamation process, which halted a number of work streams at councils in the region over the 2009/2010 period, a number of other issues were found to be acting as barriers to furthering progress towards community based coastal adaptation decision-making in the region. For example, as long as sea level rise and coastal hazards are low priority issues it is unlikely resources will be allocated to this issue, and therefore it seems unlikely that a comprehensive community engagement and adaptation process will be initiated within the current context for sea level rise adaptation.

Critical reflection on methods used to address Objective Two

Objective Two was addressed using multiple methods and data sources. This constrained the level of detail that was reached in any given area of

investigation. Detailed limitations of the methods used address the vulnerability assessment conducted to address Objective are described in the methods section of this thesis (p. 43). Further reflection on the key informant interviews conducted to address aspects of Objective Two of the present study is discussed below.

An important component of the interview process was the development and presentation of inundation maps and socioeconomic impacts information. This was developed so that interview participants could consider and comment on the potential impacts of sea level rise, in relation to options for adaptation to minimise the adverse effects of increased coastal inundation risk. In the interviews this information was presented in a fairly passive manner. Interview participants were not pushed to make conclusive comments regarding questions posed but rather were allowed to ponder and comment as they wished. On reflection, this information could have been presented much more aggressively, and interview participants could have been pushed to respond more conclusively regarding the increased risk signaled by the scenario modeling process undertaken by this study. This approach was *not* adopted because the aim of the researcher was to develop trust-based relationships with the interview participants by employing a non-confrontational approach. The goal in developing a trusted environment in the interviews was that interview participants could feel comfortable enough to share their views frankly and openly. The adoption of a non-confrontational approach is acknowledged to have potentially influenced the findings derived from these interviews.

The consideration of change out to 2100 appears to focus attention at that point in time (i.e. 2100), with time periods prior to this being overlooked. This approach can result in attitudes that see trying to deal with a problem today that is 90 years away as pointless. The results of the present study show that for a 1.5m sea level rise by 2100 scenario more than 300 properties could be affected by a 1% AEP event (in the absence of adaptation response). However, if this sea level rise scenario eventuates, approximately 50 properties could be affected during a 1% AEP event by 2040, in just 30 years time. This poses a significant

risk to properties in low-lying settlements all around the Auckland region – within the timeframe of Auckland’s new upcoming spatial plan (i.e. 30 years).

Coastal community resilience analysis

Objective Three of this study aimed to answer the following research question:

What are the implications of different response options for increasing resilience to coastal change at the study sites?

Specifically:

- *analyse response options from a resilience perspective and reflect on how coastal resilience could be increased for the study sites, and more generally in the Auckland region.*

Based on the Auckland region and local case studies conducted for this study, Auckland’s existing coastal settlements appear to be ‘locked in’ to a coastal protection based approach to responding to increasing coastal hazard risk. Continuing down this path of increasing lock-in of hard coastal structures and development at the coast will have widespread negative impacts on common pool resources (natural ecosystems, ecosystem services, coastal amenity values), as status quo private property interests and values are maintained, and vulnerability to coastal hazards over the long term continues to increase.

Coastal hazard management approaches that attempt to control coastal processes and stabilise coastal systems act to decrease resilience, although this can vary depending on the specific response details and the temporal and spatial scale analysed. For example, from a short to medium-term (e.g. 30-50years) regional perspective, coastal protection through raising the entire low-lying CBD area may best increase regional resilience, by avoiding large scale economic disruption that would be caused by any other response in that area. However, on a longer temporal scale or smaller spatial scale, resilience could be decreased by this response measure, since it will likely increase vulnerability to extreme events above a given design level.

Social learning may be the key to enabling the adoption of a diverse range of response options, including retreat. Although retreat is viewed as an appropriate

adaptive response, it is not realistically available to local authorities or communities at the present time. Retreat *can* be enforced; however, it seems unlikely that Auckland Council would be willing to introduce such an unpopular policy before a succession of extreme events drove a public reassessment of climate risk. Moreover, a mandatory retreat approach, without comprehensive community participation in decision making, could erode rather than increase resilience (Hayward, 2008), and would be likely to be vulnerable to political shifts if wide spread community buy-in was not attained. Local authorities *can* signal the need for retreat in advance through education, information, and planning tools; however, initial retreat responses need to be voluntary and initiated by communities.

An adaptive governance regime focused on fostering community resilience through social learning, enhancing ability to adapt flexibly, acknowledging uncertainty and embracing change could not only enable coping with changing coastal conditions, but could also improve social institutions, individual participation in governance, and the urban design of Auckland communities. However, there are significant costs associated with an approach that allows and leaves room for natural processes – in the form of economic loss associated with land reclaimed by the sea. Resolving the complex issue of economic losses resulting from coastal retreat remains an enormous social and institutional challenge, and comprehensive economic analysis of response options would be valuable further research in this subject area. The adoption of a resilience approach to climate adaptation for the region presents opportunities for expanding adaptive response capacity and existing worldviews by introducing goals such as embracing change and flexibility.

It is an important conclusion of this study that adaptation in the form of managed retreat is well aligned with a resilience framework, and that the adoption of a resilience framework for community planning and decision making as climate changes and becomes less predictable would be positive and could provide the framework required for adopting a retreat approach. However, this study has not sought to provide detail into how this framework or approach could be adopted and implemented. A few examples of how similar approaches

have been implemented exist internationally, although none is comprehensive. Further research into the integration of adaptation and resilience at governance, community, and individual scales would usefully augment the findings of this study. A review and analysis of shifts in coastal management response in other countries, for example the United Kingdom, where managed realignment (comparable to managed retreat) is now being adopted as a coastal erosion management response after centuries of coastal stabilisation, particularly through hard coastal engineering works, would be a useful starting point.

Critical reflection on methods used to address Objective Three

The research question addressed in Objective Three of this study relied on drawing conclusions about the resilience implications of coastal adaptation response options based on the findings of the interviews conducted to address Objectives One and Two, and the knowledge developed by the researcher throughout the research process. This qualitative assessment of resilience implications is a useful first pass assessment from a resilience perspective; however, definitive conclusions could not be drawn based on interviews with a limited range of stakeholders, particularly on issues where it is difficult to gain a tangible sense of a future likely reality, and where there is a degree of detachment among some interviewees depending on political-ideological framing of views about sea level rise. Community-based participatory methods for, and quantitative methods for identifying, measuring and developing resilience have been developed, and could be employed to more comprehensively address questions regarding the resilience implications of particular coastal adaptation response options.

Further research

Further research in this topic area would usefully augment the findings of this study. In particular, research to:

- assess attitudes to climate change, sea level rise and response options in the Auckland region;

- develop and disseminate reliable and trusted climate science information (including analysis of why current information is potentially not reaching large numbers of people and/or may not be trusted by individuals);
- complete economic analysis of coastal adaptation options;
- develop and implement the use of scenarios for coastal change adaptation decision making;
- quantitatively analyse the potential impacts of a range of sea level rise rates and levels at progressive timescales (e.g. 2020, 2040, 2060, 2080, 2100, 2120, 2140) could be useful to decision makers. Developing and presenting sea level rise risk information in this way could aid decision makers in visualising incremental change over time, rather than in large leaps, such as out to 2100 without an interim timescale, as was essentially done in this study;
- design and implement deliberative and participatory decision making processes for complex problems, including coastal adaptation decision making for existing settlements.

Conclusion

This study aimed to address two core research questions:

- what are the resilience implications of different coastal adaptation response options, and
- what is the context for coastal hazards management and sea level rise adaptation in the Auckland region that may enable or constrain coastal adaptation.

To address these questions this study conducted a detailed case study of vulnerability to sea level rise, and the context for coastal adaptation at Mission Bay/Kohimarama and Kawakawa Bay, Auckland. The findings of this case study were used as the basis for reflecting on the resilience implications of adaptation options available to coastal communities in the Auckland region to respond to sea level rise related coastal change.

It was found that Auckland Regional, and Auckland and Manukau District Councils generally acknowledged the serious implications that sea level rise may have for the region, and have begun to incorporate consideration of sea level rise within council activities. However, a number of issues were identified regarding this:

- The existing legacy of coastal hazard management issues represent key barriers to preparing for coastal change due to climate change and sea level rise.
- Current understanding and research is limited: consideration has included limited assessment of the effects of sea level rise and climate change; Auckland region lacks comprehensive or integrated assessment; no assessment of potential socioeconomic impacts; and no analysis of response options.
- Issues specific to sea level rise, such as its long-term progressive nature; uncertainty surrounding projections; and the inability to establish a 'best-estimate' have not been adequately considered.
- No comprehensive strategic approach, or process, has been established regionally or locally, to prepare for projected coastal change, or climate change more generally.
- A process (such as the risk management framework in the MfE guidance) has not yet been adopted: however, several natural hazards guidance notes exist that recommend the same/or similar risk based management.
- Issues for existing development have yet to be addressed.

Participants in this study emphasised four key points in relation to the response of local government in preparing for coastal change *today*:

- The importance of making coastal hazard information available to the public.
- The importance of understanding and framing the issues, for communicating and educating the public about the risks and response options.
- The importance of local scale decision-making for specific responses to coastal change for existing development (i.e. a participatory decision-

making processes for existing development threatened by coastal hazards).

- The importance of avoiding further coastal development and intensification of existing coastal development (avoiding further increase in numbers of properties that will be affected).

The costs of coastal engineering and flood protection measures to avoid loss of land and damage to property will continue to increase over time, and if employed would transform the Auckland coastline into a highly modified engineered and *high risk* coastal hazard area, even though coastal engineering protection aims to mitigate hazard risks. The risks of damage to property and loss of human life associated with engineering and other flood mitigation measures have been demonstrated by catastrophic flooding in the Netherlands, and more recently in the United States, particularly in New Orleans and along the Mississippi River, and in Queensland, Australia. The impacts of flooding are well-recorded and not only damage property, but include lasting psychological impacts, erosion of social capital, and loss of confidence in government.

No matter what response approach is adopted, the importance of a strategic regional approach and community involvement in decision-making has been emphasised by the participants in this study. A regional approach to estimating the costs of adapting to sea level rise may also significantly modify benefit to cost ratios, and in any case a static benefit-cost analysis approach is unlikely to be the most appropriate decision-making tool for dynamic coastal hazards management.

A top-down response from any council is likely to elicit strong resistance from local communities. Adaptation strategies need to be developed at the local scale and have community buy-in to be successful. Based on the input of participants the following requirements for an effective adaptation strategy are summarised. First, important decisions about a process for developing an adaptive response, and investing in and starting that process are needed at the outset. Second, the process should involve:

- a regional strategic approach;
- a physical and social scientific evidence base;

- the identification of at risk areas of all types (residential, commercial, rural and natural ecological systems; including areas with exposed long-term public infrastructure such as bridges and coastal amenities) and their respective socio-economic vulnerability;
- an initial analysis of response options for each affected area, with priority accorded to the most vulnerable areas;
- provision of coordination and information by the Council;
- local scale community plan development and decision-making;
- the restriction of further development in ‘coastal change’ zones;
- planning approaches that signal dynamic coastal hazard risk for at-risk properties, assets and infrastructure; and
- acknowledgement of the long-term nature of adaptation and strategies for ensuring that adaptation efforts are not short lived (i.e. follow-through).

Auckland Council has access to a range of New Zealand and Auckland specific tools and guidance for the assessment of coastal hazards over long time periods, including consideration of sea level rise and other climate effects (Auckland Regional Council, 2000; Auckland Local Authority Hazard Liaison Group, 2002; Ministry for the Environment, 2008). Requirements to comprehensively prepare for increasing coastal hazards risk are well documented in the New Zealand and international literature (Dawe, 2008), and areas more critically affected by coastal hazards (today) than Auckland offer important examples of the process and potential pitfalls for coastal hazards management in New Zealand (Blackett, et al., 2010). The new unitary authority, Auckland Council, has recently been in a process of establishment but is now positioned as the authority empowered to lead the Auckland region to prepare for adaptation to sea level rise and other climate change effects.

References

- Adger, N. (2003). Social capital, collective action, and adaptation to climate change. *Economic Geography*, 79 (4), 387-404.
- Adger, N. (2006). Vulnerability. *Global Environmental Change*, 16, 268-281.
- Allen Consulting. (2005). *Climate change risk and vulnerability: Promoting an efficient adaptation response in Australia*. Australian Government, Department of Environment and Heritage. Canberra: The Australian Greenhouse Office.
- Atkins. (2007). *Review of current position and activity on climate change mitigation and adaptation in the East of England*. East of England climate change partnership. East of England climate change partnership.
- Atlas Communications & Media Ltd. (2010). *Large-scale property purchase without recourse to compulsory purchase: A project Twin Streams case study*. Wellington: Ministry for the Environment.
- Auckland City Council. (1999). *District Plan: Isthmus section*. Auckland: Auckland City Council.
- Auckland City Council. (1999). *Eastern Bays coastal management strategy*. Environmental Planning Division. Auckland: Auckland City Council.
- Auckland Local Authority Hazard Liaison Group. (2002). *Guidelines for hazard management*. Auckland: Auckland Regional Council.
- Auckland Regional Council. (1999a). *Auckland Regional Policy Statement*. Auckland: Auckland Regional Council.
- Auckland Regional Council. (1999b). *Auckland Regional Plan: Coastal*. Auckland: Auckland Regional Council.
- Auckland Regional Council. (2000). *Coastal Hazard Strategy & Coastal Erosion Manual*. Auckland Regional Council.
- Auckland Regional Council. (2009). *Natural Hazards and their impacts: Auckland Region*. Auckland: Auckland Regional Council.
- Auckland Regional Council. (2010). *State of the Auckland region 2009: Our region, our future*. Auckland Regional Council. Auckland: Auckland Regional Council.
- Australian Government. (2009). *Climate change risks to Australia's coast*. Department of Climate Change.
- AVISO. (2010). *News: Ocean indicators: Mean Sea Level: Products & images*. Retrieved 21/11/10 from AVISO website: <http://www.aviso.oceanobs.com>
- Barboza, T. (2011). *In Ventura, a retreat in the face of a rising sea*. Los Angeles Times 16/01/2011, California, United States of America. Retrieved 01/09/2011.

- Barnett, J., & O'Neill, S. (2010). Maladaptation. *Global Environmental Change*, 20 (2), 211-213.
- Barth, C., & Titus, J. G. (1984). *Greenhouse effect and sea level rise: A challenge for this generation*. Van Nostrand Reinhold.
- Beatley, T. (2009). *Planning for coastal resilience*. Washington, United States: Island Press.
- Beca Carter Hollings & Ferner Ltd. (2003). *Kohimarama Beach seawall protection project: Coastal engineering report*. Auckland City Council, Auckland.
- Berkes, F. (2002). Cross-scale institutional linkages for commons management: Perspectives from the bottom up. In E. Ostrom, T. Dietz, N. Dolsak, P. C. Stern, S. Stonich, & E. U. Weber, *The Drama of The Commons* (pp. 293-321). Washington, D.C., United States of America: National Academy Press.
- Bijlsma, L., Ehler, C., Klein, R., Kulshrestha, S., McLean, R., Mumura, N., et al. (1995). Coastal zones and small islands. In R. Watson, M. Zinyowera, & R. Moss, *Climate Change 1995: Impacts, adaptations and mitigation of climate change: Scientific-technical analyses. Contribution of Working Group II to the second assessment report of the Intergovernmental Panel on Climate Change* (pp. 289-324). Cambridge, United Kingdom: Cambridge University Press.
- Bindoff, N., Willebrand, J., Artale, V., Cazenave, A., Gregory, J., Gulev, S., et al. (2007). Observations: Oceanic climate change and sea level. In S. Solomon, D. Qin, M. Manning, Z. Chen, M. Marquis, K. B. Averyt, et al., *Climate change 2007: The physical science basis. Contribution of Working Group I to the fourth assessment report of the Intergovernmental Panel on Climate Change*. Cambridge, UK: Cambridge University Press.
- Blackett, P., Hume, T., & Dahm, J. (2010). Exploring the social context of coastal erosion management in New Zealand: What factors drive particular environmental outcomes? *The Australian Journal of Disaster and Trauma Studies*, 1. Accessed 20/06/2011.
- Braun, V., & Clarke, V. (2006). Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3, 77-101.
- Briggs, P., Taberner, J., Voros, M., & Bilski, A. (2010). *Climate change litigation to flood planning and development in coastal areas*. Retrieved 02/10/2011, Freehills Attorneys: <http://www.freehills.com/5789.aspx>
- Bruun, P. (1988). The Bruun rule of erosion by sea-level rise: A discussion on large-scale and two- and three-dimensional usages. *Journal of Coastal Research*, 4, 627-648.
- Carter, D., Bray, M., Hooke, J., Clifton, J., & Mitchell, J. (1999). A critique of the past: A strategy for the future. *Standing Conference on Problems Associated with the Coastline: Isle of Wight*. Newport: SCOPAC Secretariat.

- Cayan, D., Tyree, M., Dettiger, M., Hidalgo, H., Das, T., Maurer, E., et al. (2009). *Climate Change scenarios and sea level rise estimates for the California 2009 climate change scenarios assessment*. California Climate Change Centre.
- CCRI. (2008). *Community Vulnerability, Resilience and Adaptation to Climate Change Research Proposal Application Report*. Victoria University of Wellington, Climate Change Research Institute. Wellington: unpublished.
- Chapman, J. (2004). *System failure: Why governments must learn to think differently*. London: Demos.
- Church, J., & White, N. (2006). An acceleration in global sea-level rise. *Geophysical Research Letters* , 33.
- Church, J., White, N., Aarup, T., Wilson, W., Woodworth, P., Domingues, C., et al. (2008). Understanding global sea levels: Past, present and future. *Sustainability Science* , 3, 9-22.
- Cooper, J., & McKenna, J. (2008). Social justice in coastal erosion management: The temporal and spatial dimensions. *Geoforum* , 39 (1), 294-306.
- Craig, C. (2010). *The effects of sea level rise in coastal environments*. Auckland City Council.
- Crampton, P., & Atkinson, J. (2007). *NZDep2006 Index of Deprivation*. Wellington: Department of Public Health, University of Otago.
- Creswell, J. (2007). *Qualitative inquiry and research design: Choosing among five approaches*. Thousand Oaks, California, United States of America: Sage Publications.
- Cutter, S. (2008). *A framework for measuring coastal hazard resilience in New Jersey communities*. Urban Coast Institute.
- Cutter, S. (1996). Vulnerability to environmental hazards. *Progress in Human Geography* , 20 (4), 529-539.
- Cutter, S., Barnes, L., Berry, M., Burton, C., Evans, E., Tate, E., et al. (2008). A place-based model for understanding community resilience to natural disasters. *Global Environmental Change* , 18, 598-606.
- Dahm, J., Jenks, G., & Bergin, D. (2005). *Community-based dune management for the mitigation of coastal hazards and climate change effects: A guide for local authorities*. Climate Change Office. Wellington: Ministry for the Environment.
- Dawe, I. (2008). Sea level rise: A New Zealand context. In P.Ranade, *Melting glaciers and rising sea levels: Impacts and implications*. ICFAI University Press.
- Department of Conservation. (2010). *New Zealand Coastal Policy Statement 2010*. New Zealand Government. Wellington: Department of Conservation.
- Devoy, R. (1987). Sea level applications and management. *Progress in Oceanography* , 18 (1-4), 273-286.

- Dickinson, T. (2008). *The compendium of adaptation models for climate change (1st Ed)*. Adaptation and Impacts Research Division. Environment Canada.
- Domingues, C., Church, J., White, N., Gleckler, P., Wijffels, S., Barker, P., et al. (2008). Improved estimates of upper-ocean warming and multi-decadal sea-level rise. *Nature* , 453, 1090-1093.
- Dovers, S., & Handmer, J. (1992). Uncertainty, sustainability and change. *Global Environmental Change* , 2 (4), 262-276.
- Elliot, V. (2008). *Climate change: surrender a slab of Norfolk, say conservationists*. The Times 29/03/2008, London; United Kingdom. Accessed 30/09/2011.
- Eriksen, S., & Kelly, P. (2007). Developing credible vulnerability indicators for adaptation policy assessment. *Mitigation and Adaptation Strategies for Global Change* , 12 (4), 495-524.
- Feenstra, J., Burton, I., Smith, J., & Tol, R. (1998). *Handbook on methods for climate change impacts assessment and adaptation strategies*. United Nations Environment Programme.
- Flick, U. (2002). *An introduction to qualitative research*. London, United Kingdom: Sage Publications.
- Folke, C. (2006). Resilience: The emergence of a perspective for social-ecological systems analyses. *Global Environmental Change* , 16, 253-267.
- Folke, C., Carpenter, S., Elmqvist, T., Gunderson, L., Holling, C., & Walker, B. (2002). Resilience and sustainable development: Building adaptive capacity in a world of transformations. *AMBIO: A Journal of the Human Environment* , 437-440.
- Ford, J., Keskitalo, E., Smith, T., Pearce, T., Berrang-Ford, L., Duerden, F., et al. (2010). Case study and analogue methodologies in climate change vulnerability research. *WIREs Climate Change* .
- Foresight. (2004). *Foresight Future Flooding: Executive Summary*. Office of Science and Technology. London: Office of Science and Technology.
- Foxon, T., Reed, M., & Stringer, L. (2009). Governing long-term social-ecological change: what can the adaptive management and transition management approaches learn from each other? *Environmental Policy and Governance*, 19 (1), 3-20.
- Funfgeld, H., & McEvoy, D. (2011). *Framing climate change adaptation in policy and practice: Working Paper 1*. Victorian Centre for Climate Change Adaptation Research.
- Fussel, H. (2007). Vulnerability: A generally applicable conceptual framework for climate change research. *Global Environmental Change*, 155-156.
- Guba, E. (1990). The alternative paradigm dialogue. In E. Guba, *The paradigm dialogue* (pp. 17-30). Newbury Park, California, United States of America: Sage Publications, Inc.

- Gunderson, L., & Holling, C. (2002). *Panarchy: Understanding transformations in human and natural systems*. Washington D.C., United States of America: Island Press.
- Hannah, J. (2004). An updated analysis of long-term sea level change in New Zealand. *Geophysical Research Letters*, 31.
- Hannah, J., Bell, R., & Paulik, R. (2011). Auckland: A case study in the regional assessment of long-term sea level change. *Proceedings of the FIG 34th General Assembly - Bridging the gap between cultures*. Marrakech, Morocco, 18-20 May 2011.
- Harvey, N., & Nicholls, R. (2008). Global sea-level rise and coastal vulnerability. *Sustainability Science*, 3, 5-7.
- Hayward, B. (2008). Nowhere far from the sea: Political challenges of coastal adaptation to climate change in New Zealand. *Political Science*, 60 (1), 47-59.
- Heberger, M., Cooley, H., Herrera, P., Gleick, P., & Moore, E. (2009). *The impacts of sea-level rise on the California coast*. California Climate Change Centre.
- Hennessy, K., Fitzharris, B., Bates, B., Harvey, N., Howden, S., Hughes, L., et al. (2007). Australia and New Zealand. In M. Perry, O. Canziani, J. Palutikof, P. van der Linden, & C. Hansen, *Climate Change 2007: Impacts, adaptation and vulnerability. Contribution of working group II to the fourth assessment report of the Intergovernmental Panel on Climate Change* (pp. 507-540). Cambridge, United Kingdom: Cambridge University Press.
- Hinkel, J., & Klein, R. (2009). Integrating knowledge to assess coastal vulnerability to sea-level rise: The development of the DIVA tool. *Global Environmental Change*, 19, 384-395.
- Holling, C. (1996). Engineering resilience versus ecological resilience. In P. Schulze, *Engineering within ecological limits* (pp. 31-43). National Academies Press.
- Holling, C. (1973). Resilience and stability of ecological systems. *Annual Review of Ecological Systems*, 4, 1-21.
- Howard, J., Kaufman, W., & Pilkey, O. (1985). A national strategy for beach preservation White Paper. *Second Skidaway Institute of Oceanography conference on America's eroding shoreline*. Skidaway Institute of Oceanography.
- IPCC. (1990). *Climate Change: The IPCC Impacts Assessment*. Intergovernmental Panel on Climate Change. Canberra: Australian Government Publishing Service.
- IPCC. (2007). *Climate Change 2007: Impacts, adaptation and vulnerability. Contribution of working group II to the fourth assessment report of the Intergovernmental Panel on Climate Change*. (M. Parry, O. Canziani, J. Palutikof, P. van der Linden, & C. Hansen, Eds.) Cambridge, U.K.: Cambridge University Press.
- IPCC. (2007a). *Summary for policy makers. In: Climate Change 2007: Impacts, adaptation and vulnerability. Contribution of working group II to the fourth assessment report of the*

- Intergovernmental Panel on Climate Change*. Cambridge, U.K.: Cambridge University Press.
- IPCC. (2007b). *Climate change 2007: Synthesis report: Summary for policy makers. Contribution of working groups I, II, and III to the fourth assessment report*. Intergovernmental Panel on Climate Change.
- IPCC CZMS. (1990). *Strategies for adaptation to sea level rise*. Report of the Coastal Zone Management Subgroup. Intergovernmental Panel on Climate Change.
- IPCC CZMS. (1992). *A common methodology for assessing vulnerability to sea level rise (Appendix C IPCC CZMS 1990)*. Intergovernmental Panel on Climate Change. The Hague, The Netherlands: Ministry of Transport, Public Works and Water Management.
- Jansen, E., Overpeck, J., Briffa, K. R., Duplessy, J. C., Joos, F., Masson-Delmotte, V., et al. (2007). Palaeoclimate. In S. Solomon, D. Qin, M. Manning, Z. Chen, M. Marquis, K. B. Averyt, et al., *Climate change 2007: The physical science basis. Contribution of working group I to the fourth assessment report of the Intergovernmental Panel on Climate Change*. Cambridge, United Kingdom: Cambridge University Press.
- Jevrejeva, S., Moore, J., & Grinsted, A. (2010). How will sea level respond to changes in natural and anthropogenic forcings by 2100? *Geophysical Research Letter* , 37, L07703.
- Jones, R. (2010). A risk management approach to climate change adaptation. In *Climate change adaptation in New Zealand: Future scenarios and some sectoral perspectives* (pp. 10-25). Wellington, New Zealand: New Zealand Climate Change Centre.
- Kates, R. (1985). The interaction of climate and society. In R. Kates, J. H. Ausubel, & M. Berberian (Eds.), *Climate impact assessment - SCOPE 27* (pp. 3-36). New York: Wiley.
- Klein, R., Nicholls, R., Ragoonaden, S., Capobianco, M., Aston, J., & Buckley, E. (2001). Technological options for adaptation to climate change in coastal zones. *Journal of Coastal Research* , 17 (3), 531-543.
- Kwadijk, J., Haasnoot, M., Mulder, J., Hoogvliet, M., Jeuken, A., van der Krogt, R., et al. (2010). Using adaptation tipping points to prepare for climate change and sea level rise: a case study in the Netherlands. *John Wiley & Sons* .
- Lambeck, K., Anzidei, M., Antonioli, F., Benini, A., & Esposito, A. (2004). Sea level in Roman time in the central Mediterranean and implications for recent change. *Earth and Planetary Science Letters* (224), 563-575.
- Lebel, L., Anderies, J., Campbell, B., Folke, C., Hatfield-Dodds, S., Hughes, T., et al. (2006). Governance and the capacity to manage resilience in regional social-ecological systems. *Ecology and society* , 11 (1), 19.

- Light, A., & Katz, E. (1996). Introduction: Environmental pragmatism and environmental ethics as contested terrain. In A. Light, & E. Katz, *Environmental Pragmatism* (pp. 1-20). London, United Kingdom: Routledge.
- LINZ. (2005). *New Zealand vertical datum: 2004/05 milestone 6b completion report*. Land Information New Zealand, Office of the Surveyor-General. Wellington: Land Information New Zealand.
- Lloyd's. (2010). *360 Driving the debate on emerging risk: Coastal communities and climate change*. London: Lloyd's.
- Lowe, J., & Gregory, J. (2010). A sea of uncertainty: How well can we predict future sea level risk? *Nature reports climate change*, 4.
- Manukau City Council. (2002). *Manukau operative district plan 2002*. Manukau City: Manukau City Council.
- Maunsell Australia Ltd. (2008). *Towards a city of Melbourne climate change adaptation strategy: A risk assessment and action plan discussion paper*. Melbourne: City of Melbourne.
- McKenna, J., O'Hagan, A., Power, J., Macleods, M., & Cooper, A. (2007). Coastal dunes conservation on an Irish commonage: community-based management or tragedy of the commons. *The Geographical Journal*, 172 (2), 157-169.
- Meehl, G., Stocker, T. F., Collins, W. D., Friedlingstein, P., Gaye, A. T., Gregory, J. M., et al. (2007). Global Climate Projections. In S. Solomon, D. Qin, M. Manning, Z. Chen, K. B. Marquis, M. Averyt, et al. (Eds.), *Climate Change 2007: The physical science basis. Contribution of working group I to the fourth assesment report of the intergovernmental panel on climate change* (pp. 749-844). Cambridge, United Kingdom: Cambridge University Press.
- Merriam, S. (1988). *Case study research in education: A qualitative approach*. San Francisco, California, United States of America: Jossey-Bass.
- Metzger, M., Leemans, R., & Schröter, D. (2005). A multidisciplinary multi-scale framework for assessing vulnerabilities to global change. *International Journal of Applied Earth Observation and Geoinformation*, 7 (4), 253-267.
- Miller, A. (1991). *Gaia Connections: An introduction to ecology, ecoethics and economics*. United States of America: Rowman & Littlefield Publishers Inc.
- Mills, E. (2009). A global review of insurance industry responses to climate change. *The Geneva Papers*, 34, 323-359.
- Mills, E. (2005). Insurance in a climate of change. *Science*, 309 (5737), 1040-1044.
- Ministry for the Environment. (2008). *Coastal hazards and climate change: A guidance manual for local government in New Zealand*. Wellington: Ministry for the Environment.

- Ministry for the Environment. (2009). *Preparing for coastal change: A guide for local government*. Wellington: Ministry for the Environment.
- Ministry for the Environment. (2001). *Planning for climate change effects on coastal margins*. Wellington: Ministry for the Environment.
- Moser, S., & Ekstrom, J. (2010). A framework to diagnose barriers to climate change adaptation. *Proceedings of the National Academy of Sciences* , 107 (51), 22026-22031.
- National Research Council. (1987). *Responding to changes in sea level: Engineering Implications*. U.S.A.: National Academies Press.
- Nelson, D., Adger, W. N., & Brown, K. (2007). Adaptation to environmental change: Contributions of a resilience framework. *Annual Review of Environment and Resources* , 32, 395-419.
- Nicholls, R. J., Klein, R. J., & Tol, R. S. (2007). Managing coastal vulnerability and climate change: A national to global perspective. In L. McFadden, R. J. Nicholls, & E. Penning-Rowsell, *Managing Coastal Vulnerability* (pp. 223-242). Oxford, UK: Elsevier.
- Nicholls, R. (1994). *Synthesis of vulnerability analysis studies. Proceedings of World Coast '93*. University of Maryland, Department of Geography. Rijkswaterstaat, The Netherlands: Coastal Zone Management Centre.
- Nicholls, R., & Cazenave, A. (2010). Sea-level rise and its impact on coastal zones. *Science* , 328, 1517-1520.
- Nicholls, R., & Lowe, J. A. (2004). Benefits of mitigation of climate change for coastal areas. *Global Environmental Change* , 14, 229-224.
- Nicholls, R., Hanson, S. E., Lowe, J. A., Warrick, R. A., Lu, X., Long, A. J., et al. (in press). *Constructing sea-level scenarios for impact and adaptation assessment of coastal areas: a guidance document*. Intergovernmental Panel on Climate Change, Task Group on Data and Scenario Support for Impacts and Climate Analysis. Intergovernmental Panel on Climate Change.
- Paton, D. (2006). *Measuring and monitoring resilience in Auckland*. GNS Science Report 2007/18, Auckland.
- Pfeffer, W., Harper, J., & O'Neel, S. (2008). Kinematic constraints on glacier contributions to 21st-century sea-level rise. *Science* , 25 (1), 19-25.
- Pilkey, O., & Young, R. (2009). *The Rising Sea*. Washing D.C., United States of America: Island Press.
- Preston, B., & Stafford-Smith, M. (2009). *Framing vulnerability and adaptive capacity assessment: Discussion paper*. CSIRO Climate Adaptation National Research Flagship. Working Paper Number 2. Aspendale, Victoria, Australia: CSIRO Climate Adaptation Flagship.

- Rahmstorf, S. (2007). A semi-empirical approach to projecting future sea-level rise. *Science*, 315, 368-370.
- Ramsay, D., Stephens, S., Oldman, J., & Altenberger, A. (2008). *The influence of climate change on extreme sea levels around Auckland City*. National Institute of Water & Atmospheric Research Ltd. Hamilton: NIWA.
- Reinan-Hamill, R., Hegan, B., Shand, T. (2006) *Regional assessment of areas susceptible to coastal erosion*. Prepared by Tonkin & Taylor Ltd. for Auckland Regional Council. Auckland Regional Council technical report 2009/009.
- Reisinger, A., Lawrence, J., Hart, G., & Chapman, R. (in press). From coping to resilience: the role of managed retreat in highly developed coastal regions.
- Reisinger, A., Mullan, B., Manning, M., Wratt, D., & Nottage, R. (2010). Global and local climate change scenarios to support adaptation in New Zealand. In R. Nottage, D. Wratt, J. Bornman, & K. Jones, *Climate change adaptation in New Zealand: Future scenarios and some sectoral perspectives* (pp. 26-43). Wellington, New Zealand: New Zealand Climate Change Centre.
- Resilience Alliance. (2010). *Assessing resilience in social-ecological systems*. Retrieved 14/08/2011 from Resalliance.org: <http://www.resiliencealliance.org/3871.php>
- Riley Consultants Ltd. (2001). *Kawakawa Bay Catchments: Comprehensive catchment discharge consent application*. Prepared for Manukau City Council. Auckland: Manukau City Council.
- Rohling, E., Grant, K., Hemleben, C., Siddall, M., Hoogakker, B., Bolshaw, M., et al. (2008). High rates of sea-level rise during the last interglacial period. *Nature geoscience*, 1 (8), 38-42.
- Rupp, S., & Nicholls, R. (2002). *Managed realignment of coastal flood defences: A comparison between England and Germany*. Enfield, United Kingdom: Flood Hazard Research Centre.
- Salmond, C., Crampton, P., & Atkinson, J. (2007). *NZDep2006 index of deprivation user's manual*. University of Otago. Wellington: Department of Public Health.
- Salmond, C., Crampton, P., & Atkinson, J. (2007). *NZDep2006 index of deprivation user's manual*. Department of Public Health. Wellington: University of Otago Department of Public Health.
- Smit, B., & Pilifosova, O. (2007). Adaptation to climate change in the context of sustainable development and equity. In M. Parry, O. Canziani, J. Palutikof, P. van der Linden, & C. Hansen, *Climate Change 2007: Impacts, adaptation, and vulnerability. Contribution of working group II to the fourth assessment report of the Intergovernmental Panel on Climate Change*. Cambridge, U.K.: Cambridge University Press.

- Smit, B., & Pilifosova, O. (2003). From adaptation to adaptive capacity and vulnerability reduction. In J. Smith, R. Klein, & S. Huq, *Climate change, adaptive capacity and vulnerability* (pp. 9-28). Imperial College Press.
- Smit, B., & Wandel, J. (2006). Adaptation, adaptive capacity and vulnerability. *Global Environmental Change* , 16, 282-292.
- Statistics New Zealand. (2010). Census 2006 Meshblock dataset. Wellington, New Zealand: Statistics New Zealand. Retrieved 07/08/2010.
- Statistics New Zealand. (2010). *Subnational population estimates as 30 June 2010*. Wellington: Statistics New Zealand.
- Steffan, W. (2009). *Climate change 2009: Faster change and more serious risks*. Canberra: Department of Climate Change.
- Stratus Consulting Inc. (1999). *Compendium of decision tools to evaluate strategies for adaptation to climate change*. UNFCCC Secretariat. Bonn: United Nations Framework Convention on Climate Change.
- Teddle, C., & Yu, F. (2007). Mixed methods sampling: A typology with examples. *Journal of Mixed Methods Research* , 1 (1), 77-100.
- The Royal Society of New Zealand. (2010). *Sea Level Rise: Emerging Issues*. Retrieved 25/10/2010 from www.royalsociety.org.nz:
<http://www.royalsociety.org.nz/2010/09/21/new-paper-on-sea-level-rise/>
- Titus, J., Anderson, K., Cahoon, D., Gesch, D., Gill, S., Gutierrez, B., et al. (2009). *Coastal sensitivity to sea-level rise: A focus on the Mid-Atlantic region*. U.S. Climate Change Science Program.
- Tonkin & Taylor Ltd. (2007). *Kawakawa Bay shoreline protection and enhancement assessment on environmental effects*. Prepared for Manukau City Council, Auckland.
- Tonkin & Taylor Ltd. (2003). *Kawakawa Bay coastal erosion scoping study: Issues and options*. Prepared for Manukau City Council, Auckland.
- Turbott, C. (2006). *Managed retreat from coastal hazards: Options for implementation*. Environment Waikato. Hamilton: Environment Waikato.
- Turner II, B., Kasperson, R., Matson, P., McCarthy, J., Corell, R., Christensen, L., et al. (2003). A framework for vulnerability analysis in sustainability science. *Proceedings of the National Academy of Sciences of the United States of America* , 100 (14), 8074-8079.
- Turner, R., Burgess, D., Hadley, D., Coombes, E., & Jackson, N. (2007). A cost-benefit appraisal of coastal managed realignment policy. *Global Environmental Change* , 17, 397-407.
- Velicogna, I. (2009). Increasing rates of ice sheet mass loss from the Greenland and Antarctic ice sheets revealed by GRACE. *Geophysical Research Letters* , 36, L19503.

- Vermeer, M., & Rahmstorf, S. (2009). Global sea level linked to global temperature. *Proceedings of the National Academy of Sciences* , 106, 21527-21532.
- Walker, B., & Salt, D. (2006). *Resilience Thinking: Sustaining ecosystems and people in a changing world*. Washington DC, United States: Island Press.
- Walker, B., Anderies, J., Kinzig, A., & Ryan, P. (2006). Exploring resilience in social-ecological systems through comparative studies and theory development: Introduction to the special issue. *Ecology and Society* , 11 (1), 12.
- Warrick, R. (2000). Strategies for vulnerability and adaptation assessment in the context of national communications. *Asia-Pacific Journal of Environmental Development and Change* , 7, 43-51.
- Wengraf, T. (2001). *Qualitative Research Interviewing: Biographic, narrative, and semi-structured methods*. London, United Kingdom: Sage Publications.
- Willis, J. (2007). *Foundations of Qualitative Research: Interpretive and critical approaches* . Thousand Oaks, California, United States of America: Sage Publications.
- Yin, R. (2003). *Applications of case study research (2nd Ed)*. Thousand Oaks, California, United States of America: Sage publications.
- Yohe, G., & Tol, R. (2002). Indicators for social and economic coping capacity: Moving toward a working definition of adaptive capacity. *Global Environmental Change* , 12 (1), 25-40.

Appendix One: NIWA methodology

Objective two of this study aimed to assess the exposure of the two study sites to sea level rise. Sea level rise is expected to worsen the occurrence of erosion and inundation around New Zealand's coast. Sea level rise scenarios can be added to extreme sea level values to estimate how inundation risk may change with a rise in local relative mean sea level rise.

GIS mapping was used to visualise and assess the potential inundation extent of a 1% annual exceedance probability (AEP) event for three sea level rise scenarios at the two coastal settlements. To do this The National Institute of Water and Atmospheric Research (NIWA) was commissioned to derive extreme sea level static inundation contours for the Waitemata Harbour for each of the selected sea level rise scenarios. This Appendix summarises the methods used by NIWA to derive AEP contours for each of four sea level rise scenarios (0.5, 1.0, 1.5, and 2.0m) assessed in this study.

Annual exceedance probability (AEP) levels were derived from a generalised extreme value (GEV) model and the 1%, 2%, 10% and 50% AEP sea levels were converted to land contours, using GIS software and LiDAR based digital elevation models²¹ (made available by the former Auckland and Manukau City Councils) for present day sea level and for sea level rise of 0.5, 1.0, 1.5, and 2.0 metres.

To predict extreme sea levels an accurate record of historic sea levels is required at each site of interest. Within Auckland's Waitemata harbour only one tide gauge record exists, positioned at Captain Cook Wharf, Waitemata Harbour. To predict extreme sea levels for the extent of the Waitemata harbour a number of steps were therefore completed (Ramsay et al., 2008a; Ramsay et al., 2008b):

- the long-term (>30 years) digital tide gauge data set was obtained from the Ports of Auckland Ltd., measured at the Captain Cook Wharf, Waitemata Harbour;

²¹ LiDAR (Light detection and ranging) based digital elevation models provide accurate and detailed information about the height and shape of the land.

- historic storm levels since 1925 were added to this data set to ensure that the largest recorded events were included in the data set;
- extreme sea levels were *predicted* at the gauge site using the measured data;
- the Regional Harbour Model (Waitemata and Hauraki Gulf coasts) was used to create a synthetic sea level record for the sea level gauge site, and extreme sea level values were predicted (GEV model) using the simulated data: these were compared to the values derived from the recorded data set to validate the ability to simulate extreme sea levels for the other sites, which have synthetic data sets only; and
- synthetic water level time series were created for selected sites around the Waitemata Harbour using the Regional Harbour Model. These were used to predict extreme sea levels for each site using a GEV model fit to annual maxima data.

The GEV model for the Ports of Auckland Ltd. Captain Cook Wharf gauge data set suggested that the highest recorded sea level, which occurred during a storm in 1936 and measured 2.25m above AVD-46²² (3.99m above Chart Datum), has a return interval of approximately 200 years (0.5% AEP). From the GEV model fit derived for each site a scaling factor was determined to translate the measured 0.5% AEP sea level of 1936 to each location.

NIWA Results: Change to extreme sea levels, Ports of Auckland Ltd. tide gauge

Table 4.1 shows estimated AEP storm tide levels for the Auckland tide gauge site at Captain Cook wharf, and change to AEP storm tide levels with sea level rise of 0.5, 1.0 and 1.5m relative to present day mean sea level (2007 MSL). Table 4.1 shows how the water level associated with a given annual exceedance probability will increase with sea level rise. For example, the 1% AEP storm water level will progressively increase from 2.24 (mAVD-46) to 2.74, 3.24, and 3.74 (mAVD-46) as mean sea level rises to 1.5m above today's. Alternatively you can say that Table 4.1 shows that a storm reaching the water level of 2.24

²² Auckland Vertical Datum 1946.

(mAVD-46) or above (today's estimated 1% AEP) will occur nearly *once a year* with 0.5m sea level rise, and more frequently (>50% AEP) with 1.0 and 1.5m sea level rise.

Table 8.1: Predicted storm tide water levels in metres above Auckland mean sea level datum (mAVD-46) at the Auckland Ports Ltd. gauge site and their approximate annual exceedance probability (%) and approximate return interval) for the present day and for mean sea level rise of 0.5, 1.0, and 1.5m relative to present day (2007 MSL).

AEP (%)	50%	20%	10%	5%	2%	1%	0.5%
Return Interval	2 yr	5 yr	10 yr	20 yr	50 yr	100 yr	200 yr
Present day (2007) (m AVD-46)	1.89	1.97	2.03	2.09	2.17	2.24	2.34
0.5m (m AVD-46)	2.39	2.47	2.53	2.59	2.67	2.74	2.84
1.0m (m AVD-46)	2.89	2.97	3.03	3.09	3.17	3.24	3.34
1.5m (m AVD-46)	3.39	3.47	3.53	3.59	3.67	3.74	3.84

Appendix Two: VUW Human Ethics Committee Approval

Phone 0-4-463 5676
Fax 0-4-463 5209
Email Allison.kirkman@vuw.ac.nz

MEMORANDUM

TO	Georgina Hart
COPY TO	Ralph Chapman & Andy Reisinger
FROM	Dr Allison Kirkman, Convener, Human Ethics Committee
DATE	21 September 2010
PAGES	1
SUBJECT	Ethics Approval: No 17990 Adaptation of existing settlements to the impacts of sea level rise: A case study investigating three Auckland communities

Thank you for your applications for ethical approval, which have now been considered by the Standing Committee of the Human Ethics Committee.

Your applications have been approved from the above date and this approval continues until 28 March 2011. If your data collection is not completed by this date you should apply to the Human Ethics Committee for an extension to this approval.

Best wishes with the research.

Allison Kirkman
Convener

Appendix Three: Interview participants

No.	Name	Role	Organisation
1	Paul Walbran	Councillor	Auckland Regional Council
2	Jane Olsen	Manager Natural hazards team	Auckland Regional Council
3	Ryan Paulik	Advisor Natural hazards team	Auckland Regional Council
4	Quentin Smith	Coastal specialist Natural hazards team	Auckland Regional Council
5	Greg Hill	Strategic planning	Independent
6	Jan Sinclair	Councillor, Kawakawa Bay area	Manukau City Council, Kawakawa Bay community
7	Colin Davis	Councillor Eastern Bays area	Auckland City Council, Eastern Bays community
8	Confidential contribution named 'John' for this project	Senior policy analyst (including coastal hazards)	Auckland City Council
9	Robert Harris	District planning manager	Franklin District Council
10	Mohammed Hassan Bot Holm Zheng Qian Aida Rodic	Manager, Environmental Sustainability and Infrastructure Senior Policy Analyst Senior Stormwater Engineer Stormwater Policy, Engineer	Manukau City Council
11	Chris Stumbles	Stormwater catchment planning team leader	North Shore City Council
12	Peter Wishart	Natural hazards manager	Coromandel Thames District Council
13	Bernadette Papa Ngati Whatua O Orakei	Heritage and Resource Management Unit	Ngati Whatua O Orakei

14	Bryan Mockridge	Kawakawa Bay community association	Kawakawa Bay community
15	Warren Gray Julie King	Senior Policy Analyst Senior Policy Analyst	Ministry for the Environment
16	Raewyn Peart	Policy analyst, Researcher	Environmental Defense Society
17	Mark Bellingham	Coastal Researcher	Forest & Bird Auckland
18	Paul Kench	Coastal Scientist	University of Auckland
19	Richard Reinan-Hamill	Coastal Engineer	Tonkin & Taylor Ltd.
20	Jim Dahm	Coastal Scientist/Coastal Consultant	Eco Nomos Ltd.
21	Marilyn Bramley	Lecturer, Environmental Law and Planning	Massey University

Appendix Four: Interview information sheet

Managed retreat information sheet for council interviews

Recent sea level rise studies have led to the recommendation that sea level rise of 0.5 – 1.5 metres by the year 2100 needs to be taken into consideration in city planning. The commonly cited options for responding to sea level rise are 'protect', 'accommodate', and 'retreat'. Protection (e.g. seawalls) and accommodation (e.g. minimum floor boards, floodable basements) are the common response to coastal hazard risk in New Zealand. Limits to these approaches may mean that retreat needs to be included as a response option. However it is not currently considered seriously as an option for a number of reasons, and substantial barriers to its implementation appear to exist.

Considering the costs of and limits to protection and accommodation as response options to long-term sea level rise and high sea level rise scenarios (as covered in section 1 of this interview) we know that there is a need to think about how managed retreat could seriously be included as a management response option. Because of the long time frames involved in achieving managed retreat this process needs to begin now. For the next section of this interview I would like to discuss the retreat option, its costs, benefits, barriers to its implementation, and the appropriateness of different retreat implementation mechanisms in different areas at risk.

Managed retreat offers a number of key benefits that may be valued by communities. Specifically, a managed retreat approach could achieve the following:

- Adopting a proactive managed approach to retreat could:
 - enable community acceptance of this approach by working with communities to establish the most preferred and appropriate response for each community affected,
 - establish responsibilities of the various parties early,
 - ensure that outcomes (when retreat occurs) are equitable (as opposed to a reactive abandonment retreat approach),
 - ensure that homeowners do not lose their homes outright, but rather appropriate funding sources (e.g. insurance, funding pools, loans, community/council compensation) are proactively organised and made available to those affected.
 - allow time for retreat to become accepted by all parties as part of the response option toolkit, and allow for the disruptive effects of retreat to be minimised and planned for over time, including allowing for appropriate alternative land and / or housing for the affected parties to be arranged.
- Retain, enhance or restore amenity value of the coast – coastal access, beaches, parks, wetlands etc.
- Retain, enhance or restore environmental systems (resources) at the coast, including biodiversity.
- Avoid the costs of protection: environmental, economic, social and cultural (managed retreat also incurs its own costs that will also need to be considered). Two important outcomes of avoided protection are avoiding: 1) the risk of catastrophic failure of protection works, and 2) avoiding increasing development behind protection works (increasing value of assets at risk), by limiting further development in hazard zones.
- Creative land use practices - use of the land in question would be continued until no longer feasible in such a way as to maximise the use value of the land while it is still able to be used.
- As well as the various benefits of a managed retreat approach the costs would also need to be considered. The main cost would be loss of private property 'use value' in the short to medium term – and options for bearing such costs more widely would need to be considered. Potential for social, environmental and cultural losses (e.g. loss of coastal wahi tapu) as sea levels rise under a retreat approach would also need to be considered.

Appendix Five: Interview consent form

VICTORIA UNIVERSITY OF WELLINGTON
Te Whare Wānanga o te Ūpoko o te Ika a Māui

Research Participation Informed Consent Form

This form outlines my rights as a participant in the study *Adaptation of existing settlements to the impacts of sea level rise: A case study of two Auckland communities*, conducted by Georgina Hart, Masters student, Victoria University of Wellington.

I have been given and understood an explanation of this research project. I have had an opportunity to ask questions and have them answered to my satisfaction.

I agree to participate in a recorded interview for the purpose of the study. I agree to take part in a workshop session for the purpose of this study. My participation is voluntary. I have the option to decline to answer any question asked.

Responses I provide (tick box):

- ☐ are contributed 'transparently', i.e. I may be named in association with my comments.
- ☐ are contributed 'confidentially', i.e. I may **not** be named in association with my comments. In this case my organisation and/or general role may be named.

I may withdraw myself (or any responses that I provide) from this project at any time, up until the completion of the project. Under this circumstance the researcher will destroy all information that I have provided. The final date for withdrawal is 31 January 2011.

The response I provide will not be used for any other purpose or released to others **outside** those stipulated here without my written consent: the group of participants (for review purposes), the researcher, the researcher's supervisors, and fellow research team member Judy Lawrence (see details on the information sheet).

I will have the opportunity to check the transcripts of the interview and the draft results and analysis, upon request, prior to any publication of the research. I will have the opportunity to comment on any draft report on this research produced prior to its release outside the group stipulated above.

I understand that by participating in this research project I am consenting to my views being shared amongst other research participants. As a participant I agree to respect the confidentiality of other participants' contributions until a final report has been consented to by all participants.

All data associated with this research will be destroyed within 3 years of the completion of the project. I would ☐/would not ☐ like an electronic copy of the completed thesis at the conclusion of this research project.

Signed:

Date:

Name of participant (please print clearly):

Contact details (email/address):

Appendix Six: Interview schedule

Adaptation of existing settlements to the impacts of sea level rise: A case study of two Auckland communities

This interview schedule was for council interview participants and was modified for non-council participants.

Introduction (10min)

- Greetings & introduction, overview of information sheet and consent form
- Overview of the research goal and structure of the interview

Interview questions (60 – 75 min)

A. The current approach – limits and trade-offs:

- 1) Introductory questions:
 - a. Name, position, role, and responsibilities.
 - b. In a few words - how would you describe your council's current approach to coastal hazards management;
 - c. and your council's approach to sea level rise?
- 2) What specific regulatory and other tools does your council use to identify areas along the coast that may be affected by future sea level rise?
- 3) Has the recently revised Ministry for the Environment guidance been used? Does the MfE guidance make a difference to the coastal management your council undertakes already?
- 4) a) What planning timeframes does your council use for:
 - 1) coastal residential development,
 - 2) coastal commercial development,
 - 3) coastal infrastructure,
 - 4) coastal hazards,
 - 5) climate change and
 - 6) sea level rise?

b) What consideration is given to events beyond each of these timeframes?
- 5) Your council has recently carried out detailed inundation studies into the impacts of sea level rise in terms of extreme coastal events (1% AEP), sea level rise, and coastal inundation for your district.
 - a. What action has council taken in response to the information generated by that report?
 - b. Have any external responses regarding the reports been received?
 - c. Manukau City and Auckland City have both had similar reports completed but considered different levels of sea level rise and different time frames: Why did your council select the time frames and sea level rise scenarios that were used in its NIWA report?
- 6) Kawakawa Bay and the Eastern Bays - Kohimarama & Mission Bay:

[An introduction will be given here to the sea level rise contours this research project has had modelled for the case study sites; the extent of sea level rise considered; what the contours represent; and the numbers of people and value of assets at risk under each sea level rise scenario, looking at the imagery for each of the study sites and inundation contours for four sea level rise scenarios – 0.5, 1.0, 1.5 and 2.0 metres.]

Under the described scenarios of sea level rise:

- a. What management approach would be required under each scenario of sea level rise described? (e.g. When approximately would the current protection fail to protect the community, and a new approach have to be adopted?)
- b. What type and scale of protection would likely be needed, under each of these scenarios of sea level rise?
- c. What would be a rough estimate of the costs of this type and scale of protection be? (For each of the scenarios)
- d. How have costs of coastal protection been covered in the past?
- e. Would another method of spreading the costs be likely to be needed in future? If so, what approach might be most acceptable?
- f. What changes to the current management approach would need to occur to allow for that level of protection (we have discussed being needed) to be enabled?
- g. Could the social amenity value of the beach (particularly beach access) be retained if the beach is to be protected to the level required, as discussed above?
- h. To what extent might upscaling protection affect the social and environmental values at the coast for the two sites?

B. Including ‘managed retreat’ as part of the management toolbox:

Managed retreat is sometimes cited as an important potential response option for exposed coastal suburbs as sea level continues to rise.

1) Considering managed retreat as part of the local government toolbox:

- a. Could a managed retreat approach feasibly overcome the sorts of limits we have discussed (in Part 1 of interview) as sea level continues to rise?
- b. What difficulties might arise for implementation of retreat for *existing properties* as sea level rises?
- c. At each of the three study sites, who would be most affected by retreat, and who would benefit?
- d. How would the adoption of managed retreat at the three study sites (need to) differ?
- e. Over what time frames could implementation options be effective?

2) Barriers to managed retreat:

Some barriers to managed retreat being included as a potential response option to sea level rise impacts (i.e. increased coastal hazards) have been suggested.

Private property rights

Councils can modify private property rights. Private property rights are not enshrined in New Zealand law; however, some citizens espouse a private property rights perspective and this can exert considerable influence on council activities.

- a. How does your council approach the issue of private property rights in relation to coastal hazards?
- b. How could perceived private property rights be addressed to enable discussion and planning of managed retreat as a response option?

Costs

- a. What cost considerations might constitute significant barriers?

- b. Can you please indicate the approximate costs of a managed retreat approach at the three sites?
- c. Who would bear these costs?
 - i. How could costs be spread across the community?
 - ii. How could the distribution of costs affect the feasibility of managed retreat?

Responsibilities of council and property owners

The mandate for and responsibility of local government to mitigate the adverse impacts of coastal hazards for its constituents is clearly set out in the Resource Management Act and NZ Coastal Policy Statement. This is also reflected in Auckland's Regional Policy Statement and District Plans.

- a. Where do you think responsibility should lie for reducing and mitigating coastal hazards?
- b. In what ways could councils be adversely affected by not addressing coastal hazard impacts under rising sea level scenarios?
- c. How could councils protect against liability while still meeting their responsibilities as sea level rises?
- d. How does the current regulatory framework support or hinder the consideration of managed retreat as a response option?

Community views / acceptance

- a. How are coastal property owners at each of the study sites likely to respond to the policy options we have discussed today?
- b. How is the broader community in the study sites likely to respond to the options we have discussed today?
- c. If property owners and the broader community (or parts of the broader community) are likely to object to managed retreat as a policy option, what triggers might change those views?
- d. How might the inclusion of managed retreat as a policy option make communities better able to adapt to the impacts of sea level rise?

1% AEP event static inundation contour for 0.5, 1.0, 1.5 and 2.0m sea level rise at Mission Bay/Kohimarama.

1% AEP event static inundation contours for 0.5, 1.0, 1.5 and 2.0m sea level rise at Kawakawa Bay.