Design Research Portfolio | Glen Askey

Surface Theory

The design of emotive textures
to enhance a product experience

Surface Theory

Postmodern design is the aversion to texture, which is temporal and emotionally exuberant.

New manufacturing will push this textural style, prompted by consumer demand for unique experiences and personalisation.

Design aesthetics are changing to embrace texture in more complex and innovative ways.

These new aesthetics will reject an obsession of new-ness, flatness, glossiness and ambiguity, in favour of expression.

Surface Theory

The design of emotive textures to
enhance a product experience

A 90 point Masters in Design Thesis

Victoria University Wellington

2020

Preface

“People tend to suppress that which they cannot express”

Yi Fu Tuan

This thesis is an exploration into the what manufacturing has been unable to provide since the introduction of the field of Industrial Design. Within this research texture is explored as a direct challenge to the vanity of the smooth and glossy newness of products of the first two decades of the 21st century, and a critique of a dualism of choice that is ever present in everyday decisions. To display a texture is to be willing to display flaws and to reveal a temporal existence when much of design would prefer to feign immortality.

Surface Theory embraces the subjectivity of human emotions to enable sensory designs that can encourage a greater diversity within product experiences. New industries and manufacturing methods will enable greater personalisation of products and this might force designers to embrace new varieties of aesthetics to take advantage of these opportunities.

The motivation of this research comes from my background in computer science and a lifelong passion for the design of technology; products that form the union between new intangible worlds and existing lived-in realities. I see this work as a pursuit of aesthetics and forms that are not possible or allowed within existing parameters by pushing the boundaries of new machines to pursue a more human way to create and to experience.

Acknowledgements

Thank-you to my thesis supervisor Jeongbin Ok for endless encouragement, inspiration, perspective and clarity.

Special thanks to the inspiring designers in the 2020 Masters cohort
Ana Morris | Brittany Mark | Courteney Naismith | Eilish Marra |
Elize Koetzier | Jessica Salter | Joseph Coddington | Matthew O'Hagen |
Patrick Coulson | Vincent McQueen

To family and friends who helped me get here
Robyn | Peter | Vivienne | Jefferson | Henry | Natalie

Thanks also to those who participated in user studies.

Published October 2020 by Glen Askey as part of a Master of Design Innovation (MDI) in Industrial Design at Victoria University Wellington School of Design Innovation. All figures property of author unless referenced.

www.glenaskey.com
www.surfacetheory.nz

Table of Contents

Preface	IV
Acknowledgements	V
Table of Contents	VI
Terminology	VIII
Research Question	2
Abstract	3
Aims & Objectives	4
Methodology	5
The New Machine	8
Technological Revolutions	10
Technology's Dominant Aesthetic	14
The Design of Technology	18
Additive Manufacturing	21
The New Aesthetic	24
Experience Design for Products	26
Sensing Touch	29
Designing With Emotion	32
The New Depths	36
Contemporary Design Guidelines	38
Computational Design	41
Texture Pushes Boundaries	43
Machine Aesthetic Depths	50
Exploration in texture	56
Research Exploration	58
Software Exploration	61
Production Exploration	68
ABS Plastic	68
Resin Plastic	72
Materials Comparisons	74
FDM and J750 comparisons	78
User Studies	84
Survey Review	86
Research methodology	87
Parameter Selection	87
Stimuli Production	89
User Study Setup	92
Part One: Exploratory Study	94
Part Two: Confirmatory Study	96
Survey Analysis	98
Exploratory Study Transcription	100
Data Validation	101
Preliminary Analysis	102
Confirmatory Study Transcription	104
Data Validation	105
Preliminary Analysis	106
Semantic Analysis	108
Semantic Processing	109
Spacy and NLTK comparison	114

Exploration in form	118
Production Methodology	120
Height Displacement Wrapping	121
Shrink Wrapping	129
Printed Outputs	136
Output 1	138
Output 2	140
Output 3	142
Increasing Control	146
Statistical Analysis	148
Latent Space Exploration	154
Emotive Swatches	158
Increasing Tactility	164
Translucency Experiments	166
Emotive Form in Resin Printing	170
Increasing Variation	180
Computational Design	182
Emotive Form in FDM	188
Emotion Palette	202
Design One: Knowable	202
Tangible Future	210
Design Three: Holdable	210
Coherent Intent	218
Design Three: Audible	218
How might manufacturing change	229
What new aesthetics could be possible	230
How might emotion play a part	231
How might designers create new systems	233
Surreal Design	236
List of Figures	250
List of Tables	254

Terminology

3D Printing

A method of manufacturing based on a system that divides 3D models into layers in order to reproduce models

FDM

Fused Deposition Modelling, a method of 3D printing that uses thermoplastic extrusion to build a 3D model by printing layers of plastic on top of each other

Voxel Printing

A method of 3D printing that divides models into 3D grids of cells to which different materials can be assigned

J750

A model of resin-based voxel printer made by Stratasys company

Industrial Revolution

A significant period of transition from an established system of manufacturing and production to a newer and more efficient one.

Long Wave Cycle / Kondratieff Wave

Hypothesised cycles in the world economy lasting roughly 50 years starting from technological innovations that create periods of growth, peaking at times of prosperity and technological commodification, and ending at times of recession and technological disruption

4IR

The so called next Industrial Revolution following the third industrial revolution of the late 20th century.

Texture

A tangible patterned 3D surface

Machine Aesthetic

The concept of the machine being a source of beauty and of the ability of new machinery to influence artistic styles and aesthetics.

Postmodernist Design

The dominant design movement influencing industrial design since the late 20th century; characterised by repetition, a sense of newness, and of being individualist.

Experience Design

The process of people interacting with a product and the experience they receive from that interaction

Computational Design

The application of computer processes into the design process via the use of highly controlled software

Blender

A physics-based 3D modelling program

OpenScad

A script-based 3D modelling program

Powershell

A script based task automation program

Slicer

A program that uses an algorithm to slice a 3D model into layers for use by a 3D printer

Surface Theory

*Figure 0. Design experiments I 3D Print
Exploration into displacement mapping*

Introduction

Research Question

**How might a new machine
aesthetic of additive
manufacturing catalyse
emotive product experiences
with richly textured designs?**

Abstract

Surfaces readily communicate visual and tactile cues about a design's purpose and identity. An intrinsic knowledge of physical characteristics of products has been established through existing research that relates product shape to semantic descriptors, but has not yet addressed how a material's surface texture might contribute towards a product identity.

The advent of additive manufacturing enables a new mindset towards production and the high fidelity of these processes offer unprecedented control over the designed identity; as such there is a gap for research that helps designers understand the influence of detailed textures on sensitive body parts, such as the fingertip. With greater understanding that the experience design and emotional acuity of a physical product is an important differentiator in the market it is necessary to provide designers a more concrete understanding of how their designs could be perceived.

A great range of emotional affects can be elicited through tangible 3D-printed form. In exploration of this a process was created to generate surfaces from a script-based modelling software that provides strict control of 3D models. Utilising parameter-based design a large variety of complex geometries were made from a shared scaffold; and in taking advantage of this statistical base, user studies were conducted to identify correlations between geometric features and emotional affects. Novel natural language processing tools were used to analyse open-ended questionnaires and contrasted with results from confirmatory questions on a series of designed textures. Further inquiry into these results enabled extraction of statistically significant factors and their corresponding parameters to inform a set of guidelines on how to elicit certain emotional responses using only changes in surface geometry.

The results of this research show that innovative visual and tactile textures can evoke a desired emotional response. Using speculative design, emotive textures are applied within the consumer electronics industry to create a series of experiments with unique surfaces that suggest how greater customisation for consumers could be provided, enabling a greater product attachment and to allow products to be designed with greater empathy. More emotional designs can be created using 3D printing that might contribute to a more ethical and sustainable culture of production, made possible with aesthetic changes of the next technological revolution.

Aims & Objectives

An analysis of existing research and of additive manufacturing methods enable the creation of a series of textured aesthetic product experiments. This research will provide a understanding for how designers can use emotive textures to customise products.

Aim One

To explore the characteristic visual and tactile qualities of different additive manufacturing methods and their potential to influence emotive response

- 3D Print a series of texture samples in different additive materials that illustrate the accuracy and qualities each method offers

Aim Two

To explore, generate, and test visual and tactile geometries associated with a defined range of emotions

- Investigate the theoretical methods of eliciting an emotive response with surfaces and analyse relationships between a physical geometry and an evocative response
- Design a system for the generation of textures able to embody research into designed responses
- Test the ability for tactile surfaces to elicit an emotive quality

Aim Three

To design, and analyse surface textures that evoke specific emotive responses

- Print textured design artefacts that are best suited to an additive manufacturing method of choice and exhibit a desired emotive quality

Methodology

Quantitative and qualitative user studies will be used in order to analyse responses to materials experiments produced with additive manufacturing through the use of user perception experiments. Experimental analysis and Natural Language processing will be utilised in order to link emotional responses to the characteristics of a specific texture. Design experiments of high-fidelity prototypes are created in order to apply this research.

Research Methodologies

Research For Design

This research explores the context of evoking responses to a stimulus using data from a user study, and will involve a consideration of how surface textures appeal to people's different aesthetic and perceptual associations. The contextual aesthetics of different design movements are analysed to situate this research within the field.

Research Through Design

This research explores creating a guideline from which knowledge on the design of emotive textures can be communicated. Materials experiments and designed artefacts are produced that can exemplify the opportunities within this research area and explore further possibilities.

Surface Theory

Figure 1. Design experiments I 3D Print
exploration into displacement mapping

Literature Review

Theme 1

The New Machine

This Literature Review has three connected themes forming a narrative of this thesis' perspective on the role of texture within industrial design.

This first theme explores the context of the Fourth Industrial Revolution and how technology revolutions have historically influenced the manufacture of designed products.

The aesthetics of these revolutions are considered in a contemporary perspective in order to identify which design movements are still relevant.

The specific design movement aesthetics of modern consumer technology products are explored in order to understand this industry's approach to design.

Finally the introduction of 3D printing is considered in terms of how it may influence aesthetic production and the current industry view on the technology.

**The opportunity
exists for industrial
designers to utilise
3D printing in the
production of
consumer electronics
to pursue the new
aesthetic**

Figure 2. Interior of 3D print form

1a. Technological Revolutions

“The relationship to and the representation of the machine could be expected to shift dialectically with each of these qualitatively different stages of technological development”

Fredric Jameson (1992)

Industrial Design exists with the primary objective being to produce mass manufactured items that work well, please the eye and “have a competitive advantage over similar products” (Britannica Academic, 2020); this point, the response to market competition, solidifies the field of Industrial Design (from here abbreviated as ID) as an economic field and a foundation of economics contextualises this field of design. When MoMA (2020) describes ID as a process that “emerged after the Industrial Revolution”, it needs to be considered that this was primarily an *economic* revolution, one that triggered complete transformations in the order of world markets and the perception of the limitations of machinery (Encyclopedia Britannica, 2020).

These transformations have a profound effect on both the possibilities of design and on the trends that design could influence. Within the field of design there is no consensus regarding the exact timelines of the many Industrial Revolution’s of Europe and the West (from here abbreviated as IR), however it is the general consensus that around the year 2020 is seeing the end of the Third IR and the ramping up of the fourth (Schwab, 2016). The First IR is well understood to have lasted from 1760 to 1880 (Encyclopedia Britannica, 2020; Stearns, 2007), but any following revolutions are not so easily placed on a timeline, with the Encyclopedia Britannica only going as far as saying the second IR started in the “late 19th and 20th centuries”.

As such this review has combined the research of Davies (2016) and Schwab (2016) for the World Economic Forum to describe these revolutions as the following:

First IR was begot by steam power from the 1780s; shifting dependence on animals and mechanising production.

Second IR utilised electric power from the 1870s; shifting reliance on labour and standardising production.

Third IR uses computation power from the 1950s; shifting reliance on machinery and automating production.

Fourth IR will use networking power from the 2020s; shifting reliance on commodities and catalysing production.

The first IR's technological changes "made possible the growth of capitalism" (Newton, 2014) through changes in the chains of supply and demand. ID's purpose started as promoting economic activity and itself became a result of economic activity; this means that unlike the arts or architecture which produce unique goods and "non-standardized products" (Hashimzade et al., 2017) design became "an entrepreneurial act" to create a commoditised product (Gunes, 2012).

In considering the economic origins of Industrial Design there are other cyclical theories that may provide more context to these movements within technology; in the cycle known as the *Long Wave* or *Kondratieff* Theory of economics (Hashimzade et al., 2017; Credo Reference, 2006), this cycle has often been directly "associated with technological revolutions" (Gregory et al., 2009, p403), and is applicable to this research within the analysis of ID trends. Long Wave theory states that capitalist economies have cycles of roughly 50 years, 'cresting' at moments of prosperity and technological commodification, and 'troughing' and moments of financial crises and technological disruption.

Using timelines from Allianz Group (2010) and definitions in Gregory et al. (2009, p403) the following cycles can be defined:

The first wave was begot by steam power from the 1780s; handcrafts were disrupted and machinery was developed.

The second wave utilised railway networks from the 1830s; transportation was disrupted and steel was developed.

The third wave used electric power from the 1880s; production was disrupted and petrochemicals developed.

The fourth wave used airfrieght networks from the 1930s; mobility was disrupted and computers developed.

The fifth wave used computation power from the 1970s; communications was disrupted and AI developed.

The sixth wave will use information networks from the 2020s; climates will be disrupted and nanotech developed.

Without implying the influences of past cycles, according to this research it is evident both a *technological revolution* and an *economic transformation* are set to occur from start of the 2020 decade; indeed Allianz Group (2010) highlighted this fact in a white paper that suggests many technological innovations likely to become the future disruptors for this next sixth cycle, one of which being the increased focus and awareness of changing climates.

Despite the long-held industry and consumer push for more sustainable systems only recently has acknowledgement of “social good” seen acceptance as a best practice by economists and business leaders (Benoit, 2019); the Business Roundtable, whose members are exclusively CEOs of major USA companies, is embracing the concept that a stakeholder in a business is not just an investor but society writ large. These changes in perception occurring within large established businesses suggest radical methods of manufacture may in future be seriously considered in order to meet new criterias that establish such a social good.

Figure 3. Economic Timelines

Rapid ecosystem and climate disruptions of the last decade (United Nations, 2019) have been accelerated by the modes of production and the economic systems in place throughout the pre-existing industrial revolutions. The Second IR and Third IR increased global temperatures by 0.85°C (United Nations, 2020) and the next IR will need to *decrease* the global temperature in order to just maintain the climate as it is today. This point on the need for reparative action challenges the existing movements by business leaders for sustainability (Business Roundtable, 2020), and the concept of being able to sustain existing systems without addressing a restorative change are exactly the “fairy tales of eternal economic growth” famously referred to by Greta Thunberg (2019) through the school climate strike movements, going on to say that unless world leaders cut emissions by 50% “within the next 10 years, 220 days and about 10 hours” the effects of climate change will be irreversible (Thunberg, 2019b).

Many cities and countries in the world have in fact declared a *Climate Emergency* including Wellington, New Zealand (Cook, 2019), but as has been demonstrated throughout the Covid-19 pandemic real emergency responses mean more than just adopting policies, but systematic and structural changes to modes of production and economic ways of life (Taylor, 2020). As stated by the founder and chief executive of the WEF, the challenges of the 4IR are coinciding with “the rapid emergence of ecological constraints, the advent of an increasingly multipolar international order, and rising inequality” (Schwab, 2018). This next technological revolution has the potential to provide greater opportunities to many nations, but needs to address the need for climate centered initiatives.

The next industrial revolution will coincide with an economic revolution and an environmental revolution, and if the cyclical nature of the design movements is continued; an aesthetic revolution also.

The opportunity exists for industrial designers to design for the technologies that will fuel the next IR.

1b. Technology's Dominant Aesthetic

"America started the tradition where the richest consumers buy essentially the same things as the poorest. You can be watching TV and see Coca-Cola, and you know that the President drinks Coke"

Andy Warhol (Tate, 2020.)

Design movements are cyclical in nature, having historically been played out in a bell curve in terms of popularity before being replaced; Figure 4 represents the total length of these movement sorted by date as described in Wilkes et al. (2015). In comparison with other design movements it is clear that the current movement of Postmodernism is second in longevity only to the Arts and Crafts movement of the first industrial revolution; this fact is surprising considering the rate at which technological development has increased in this period of 1970-2020, being faster than was experienced within all other movements combined.

Figure 4. Design Movements

Despite a longstanding presence within the economy Industrial Design is a recent addition to academia (Melles & Kuys, 2010), being described by Efer (2017) as a field that is the union of “craft and ingenuity” put against “beauty and the aesthetic sentiments” that appeal to the human nature; Efer highlights the process of design as a period in which something is taken from an “existing state” into a “preferred state”, a “birth, renewal, recreation or reintroduction” (Coelho, 2011, as cited in Efer, 2017). These qualities say of design being an iterative process, and is particularly relevant as it speaks of not only the creation of products, but the evolution.

Efer’s (2017) article raises the need for awareness of the roots of the applied arts within ID, a field which has often co-opted the aesthetics and movements of architecture in order to keep pace with worldwide trends (Wilkes et al., 2015). However in being reliant on mass production ID does not have a flexibility within production that is offered to such *unique goods* as Architecture and the arts, and as such the aesthetics of ID are then instead ones that can conform to complex and expensive mass manufacturing processes; designs need to be replicable and that mass-reproducibility has leant some aesthetics to being much more applicable than others.

This requirement of reproducibility can explain the ongoing presence of Postmodernism within the field of design. Frederic Jameson (1992, P9) lists the first evidence of Postmodernism as a “new kind of flatness or depthlessness” in being characteristically superficial; in referring to hermeneutics (defined as how a work “can be subject to interpretation”; Alexander, 2003) Jameson explains that Postmodernist designs don’t have to invite exploration beyond themselves; Postmodern products may have feeling, but these are impersonal, self-contained, and dominated by a sense of euphoria not a meaningful connection. Jameson’s explanation perfectly fits with the context and perception of the industrial design of technology that this research will subscribe to.

This thesis identifies the area of consumer electronics as focus for design intervention. The particular design movement aesthetics of the personal computer has been described as Postmodernism and Blobism up until the 2000s (Eggink & Snippert, 2017) and the nature of aesthetics within technology product design is increasingly inclusive of experience and Human Computer Interaction principles as stated by Folkman (2018). Broadly, design became extensively “more technological” over the last 30 years, a period over which the redefinition of aesthetics included “complexity and communicative capabilities” as being as crucial as a sense of beauty.

There is no consensus on how to define the styling of industrial-designed technology products of the 2000s to 2020s, although there is significant presence within literature, articles and technology reviews of the term “glossy”, and it is this term that warrants further exploration.

Within research on Postmodernism Duncan (2014) cites Jean Baudrillard speaking of “glossy brain cells”, Andreas Huyssen referring to “gleaming facades” and Ziauddin Sardar using a “high-tech gloss” and “glitzy yuppie euphoria”. Renu Bora (as cited in Sedgwick et al., 1997, p. 103) in referencing the work of Frederic Jameson appropriates the term “Glossophilia” to describe an obsession with the “modern ideology of the new”; Bora’s associations connect a “sexuality” and intimacy with texture and argues that surfaces capable of presenting evidence of time is “intrinsic to the meaning of materiality”. This “Glossophilia”, Bora Says, feigns evidence of the impossible by contrasting the impossibly new with our experience of real time in which a new-ness is fleeting. For the purpose of this research such ‘Glossophilia’ will further be appropriated to describe the design of technology, this is applicable because taken as a whole the above works can be seen as defining that Postmodernism is the absence of texture.

Literature Review

However Postmodernism is not void of emotion; Krippendorf (2007) (as cited in Eggink & Snippert, 2017) states Postmodernism “re-introduced the idea of cultural reference and emotion in product design” after the movement of modernism had run its course; and Duncan (2014) contends the interpretation of Postmodernism (in the context of cinema) as being “ripe with emotional possibility” and an ability to “enrich our understanding of emotion”, arguing that Postmodernism is not emotionless, but hostile to “cognitive appraisal” modes of judgement and is more accurately seen as idiosyncratic. This is to say that postmodernism forces subjective interpretations of emotion and challenges preconceived emotions; and Duncan goes on to say “in its resistance to familiar models of emotion, Postmodernism may be a priceless aesthetic”.

However this interpretation plays into a potential anonymity of meaning and an idea which Mason (2016) approaches when he says “individualism replaced solidarity” within consumerism; Mason here uses consumption as a form of “self expression”, and if considering Duncans interpretation that postmodernism is purely subjective, when Jameson (1992) says that expression presupposes “separation within the subject” he says Postmodernism speaks differently to everyone, it may act to further distance people from one another.

Postmodernism requires communication with a shared vocabulary of misunderstanding, whilst a Glossophilic veneration that perfection is defined by new-ness allows designers to presuppose individualism by rebutting accountability and glossing over the need for social solidarity. With growing evidence of a limit to Postmodernism’s ability to communicate, convey emotion, and provide a sense of empathy whilst still projecting an aesthetic of the new, it appears evident the next revolution will not be smooth and glossy.

The opportunity exists for industrial designers to pursue this new aesthetic of the next IR.

1c. The Design of Technology

“The glass skin achieves a peculiar and placeless dissociation ... not an exterior, inasmuch as when you seek to look at the hotel’s outer walls you cannot see the hotel itself but only the distorted images of everything that surrounds it.”
 Fredric Jameson (1992)

Accessible technology has become the most transformative agent of the last 50 years of economic development (WEF, 2016). Whilst initially computers were expected to be used only by governments and business, the home computer rapidly entered the consumer market with the help of design and miniaturisation (Britannica, 2020). The year 2020 marks 13 years of smartphone reinvention since the iPhone, five years since the wearable revolution and two years into the hype cycle of VR. Whilst the effect of the latter two still remain to be felt within wider society, in this short time New Zealand alone has close to one mobile device per person (Stats NZ, 2017), and across the world two-thirds of humanity own a mobile device (WEF, 2020) as one million people per day join the internet, often through a mobile device first.

More people are using technology devices for longer and longer periods of time (Stats NZ, 2018) and in many growing economies such devices are not a choice but necessary in order to bank or to buy basic goods (Dzawu, 2019). These facts paint a picture of the growing import that consumer electronics have on people’s lives. But despite this enormous reach the diversity of technology products remains relatively slim, the WEF in 2016 stated “Every day, 2 billion people – almost a third of the world’s population – use the products of just one global consumer products company” (WEF White

Paper 2016), this hints that large technology companies are able to control a person's experience in almost every interaction they have with modern technology; as such Industrial design of technology may have the broadest and most transformational reach of any field of design in history.

Emotion and experience have gained an importance in the sales of technology (McDonagh et al., 2003, p. 98) to create meaningful variation within areas design beyond just marketing differentiation, enabling avenues for people to "communicate their identity through products" (Schifferstein, 2010), yet cursory browsing of any mobile phone display or the line up of any online store will yield a plethora of glossy all-touch rectangles. Being the original market leader in smartphones it has been common practice for other device makers to reference the design of Apple's devices (Kastrenakes, 2018); and for the decade since the introduction of the iPhone 4 in 2010 (Apple, 2010) it has been a common trend for companies to produce all-glass or completely smooth and reflective devices (Eha, 2012).

There are very few consumer products as of mid 2020 that feature unique textural features. Handles may have bumps for grip, computers may have grilles for ventilation, but modern aesthetics of popular technology products are tactually simplistic even when intended to be touched, and the surface texture is smooth and glossy by default. Despite the ability for the machines in modern manufacturing lines to produce such highly refined details (Orr, 2018) there is no evidence that any company is willing to take this chance. The lack of textures within design is explicitly an aesthetic limitation and not a manufacturing limitation.

Industrial design is inextricably linked with the ability to sell and the new-ness of postmodernism aids this, but there is also evidence of postmodernism being unsustainable. Famously representative of Postmodernist media, Andy Warhol stated “America started the tradition where the richest consumers buy essentially the same things as the poorest” (Tate, 2019), this sentiment still perfectly mirrors the experience of a consumer purchasing a product from any category today, but today there exists a demand to also recognise the individual.

The aesthetic qualities that will replace Postmodernism in the next industrial revolution are not yet evident in the most prominent and fastest moving area of industrial design. The next industrial revolution will involve the introduction of new machinery and production techniques that enable a new type of styling.

The opportunity exists for industrial designers to use consumer electronics to pursue the new aesthetic of the next IR.

1d. Additive Manufacturing

“Any color so long as it’s black”

Henry Ford (1922)

There is evidence that 3D printing will be one of the founding technological innovations of the next industrial revolution (Lovegrove, 2016; Basiliere, 2019). 3D printing can be imagined as the enabler of mass customisation within consumer products thanks to its production flexibility (AMFG, 2020). Further, the fast pace and availability of high tech production methods to consumer electronics product manufacturers such as Apple (Orr, 2018) makes the application of 3D printing particularly relevant.

3D printing has been present in many forms since the invention of stereolithography printing in the 1980s (Evans, 2016), and is continually experiencing rapid growth through technological development and industry collaboration worldwide and within New Zealand (Vialva, 2019; Renishaw, 2017). The recent presence of additive manufacturing was preceded by consumer-level DIY Fused Deposition Modelling (FDM) printers in 2007 (Wong & Hernandez, 2012), and applications within contemporary design and manufacturing is one that continues to drum up interest and has been in use commercially in heavy industry since 2015 (GE Additive, 2018). 3D and 4D printing are predicted to disrupt economies beyond 2020 (Leurent et al., 2018; Basiliere, 2019) attributed to the technology’s ability to “innovate business models, spark product ecosystems, bridge industries and address sustainability” (Da Silva, 2018).

Additive manufacturing has broad opportunities and many potential benefits; in 2020 within the scope of the Covid-19 pandemic it has been applied to rapidly resolve shortages in the medical field (Zarzalejos & Moynihan, 2020) and the World Economic Forum's project Covid Action Platform has specifically highlighted 3D printing as a field to meet urgent needs (WEF, 2020d). In fact the 2020 pandemic has already become an instigator of addressing new fields of manufacture as the pandemic disrupted manufacturing and industrial production in the United States saw "the sharpest declines since the country demobilized after World War Two" (Cronin, 2020) in a report that highlights "3D printing, the internet of things (IoT), advanced robotics, artificial intelligence and big data" as key solutions for manufacturers to address these nascent needs.

3D printing is currently held back by the high cost and a "requirement for high-resolution 3D models and materials" according to Gartner, Inc (Basiliere, 2019) who in an interview with the BBC World Service (2019) also said adoption is "held back by nature of technology, modelling, and the material reliability"; manufacturers are limited by the quantity of printable materials and these qualities are becoming inhibitors to the fourth IR. Citing issues with "calibration and maintenance" the CTO of HP states *time to print* is an issue, and whilst 3D printing has many uses for experimentation it "is not economically viable" (BBC World Service, 2019).

Advances however are likely to make it possible to overcome these issues in the near future through connected devices and IOT which are expected to be "one of the biggest drivers of productivity and growth" in the next decade (WEF, 2018) along with AI and Machine Learning to address that "only a small fraction of data is currently used for decision making" (Leurent et al., 2018). Requirements such as an ability to work with "lots of different materials, especially plastic materials" (Evans, 2016) will be resolved with large companies investing in materials science (Grace, 2017) and specialised machines meeting nascent needs; 3D printing has already experienced revolutions in materials which "plays a fundamental role" (Gu, 2016) and in the quality of the final output (Vialva, 2019)

Industries and businesses have been increasingly aware of the possibilities of additive manufacturing for enabling a new avenue for growth, and this is best represented by the Gartner, Inc. “Hype Cycle” (Gartner, 2020; Basiliere, 2019), which in 2019 recognised additive manufacturing as represented on a “slope of enlightenment” wherein it is expected to have consistent growth year on year fuelling ever expanding adoption.

Customisation of hardware exists currently in mostly dualistic forms one hundred years on from the introduction of the modern supply chain and Henry Ford’s assertion of “Any colour so long as its black” (Henry Ford, 1922); selections of colour within consumer electronics products have since the 90s been considered “radical” ways to enable people to express more of their personality (Givechi & Velasquez in McDonagh et al., 2004), and many early mobiles phones from Nokia embraced this to encourage user personalisation. This has been replicated on and off by manufacturers, but only in 2013 (GSM Arena, 2019) did Apple offer more than two colours for iPhone (Apple, 2019); six years after the first iPhone. Typically this has been a limitation of manufacturing, with production needed in such quantities that it was almost impossible to change. This hasn’t applied to Apple, the world’s most valuable company with a famously streamlined supply chain (Orr, 2018) for a decade.

The next IR will lead to new avenues and new definitions of mass customisation within the production line; (Wang et al., 2017) refer specifically to the move from mass customisation of the Third IR to “mass personalisation” of the Fourth IR, stating that existing production lines “cannot keep up with individual demand and provide personalised services”; new machines and software technologies are highlighted as the key to meeting this demand through the concepts such as the “smart factory” that can enable “customising to suit individual preferences” (Basiliere, 2019).

3D printing offers a novel aesthetic brought about by the “the continuing development of the forms of machinery” (Guy Wilson, 2003), and with it new design philosophies are required to address how to design for mass production and mass personalisation through additive manufacturing.

The opportunity exists for industrial designers to utilise 3D printing in the production of consumer electronics to pursue the new aesthetic of the next IR.

Theme 2

The New Aesthetic

This second theme explores the role that experience design is playing in the development of new products to include more sensory elements.

The sense of touch is explored as a field of underutilised research when it comes to the development of products.

As sensory experiences are emotional an understanding on perspectives of emotion is reviewed in order to derive an approach to applying emotions research.

**The opportunity
exists to understand
the design of emotion
using sensory
feedback within
experience design.**

Figure 5. Macro of 3D print shell interior

2a. Experience Design for Products

“Emotions and feelings are not a luxury; they are a means of communicating our states of mind to others. But they are also a way of guiding our own judgments and decisions. Emotions bring the body into the loop of reason.”

Professor Antonio Damasio (cited in Ng & Hort, 2015)

At the most broad experience design is the process of “people interacting with your product and the experience they receive from that interaction” (Lowden, 2014), this process is an ever more prominent part of all fields of design, not just within HCI, and the concept of crafting a user experience is an interdisciplinary act (Loranger, 2014) that requires new levels of coordination. The WEF identifies a digital revolution being undergone within consumer industries (World Economic Forum, 2016), calling this future of the industry the experience economy, and since the late 1990’s the design of experience has been attributed as a “new kind of economic offering” (Suri, in McDonagh et al., 2004). Within research this emphasis aligns with a trend within design investigating “how design objects may be evaluated positively by users” (Folkman, 2018).

This future of the industry is one with new revenue models “more closely linked to outcomes for individuals and society”, able to promote more socially equitable models of doing business, a point also brought up by the Business Roundtable (Benoit, 2019) with the notion of creating long term value for society in addition to value for shareholders; as part of this it is necessary to understand what the individual might feel when interacting with a product, and as (Schifferstein, 2010) states it is necessary for “sensory messages to be mutually consistent and appropriate for the product conveying them”. With the advent of new additive technologies and processes it will be possible to provide richer and more personalised experiences and it is necessary to understand how to craft these.

Software and UI design have a long history of this application of experience design research and there is inherently a crossover with product design; the goal should, as Schifferstein states, be to gratify the senses “simultaneously in a coherent and harmonious manner”. However Schifferstein (2010) also states that studies suggest the “greater the number of sensory modalities that are stimulated at any one time, the richer people’s experiences will be”.

Where the Third IR was directed towards planned obsolescence with objects that are impersonal and don’t acquire value with age (Ashby & Johnson, 2010, p. 68) for the fourth IR to create a long term value it needs to be recognised that it is the “overarching experience constructed around a product, and its integration into our lives, that enables us to fall in love” (Givechi & Velasquez, in McDonagh et al., 2004); design is now less about “creating artefacts and more about creating a new compelling story for people to experience” (Crossley, in McDonagh et al., 2004).

Companies and brands are utilising bespoke brand experiences (Danziger, 2018) by tailoring a product or a range of products to provide a personal value; these experiences are often relegated to luxury products (Arthur, 2017) due to the high cost of personalising individual items, however as Damasio (as cited in Ng & Hort, 2015) is quoted as saying, “emotions and feelings are not a luxury” and the industry must reckon with the challenge of providing meaningful experiences that can offer an experience and a choice that is not predetermined or dualistic. Product design provides an “opportunity for differential advantage in the marketplace” (Creusen & Schoormans, 2005) and is well understood to be a competitive tool for commercial success as people increasingly look for “products that are sustainable and lovable” to transition from a society driven by consumerism to one respectful of materiality. Ashby & Johnson (2010) state ID has at times “been directed towards creative obsolescence”, but a well designed object can outlive its functional use and “acquire value with age”; and people do not throw away products for which they have emotional attachment.

The act of experience insinuates a sense of exploration and Tuan (1997, p8) says to experience something “requires that one venture forth into the unfamiliar”, the word is the cover-all term for explaining how a person constructs a reality. Suri (in McDonagh et al., 2004) stated that “experiences and emotional responses are dynamic and occur in time and space” but this active response of the experience doesn’t have to be unknown to the designer, who may be able to provide a narrative within this scope for the individual’s journey with the tool of use here being the human senses through which “peoples emotions are triggered” along with knowledge and expectations (Givechi & Velasquez, in McDonagh et al., 2004).

Tactical textures can provide a valuable canvas for this mode of emotional attachment and create a rich experience that a person might elicit many emotions from. Products that are richly detailed and have this sense of textural narrative may be more receptive to acquire value as they age, and through this negate the “Postmodernist” requisite to appear new and uniform; textures might provide a more compelling sensory experience. Every product “can be aesthetically appreciated to some extent” according to Schifferstein (2010), and this interpretation of aesthetic includes a “gratification of the senses”, a reference for describing interactions with products. An experience design that addresses the physiological senses is part of the new machine aesthetic, and this must meaningfully incorporate multisensory perception to achieve a cohesive product design.

2b. Sensing Touch

“The more senses an experience engages, the more effective and memorable”
(Pine & Gilmore, 1998)

The senses this research explores are touch and vision, and the way these senses are intended to be aroused is through the use of physical textures. The goal of this research is to be able to create a process which can enhance the experience of using a product and to provide a guide for designers that aids the customisation of products.

Within existing modalities visual senses are more often used to display a current state and “are the most efficient way to transmit this information accurately” (Ashby & Johnson, 2010., p64) but while there is much consideration of the visual aesthetic of a product there is only now a growing consideration of the tactile aesthetic; a desire to “improve the tactile aesthetics in ‘touch intensive’ consumer products” has driven interest (Skedung et al., 2013) and there is a growing need to recognise the impacts of this action.

(Bolanowski et al., 2004) states “both the touching and touched body part can contribute to the perceptual experience”, drawing a similar association between the acts of touching and of being touched; where within the act of touching something the query of “what’s out there,” prevails, while during passive touch (whereby an individual is touched by an item) the perception is more “that of an internal sensation confined not to the environment but to oneself: riveting, with a sense of immediacy”. In addition to this, (Ackerman et al., 2010) state that hands specifically integrate “exploratory and information processing abilities”, ie the ability to be tools for learning and analysis. This perception presents an opportunity to understand this information-processing in the context of product experience through “Sensory Evaluation” (Science Direct Topics, 2020).

Greenspan & LaMotte (1993) curate a collection of studies into mechanoreceptors of the hand and find a link between a physiological sensation and perception; by collating the research of (Barnes et al., 2004) and (Johansson & Westling, 1991) the different mechanoreceptors of the hand can be described as follows:

The Merkel Cell which constitutes 24% of the hand detect “sensations of texture” and is most densely located at the fingertip provides “detailed spatial information” together with the Ruffini’s ending which constitutes 19% of the hand provides “interpretations of shape” and detects “stretching of the skin”; these two are slow acting and respond to deformation. The Pacinian corpuscle which constitutes 13% of the hand and provides “interpretations of vibration” together with The Meissner’s corpuscle which constitutes 43% of the hand detects “sensations of stroking” is densely located at the fingertip and provides “detailed spatial information”, these two are fast acting.

Yet despite knowing the biological density and distance between these mechanoreceptors, the limits to this physiological perception are still being explored, (Skedung et al., 2013) performed a blind study on 20 participants to understand these limits to conclude that the definitions within human touch “extends to the nanoscale”, while according to (Elkharraz et al., 2013) features that are finer than 100 nanometers can be detected by a moving finger.

Touch is the first human sense to develop (Hammond, 2020) and an understanding of the impact of touch is crucial, as (Pine & Gilmore, 1998) state the impacts of the other senses on a designed object are well known, and the stimulants which accompany an experience should “support and enhance its theme”; noted in (Sharpe et al., 2011) of the senses vision, touch, and smell “physically specified sources of stimulation do not map simply” to physiological sensor receptor mechanisms, and it should not be assumed that there exists a *one-to-one* matching of sensation to affect; Sharpe et al. go on to state that the same mode of “signal profiling” might apply for touch also.

Surfaces are integral mediums for communicating visual and tactile cues that express a design's purpose and identity, making it "easy for people to identify common objects by touch alone", and the great amount of information that is able to be perceived through touch is "helpful during functional product usage" (Schifferstein, 2010). These impressions are important to product assessment as highlighted by Lesot et al. (2010) who emphasise the need for designers to recognise the influence of first impressions and how the product shape itself can be linked "with semantic descriptors". This research however does not go so far as to address the effect of a materials "semantic descriptors", and acknowledge that the haptic experience of interacting with a product "plays a key role in understanding and exploring our local environment" (Sonar et al., 2019) along with visual feedback; ultimately "texture affects our purchasing decisions" (Hammond, 2020)

Appropriate consideration of the senses addresses a consumer need and can aid to find "comfort in our identity" and the interpretation of a sense is likely to hold "a substantial emotional component" (Schifferstein, 2010), further the question of whether a designed product can "fulfill or obstruct our goals" (Desmet, 2012) yields an emotional response as well.

The opportunity exists to use sensory feedback to enhance experience design.

2c. Designing With Emotion

“People tend to suppress that which they cannot express”
(*Tuan, 1977*)

The possibility exists to design with a more emotional and communicative aesthetic than is capable through Postmodernism, therefore it is necessary to explore the potential emotional scope of such a design style.

We react most emotionally towards those products that fulfill or obstruct our goals (Desmet, 2012) and every act of interaction has the possibility of creating an emotional response. This emotion is being increasingly applied to a design context as it has become clear that “not considering these emotions in the design process is a missed opportunity” (Desmet, 2012); research by Perez Mata et al. (2017) already explores the need to identify and target an emotive response from a product, linking this to a person’s “desire to own” a product. The design of emotion within products is increasingly part of the growing set of tools that designers need to understand in order to keep up with market trends as the goal of ID shifts to creating an emotional story and experience, not just an artefact (Crossley, in McDonagh et al., 2004).

Emotions can be seen as “conscious experiences that constitute evaluations of external stimuli” responding to the physical body (Perez Mata et al., 2017), the nature of this means that emotion “tints all human experience” (Tuan, 1977). Emotional range is widely well understood within the “Western stereotypes” (Feldman-Barrett, (2020), as cited in Hammond, 2020) of the popular six “Universal Emotions” by Paul Ekman (Ekman, 1992); those being fear, sadness, anger, happiness, surprise and disgust. More recently Ekman has introduced a further seventh emotion of “contempt” (Ekman, 2020) whilst renaming happiness to “enjoyment” (Ekman, 2020). These seven emotions, or a combination of these, more or less match up with other studies that share the same perspective, however the number of “basic” emotions that are able to be quantified is likely to be a mixture of these and can be better defined with more specific words (Dubois & Adolphs, 2015).

Lisa Feldman-Barrett (2020) (as cited in Hammond, 2020) states “variability is the norm when it comes to emotion” and it is increasingly evident that the brain constructs an experience using “past experience (i.e., memory) to anticipate sensory inputs” (Siegel et al., 2018); further the emotional qualities identified within a product through a sensory experience may include not just basic emotions but “aesthetic emotions” that judge an “intrinsic aesthetic appeal” of an item, “rather than its instrumentality for achieving personal goals” (Schindler et al., 2017).

Additionally the condition that an emotion must be given an English written name or otherwise be able to be translated restricts emotional complexity (Feldman Barrett et al., 2015) and generalised emotion measures “may not capture the full spectrum of emotions” (Schindler et al., 2017). Challenging these theories is research that look into cross-cultural emotions; in the study by Feldman Barrett et al. (2015) two groups of people from the USA and from Namibia were given the same questions with closely translated “Western discrete emotion categories” to choose from, when a series of recordings were played. The results found that across cultures it is possible to identify a “positivity or negativity” of emotion but not “their presumed universal emotion categories”, summarising on an analysis of existing studies that “forced choice is confirmatory oriented, whereas free labeling is discovery oriented”.

This “positivity or negativity” of emotions can be represented as an “emotional state model”; seen as a two dimensional matrix with the axes of pleasure and arousal in Figure 6 (Russell, 1980) or a three dimensional matrix of pleasure (valence), arousal, and dominance (Mehrabian, 1995) seen in Figure 7; these models provide a more abstract scale on which people can identify the relative strength of an emotion, which addresses the issue that “emotions are generally difficult to verbalize” (Schifferstein, 2009).

Perception of emotion is also often assumed to be interpretable from a person’s facial expression alone, although “the way it is currently being done is cheap and efficient and wrong” (Feldman-Barrett as cited in Hammond, 2020); businesses within Machine Learning (Zijderveld, 2019) and technology (Hammond, 2020) still use facial analysis to determine emotions despite the increasing evidence that facial features “when viewed in isolation, might be insufficient for perceiving emotion” without a contextual analysis also (Barrett & Kensinger, 2010). Essentially, it is understood that “Emotions are not built in, they are built” (Barrett, 2018) and this variability needs to be recognised.

The opportunity exists to understand the design of emotion using sensory feedback within experience design.

Figure 6. (Russell, 1980) Circumplex Model of Affect

Figure 7. (Balan et al., 2020) Valence-Arousal-Dominance model

Theme 3

The New Depths

This third theme explores the role that design guidelines play in creating a cohesive vocabulary from which products can be constructed.

Computational design is explored as the contemporary method through which design guidelines are created and utilised and how technological advances have enabled this to be an option.

Texture is explored as the canvas through which computational design guidelines can be applied to create rich experiences for products of the next industrial revolution.

The opportunity exists to generate innovative detailed textures utilising new CAD Technologies that follow more inclusive design guidelines.

Figure 8. Macro of 3D print shell

3a. Contemporary Design Guidelines

“For education, the generation of guidelines for design helps designers obtain design competences faster and to understand the different influential factors of design more accurately. This reduces the reliance on intuition and experience alone. In the area of 3D printing, this could also be beneficial when the consumer is the designer”
(Perez Mata et al., 2017).

Guidelines with design education have long existed as a way to reduce designers’ “reliance on intuition and experience alone” (Perez Mata et al., 2017) most prominently of these started from books the likes of *The Measure of Man* by Henry Dreyfuss (1967) that enabled designers in the automobile and furniture industries a precursory understanding of ergonomic necessities, although it was not until the release of the second edition (Tilley, 1993) that a second gender was properly acknowledged in the book and the book is largely compiled from data on white Americans.

Contemporary guidelines attempt to address these issues through the use of co-design practices; design consultancies such as IDEO and Frog frequently share with the design industry guides for achieving a specific outcome (IDEO, 2015; Frog Design, 2020) often embracing the issues of the social impact of design. Guides within design thinking are reasonably common but the use and application of other design knowledge has been typically harder to share.

Architecture group UNStudio in 2013 attempted to solve the problem of the “open exchange” of knowledge through a Knowledge Network, a platform capable of merging research and practice both within the company and with third parties (Chalcraft, 2013), this action is being enabled by a move “from an old economy to a far more innovative economy” and addresses what (Crossley, in McDonagh et al., 2004) attributes as the new demands required for designers to maintain roles as researchers also.

The benefit of guidelines on product perception is limited in the sense that people may have vastly different personal preferences according to (Creusen & Schoormans, 2005), whomst go on to state that “functional and ergonomic” guidelines are reliable but “aesthetic and symbolic perception” is subjective and creates far more complexity.

These subjective analyses have been addressed by survey methods such as Kansei Engineering, a method utilised by Marta et al. (2017) who state that consideration of a product interactions’ emotional effects allows the designer to pinpoint the relationship between an “aesthetic” quality and the “desirability”. Kansei Engineering can be seen as “translating technology of a consumer’s feeling and image for a product into design elements” (Nagamachi, 1995) in order to propose how consumers might have a selection of products that meet their “desire and preference”, hinting at new production strategies that might be pertinent to mass personalisation, and resolving the issue of how intuition or experience can not be shared (Perez Mata et al., 2017).

In Māori culture, such guidelines pre-exist design and can be recognised through surface carving of āhua whakairo rākau, which uses finely etched texture details to create a clear vocabulary of pattern and shapes, these abstract details form the basis of guidelines for highly complex narratives able to be perceived by the informed viewer, in addition to providing nuanced aesthetic qualities.

These textural elements according to Paama-Pengelly (2010) are employed to enhance the form with a complex surface design, the primary shapes of these being combinations of “linear, curvilinear and spiral elements” used poetically to create a vocabulary varied and complex enough to allow for specific carving regions to develop recognisably distinct variations in the narrative.

Crossley (in McDonagh et al., 2004) highlighted the goal of ID should shift to creating an emotional story and experience, not just an artefact, where the role of a “narrative” within product design offers a new strategy for emotionally driven experiences not just the trends of the moment. Guidelines that are able to not just “minimise discomfort” as does the field of ergonomics but can enable designers to create cohesive narratives for experience-driven product experiences, and also to consider how the use of ambiguous or “mixed signals” may affect evaluations of products. While these mixed signals can be negative van Rompay et al. (2018) also state that “incongruences may also be used as a means to attract attention”, highlighting that throughout emotions studies and design research there is evidence that the “incongruences” may also evoke a positive emotion.

The opportunities available within guidelines today are broad and expansive as inclusive social sciences and statistical analysis enable nuanced understanding of the individual, and how computational methods can enable a far greater variety of designs to be made in a much reduced period of time.

The opportunity exists to create more inclusive design guidelines.

3b. Computational Design

“We shouldn’t expect that the Bauhaus will be re-created for this newer Industrial Revolution the same way it happened before. The nature of the experiences we craft with computation keep changing on a minute-by-minute basis. And even if there were an old-fashioned educational institution out there that could cover 80% of what’s needed today, then by the time it opened its doors, it would only cover 10% of what is needed right now.”

John Maeda (2019)

New tools within design are providing designers more flexibility and the possibility to create more varied and numerous design iterations. Designers such as Ross Lovegrove incorporate parametric elements into products to suggest modes for the creation of more organic forms (Lovegrove, 2016). Lovegrove calls these “new codes of creation” whereby a mathematical foundation for product design can incorporate data and “intelligent aesthetics” into the designers workflow.

This approach is also known as “Computational Design” and is recognised with two others as the primary fields of design, with Computational Design potentially the most disruptive field of design so far created (Maeda, 2019).

Within the field of fashion Julia Koerner (Re-FREAM, 2020) utilises complex and highly customised 3D printed elements on the surface patterns of clothing items as a way to enhance a tactile effect and create a more complex narrative. Koerner's process heavily relies on the flexibility of computational methods in order to achieve these results (Guimapang, 2019) with the processes created for one project being capable of translating to future projects.

The need for variability both in the output and the mode of production of form has been recognised within 3D printing for the ability to "systematically varying 3D textures" to create patterns that range from subtle to more extreme (van Rompay et al., 2017), creating a pipeline of production that has built-in the variability of the machinery itself.

This mode of computational design can address limitations that exist for research, as noted by Elkharraz et al. (2013) some studies have possibly been "hampered by the inability to create surface topographies in which different variables can be independently controlled".

The opportunity exists to utilise new CAD Technologies that follow more inclusive design guidelines.

3c. Texture Pushes Boundaries

*“Touch is both the first sense to develop and a critical means of information acquisition and environmental manipulation”
(Ackerman et al., 2010)*

Modern studies into haptic sensation qualities have precedents from the 1990s within (Hollins et al., 1993) where a selection of natural materials were presented during a user study to understand the differing qualities that could be perceived; however as illustrated by Elkharraz et al. (2013) most precursory research has been performed with tactile elements limited to stimuli “easily purchased or manufactured”, and it is only with the advent of 3D printing that research has had access to a higher definition quality of stimuli. Further, these early experiments rarely address the fact that the “perceptual dimensions of touch” are not set in stone, and did not pursue exploration of affective properties beyond the dimensions of just rough and smooth.

The nuanced influence of texture is more often well understood in the context of the food consumption experience. Within this area the study by Van Rompay et al. (2018) used the context of a 3D printed drinking vessel to conduct a survey enquiring of consumers the taste of a drink sampled from one of two cups: one smoothly- and one sharply-textured. These results indicated evidence of an “embodied cognition framework”, with Van Rompay et al. stating that “abstract meanings are accounted for in terms of concrete bodily interactions”, which is to say that this study suggests associations between what the hand touches and what the mind perceives. This study concludes that sharp and angular features “generate a more forceful impression on our skin” as opposed to smooth and organic form features.

In a preceding article (Van Rompay et al., 2017) a similar analysis within the context of an ice cream shop is studied, and once again it is found that geometries are capable of “influencing taste evaluations by means of surface textures” and can be utilised to enhance food experiences “through the interplay of surface textures”. These studies emphasise that it is necessary for textures to have congruity with a product’s intended application.

This concept whereby physiological sensations have a psychological effect is identified by Piqueras-Fiszman & Spence (2012) as a “sensation transference” that has a meaningful effect on a person’s experience interacting with a product; the qualities perceived by one or more of the five senses have an ability to “bias a consumer’s perception of other product attributes” that might be perceived through a different sense, and in this act “modulate a person’s overall (multisensory) product experience”. This study uses the example of how changing the weight of a bowl can render the contents to be perceived as “more satiating”; this research also expands the scope of food appraisal beyond just understanding the physiological mechanoreceptors at work towards a method of creating a “global experience” inclusive of haptic qualities.

The value in understanding the nuance of sense comes from increased awareness of what emotional reactions a product may evoke, and as Bloch (2011, p. 378) states this might enable designers to control the “sensory properties of the product rather than its functional attributes”; Bloch goes on to highlight that research into consumer product experiences is increasing drawing attention to the field of sensory perception but the understanding of the true value of this field of design research remains “modest” when in comparison to considerations of its relevance to “buyer decision making, brand building, and overall marketing success”.

At the most basic level this may address how a visual appearance can “enhance cognitive value by providing quality cues” regarding the functionality of the product, however any emotional values are likely have a large influence on such assessments.

The thesis by Mothersill (2014) is closely aligned with the intended research area and provides clear evidence for understanding and eliciting emotional responses through a three-dimensional stimulus, however this study differs with the outputs being focused on shape and form and does not explore texture and surface. Mothersill uses the context of a descriptive CAD tool as a way of creating guidelines for a designer to understand the inherent “character” an object may be able to express. The outputs of the (Mothersill, 2014) research showed strong evidence suggesting that there is potential for the emotional affects of an object to be communicated through visual cues. This work offers a strong precedent for research into emotional design of 3D objects but reaches its limitations in that the aspects of touch and texture are beyond the scope of this study.

More closely aligned is work by researchers within Victoria University Wellington School of Design Innovation, the understanding of this research area has been validated through existing research in the university by Ok & Scudder (2016) in this paper the emotive qualities of a series of parametrically designed 3D-printable surfaces were explored in order to understand the associations between changes in the parameters and the affective response. This study presented participants with 3D printed surfaces and the visual and tactile perceptions of the geometry, physicality and emotional affects were analysed with the aim of created a context-oriented surface. The results of this study found some indication of a relationship between geometries and emotional response.

The results of this research inquiry show that there is a strong interest in the emotional possibilities within industrial design and increasingly designers are moving to embrace more diverse and complex experiences, and ones that take into consideration contemporary research best practices to build a growing comprehension of the complexities of the emotional experience.

The opportunity exists to generate innovative detailed textures utilising new CAD Technologies that follow more inclusive design guidelines.

Literature Review Summary

The **next IR** will lead to a new **aesthetic revolution** as the area of **consumer products** adopts **3D printing** in the production line, utilising **experience design** to create diverse **sensory feedback** that enhances the **empathy** of products through an increased understanding of the **design of emotion** made possible with inclusive **design guidelines** that take advantage of new **CAD Technologies** able to generate innovative **detailed textures**.

Surface Theory

Figure 10. 3D print from User Study

Resin Printed Surface

Research Context

Machine Aesthetic Depths

“Whatever infinity of fair form there may be in the maze of the forest, there is a fairer, as I think, in the surface of the quiet lake” (Ruskin, 1849, p77)

A re-emerging presence of emotion within design has aesthetic precedent going back to the 1800s, when responding to a rapid societal industrialisation the Romantic Movement cultivated an artistic language that valued qualities of imagination and emotion “as highly as the previous era had held rationality and the intellect” (Kraus, 2011); this movement has been described as promoting “feeling, rather than thoughts” and this might parallel between the restraint of the minimalist style and depthlessness of postmodernism in contemporary Industrial Design. There is evidence that consumer aesthetic responses are “primarily emotional or feeling responses, and as such they are very personal” (Creusen & Schoormans, 2005) but this subjectivity is almost impossible to pursue when the palette of choices available to consumers is relegated only to one of a few highly curated colours; quoting Jean Baudrillard’s opinions (Duncan, 2015) writes that the emergence of digital technology and of media coincides with the onset of a “kind of emotional ice age”.

Apple, despite its iconic minimalist hardware, has a long history of lavishly utilising textures to decal its software (Carlson, 2014) starting in the early 2000s with the introduction of screens of high enough definition to render images accurately. Motifs like this were often referred to as ‘skeuomorphic’ and there are many recorded encounters with founder Steve Jobs (Gruber, 2011) and former vice president Scott Forstall whom both shared a well known preference for richly detailed designs; Jobs himself claimed that texture made software “more approachable and immediately familiar” (Carlson, 2014). This style received significant criticism from the design community that eventually led to the transition to the flat UI design of iOS7, with reviews of this update addressing that there is “not hardware design and software design. Just design” (Gruber, 2013). This in fact highlights that a dissonance between the hardware design may have been perpetuating such negative perceptions. But while this trend is no longer pursued, there is yet evidence within Apple’s latest announcements in June 2020 (Apple, 2020) that feature a “Neumorphism”, a successor to skeuomorphism that focuses less on how to replicate life-like textures and more on the depth and “how light moves in three-dimensional space” (Koloskus, 2020). More recent software changes in iOS14 as of September 2020 have once again given consumers an ability to highly customise the software of their own devices through software suggesting that Apple is aware of this need and finding ways to embrace personalisation in new ways. In fact, one of those reviewers critiquing skeuomorphism has, in October 2020, mentioned texture as something that is now missing in design. (Gruber, 2020)

Manufacturing has meaningfully been challenged by 3D printing for the first time in 2020 as the Covid-19 Pandemic quickly disrupted globalised supply chains, in response leading to the creation of parts for face masks (UN IOM, 2020) and notably in Italy the printing of medical valves (Zarzalejos & Moynihan, 2020) while the World Economic Forum set up an entire task force to encourage this type of initiative (WEF, 2020). The FabLab valve project is a prescient example of the challenges for existing economies and new approaches to manufacture, as whilst frontline production of this part democratised the process giving frontline staff a meaningful control over the product they used, the design of the valve itself was modeled from an existing product and immediately became the target of a short-lived legal threat (Peters, 2020).

At a small scale this exemplifies the next technological revolution being less a focus of machines and raw materials but of the information and instructions used to create goods and the speed at which parameters in supply chains can be changed. Karl Marx imagined what might be enabled when a “machine is free and lasts forever” (Mason, 2015), and such instructions for additive manufacturing may enable this flexible and rapid manufacturing to be applied to any scenario. The final stage of the third industrial revolution bore technologies allowing infinite supplies of networked information, and proved that a company in the business of generating

data and information can continue to grow on the one condition that it has complete control over that information through legal threats and monopolisation, or if it is actively stealing information from everyone else (Mason, 2015). Maeda(2019) believes the future of design will need to be in the business of creating instructions that are free and “open source”, in order to focus as much on the social good and “helping people” as the need for new streams of revenue.

The approach of monopolisation of the design of technology is emblematic of the postmodern aesthetic, which as a movement has characterised itself as being able to reinvent itself to suit almost any style in order to retain the key element of appearing “new”, however as Industrial Design rapidly changes to embrace new knowledge, processes and opportunities of technological development it’s aesthetic cannot remain the same as was created over half a century ago. Postmodernism seems inseparably connected with unsustainable business practices such as planned obsolescence, and seemingly businesses that follow this style cannot permit any other aesthetic to take hold else they risk losing a regular income. How this translates to contemporary technology devices is that their software remembers too much about us, the hardware remembers too little, and a smashed screen might remain the only evidence that a person was present.

Figure 11. 3D print from Design Experiments I

Surface Theory

Figure 12. Mixed materials printed textures

Design exploration into texture production

Design Experiments I

Exploration in texture

Exploration into readily available production processes was necessary in order to understand a workflow that would be applicable both for future user studies and to understand how 3D forms could be constructed with detailed textural elements.

This is the first of the three stages of design experimentation and builds the foundations for an understanding of the academic literature available, the limitations and options available in software, and how to achieve the best possible textures using a variety of 3D printing methods.

Figure 13. Selection of heightmaps used for experimenting

Research Exploration

This phase of research exploration was primarily exploratory as a means of understanding how the existing literature on emotions research could be applied to a design context.

Research from Mothersill (2014) and Ok & Scudder (2016) was analysed in order to try to find similarities between the research done and the results, however these studies differed significantly in the stimuli used for the studies, with Mothersill (2014) only using “emotive shapes”.

VISUAL Surface	emotional Participant	Fear-Security FS	Surprising-Anticipated SA	Sad-Happy SH	VISUAL Surface
3	1	3	2	3	3
	2	1	2	1	
	3	2	4	3	
	4	2	2	3	
	5	2	2	3	
	6	2	1	4	
	7	2	2	4	
	8	1	2	3	
	9	3	3	2	
	10	2	2	3	
	11	1	2	2	
	12	1	2	2	
8	1	1	1	4	8
	2	2	2	2	
	3	1	2	3	
	4	2	3	2	
	5	1	1	3	
	6	1	1	3	
	7	2	2	3	
	8	5	2	3	
	9	5	4	4	
	10	3	2	4	
	11	1	1	2	
	12	1	2	1	
9	1	3	3	5	9
	2	3	3	5	
	3	5	2	4	
	4	3	3	4	
	5	4	2	4	
	6	5	4	2	
	7	4	4	5	
	8	4	2	4	
	9	3	3	4	
	10	3	3	3	

Fear: 1.8333333

Surprise: 2.1666667

Happy: 2.75

Fear: 2.0833333

Surprise: 1.9166667

Happy: 2.8333333

Fear: 3.8333333

Surprise: 3

Happy: 4.0833333

Figure 14. analysis of results from prior study by Jeongbin Ok

Figure 15. analysis of Mothersill (2014) and (Ok & Scudder, 2016)

Figure 16. Sketches of emotive research shapes

Data from these studies and others was collated into a sketchbook as a way of trying to express these shapes. Within Figure 16 this is done by imagining the shape of each of the individual “units” of the texture and how these could have different primary shapes.

Research was also done into how user studies could be applied, building off existing user studies initially identified in research.

Mock tests of how a Likert based survey could be run were conducted as a way to understand how people interact with textures and in order to identify any of the issues that may come up through the process of a user study.

Figure 17. Mock User Study

Software Exploration

The open source software OpenSCAD was identified as the primary method through which parametric STL files could be generated.

Figure 19 shows a comparison of various programs available for modelling that could be used for this purpose. These were weighted arbitrarily against the research requirements including flexibility, customisation, speed and ability to render an accurate output.

Figure 18. OpenSCAD Scripting environment

Title	Primary Market	modelling	language	procedural modelling	Open / Closed Source	rank
Maya	animation/rendering	polygon	python	no	closed	6
openscad	modelling	csg	C++	y	open	8
calculix	FEM	polygon	C	y		3
Gmsh	FEM	csg	C++	y		4
Blender3D	modelling	polygon	python	y	open	9
Matlab	numerical analysis	2D	matlab	no		5
houdini	animation/rendering	polygon	python	y	closed	9
3dsmax			maxscript	n	closed	7
cinema4d	animation	polygon		y	closed	3
BRL-CAD	modelling	csg	C++	y	open	3
Grasshopper 3D	modelling	polygon	Node	y	closed	6
Rhino	modelling	polygon	python	n	closed	6

Figure 19. software comparison

OpenSCAD is designed as a script-based modelling environment, as such this rendered it particularly reticent for the generation of parametric and procedural forms.

Many iterations of a script to generate textures was programmed and customised in order to be able to create a wide variety of textures from a small number of distinct parameters.

Figure 20 shows the final output of this code development, this script is custom built and offers many unique features including controlling sin wave patterns on the X and Y axis and procedurally iterating the rotation of each element of a texture.

```

1 include <../regular_shapes.scad>;
2 //passed via script - dimensions
3 texWidth = 26; //mm
4 texLength = 26; //mm
5 // [fin,den,roZ,rXY,Skw,heO,amp,wax,way,cSk]
6 val=[70,80,50,2,50,0,35,45,45,100];
7
8 //passed via script - parameters
9 fin = val[0]/6;
10 $fn = fin; //complexity //use 150 for HQ, 20 for testing
11 density = val[1]; //a percentage//100 = 1:1
12 size = 25; //a percentage//100 = 2:1 //UNUSED////////
13 roZ = val[2]; //make this a percentage
14 roTX = val[3]; //make this a percentage
15 skew = val[4];
16 ho = val[5]; //a percentage
17 amp = val[6]; //the amplitude of the shape
18 wavex = val[7]; //make this a percentage//make more abstract?
19 wavey = val[8]; //make this a percentage
20 cSkew = val[9];
21
22 //passed via script - steps
23 rep1 = 0;
24 rep2 = 0;
25
26 // calculations
27 spacingY = 1; //
28 spacingX = 1; //
29 color([.4,.4,.4])
30 texAbstract();
31
32 module texAbstract()
33 {
34     intersection()
35     {
36         union()
37         {
38             for(r1=[0:texWidth-1])
39             {
40                 for(r2=[0:texLength-1])
41                 {
42                     translate([(spacingX)*r1,(spacingY)*r2, 0])
43                     {
44                         scale([(density/50)*(size/50),(density/50)*(size/50),(size/50)])
45                         surpriseAbstract(r1+r2, r1, r2);
46                     }
47                 }
48             }
49         }
50         container();
51     }
52 }
53 module surpriseAbstract (height, r1, r2)
54 {
55     union()
56     {
57         translate([0, 0, (ho/100)])
58         {
59             sinScale = (.5*cos((wavex/2)*r1)+.5*sin((wavey/2)*r2));
60             scale([(sinScale),(.5),
61             1+(ho/25)+(sinScale)*(amp/10)])
62             rotate([roTX, roTX,
63             (rands(0, (roZ*2),1)[0])*height*roZ])
64             scale([1-(.5*(skew/80)), 1, 1+(ho/100)])
65             {
66                 torus(2,1);
67                 scale([(cSkew/100),
68                 (cSkew/100),
69                 (cSkew/100)])
70                 rotate([0, 0, 180])
71                 cylinder(1, 1.5, 1.5, true);
72             }
69         }
70     }
71 }
72
73 module containerLine()
74 {
75     translate([-spacingX/2, -spacingY/2-1, 0])
76     cube([texWidth, 3, 3], center=false);
77 }
78
79 module container()
80 {
81     translate([-spacingX/2, -spacingY/2, 0])
82     cube([texWidth, texWidth, 3], center=false);
83 }
84
85 }

```

Figure 20. OpenSCAD texture code

Figure 21. OpenSCAD-Powershell environment

The use of OpenSCAD also enabled the use of the Windows Powershell automation environment. A separate script was made in Powershell that was able to launch OpenSCAD in the background and pass it parameters to render.

This was necessary as the OpenSCAD scripting language was absent some features that were required, such as changing the values of parameters.

Figure 22. OpenSCAD-Powershell exporting

Additional benefits from using OpenSCAD within a powershell environment meant that the rendering and exporting process (which was otherwise manual and slow) could be automated (Figure 22) to speed up the rendering time and increase the reliability substantially.

Further, being able to customise the parameters outside of the OpenSCAD script enabled complex software transitions to be coded into the program.

Figure 23 shows a version of this script. This code is iterating every individual parameter for each row of a texture; going from a “start texture” to an “end texture”. The resulting output of this texture shows that a unique transition can be created between two distinct patterns through iterating in the median of these parameters. This can be seen imported into Blender in Figure 25.

```

88 $write-host " val is " $val[1] " -> " $fcol[1]
89 $write-host " percentage " ((($Amount[($s-1)]))/$i) "is itTotal but " ((($fcol[1]-$fval[1])/4)) "is 25%"
90
91 IF([Math]::Abs(($Amount[($s-1)]))/$i) -ge ([Math]::Abs($fcol[1]-$fval[1])/4)){
92     $write-host "percentage is over 25 For " $fcol[1]-$fval[1]
93     IF((($Amount[($s-1)])) -lt 0 -and ([Math]::Round($fval[1] + ($Amount[($s-1)]/2), 2) -ge $fcol[1])){if - decrea
94     $script:fval.Item($f1) = [math]::Round($fval[1] + ($Amount[($s-1)]/2), 2)#round to two decimal places
95     }ElseIf((($Amount[($s-1)])) -gt 0 -and ([Math]::Round($fval[1] - ($Amount[($s-1)]/2), 2) -le $fcol[1])){if + increa
96     $script:fval.Item($f1) = [math]::Round($fval[1] - ($Amount[($s-1)]/2), 2)#round to two decimal places
97     }
98 }
99 }ElseIf (($Amount[($s-1)] -lt 0 -and ([Math]::Round($fval[1] + ($Amount[($s-1)]/2), 2) -ge $fcol[1])){if - decrease #if we
100 $script:fval.Item($f1) = [math]::Round($fval[1] + ($Amount[($s-1)]/2), 2)#round to two decimal places
101 }ElseIf (($Amount[($s-1)] -gt 0 -and ([Math]::Round($fval[1] - ($Amount[($s-1)]/2), 2) -le $fcol[1])){if + increase #if we
102 $script:fval.Item($f1) = [math]::Round($fval[1] - ($Amount[($s-1)]/2), 2)#round to two decimal places
103 }Else{otherwise remove this item
104     $script:itlist.RemoveAt($s-1)
105     $script:Amount.RemoveAt($s-1)#remove from list
106     $script:Host.RemoveAt($s-1)#remove from list
107     $script:fval.Item($f1) = $script:fcol.Item($f1) #set the val to the exact val
108     IF ($itlist.Count -le 0){if there is nothing in the list
109         #choose iterations
110     }
111 }
112 }
113 $write-host " ($($i-$startwidth)):" $fval
114 ./opencad -D "texwidth=$startwidth" -D "texlength=$stextlength" -D "rep2=$i" -D "val"=$($fval-join ',') -o miditerator/28-15/$($i)
115 $write-host " fcol " $fcol
116 $script:fval = @($script:fcol)
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
253
```



```

Windows PowerShell
File Edit View Tools Debug Add-ons Help

113 24 144 104 16 40 100 18 8 0 105 6 90 100
114 24 143 6 104 48 40 100 17 2 0 106 8 90 100
115 24 143 2 104 8 40 100 15 6 0 108 90 100
116 24 142 8 105 12 40 100 14 0 109 2 90 100
117 24 142 4 105 44 40 100 12 0 110 4 90 100
118 24 142 105 76 40 100 10 6 0 111 6 90 100
119 24 141 6 106 08 40 100 9 2 0 112 8 90 100
120 24 141 2 106 4 40 100 7 6 0 114 90 100
121 24 140 8 106 72 40 100 6 0 115 2 90 100
122 24 140 4 107 04 40 100 4 4 0 116 4 90 100
123 24 140 107 36 40 100 2 8 0 117 6 90 100
124 24 139 6 107 68 40 100 1 2 0 118 8 90 100
125 24 139 2 108 40 100 0 4 0 120 90 100

5 out of 6 || start: 24 90 8 40 100 60 0 30 30 100 end: 102 130 15 10 40 30 0 0 30 100
Removed "waves" from density rotZ h0 density rotZ h0 waves density rotZ h0 skew waves density rotZ
h0 skew waves fn density rotZ rotX skew h0 skew "J is 7"
Removed "waves" from density rotZ h0 density rotZ h0 density rotZ h0 waves density rotZ h0 skew waves density rotZ h0 skew
waves fn density rotZ rotX skew h0 skew "J is 10"
Removed "waves" from density rotZ h0 density rotZ h0 density rotZ h0 waves density rotZ h0 skew waves density rotZ h0 skew waves
fn density rotZ rotX skew h0 skew "J is 14"
Removed "waves" from density rotZ h0 density rotZ h0 density rotZ h0 density rotZ h0 skew waves density rotZ h0 skew waves fn
density rotZ rotX skew h0 skew "J is 18"
126 24 92 4 8 8 38 8 97 6 57 2 0 30 30 100
127 27 13 93 6 9 2 37 6 95 2 54 4 0 30 30 100
128 30 24 94 8 9 8 36 4 92 8 11 6 0 30 30 100
129 33 36 10 4 35 2 90 4 48 8 0 30 30 100
130 36 48 97 2 11 34 8 48 0 30 30 100
Removed "rotZ" from density rotZ h0 density rotZ h0 density rotZ h0 density rotZ h0 skew waves density rotZ h0 skew fn density
rotZ rotX skew h0 skew "J is 12"
Removed "rotZ" from density rotZ h0 density rotZ h0 density rotZ h0 density rotZ h0 skew waves density rotZ h0 skew fn density rotZ
rotX skew h0 skew "J is 16"
131 39 6 94 4 15 34 85 6 42 4 0 30 30 100
Removed "rotZ" from density rotZ h0 density rotZ h0 density rotZ h0 density rotZ h0 skew waves density rotZ h0 skew fn density rotX
skew h0 skew "J is 20"
Removed "rotZ" from density h0 density h0 density h0 density h0 density h0 density h0 skew waves density rotX skew h0 skew "J is 24"
Removed "rotZ" from density h0 density h0 density h0 density h0 density h0 density h0 skew waves density rotX skew h0 skew "J is 28"
Removed "rotZ" from density h0 density h0 density h0 density h0 density h0 density h0 skew waves density rotX skew h0 skew "J is 32"
132 42 72 99 6 15 32 8 83 2 42 0 30 30 100
133 45 84 100 8 15 31 6 80 8 39 2 0 30 30 100
134 48 96 102 15 30 4 78 4 36 4 0 30 30 100
135 52 08 103 2 15 29 2 76 31 6 0 30 30 100
136 55 2 104 4 15 28 75 6 30 8 0 30 30 100
Removed "h0" from density h0 density h0 density h0 density h0 skew waves density h0 skew waves fn density rotX skew h0 skew "J is 36"
Removed "h0" from density h0 density h0 density h0 density h0 density h0 density h0 skew waves density rotX skew h0 skew "J is 40"
137 58 32 104 8 15 26 8 71 2 0 30 30 100
Removed "h0" from density h0 density h0 density h0 density h0 density h0 density h0 skew waves density rotX skew h0 skew "J is 44"
Removed "h0" from density h0 density h0 density h0 density h0 density h0 density h0 skew waves density rotX skew h0 skew "J is 48"
138 61 44 106 15 25 6 88 8 30 0 30 100
139 64 56 107 2 15 24 6 68 4 30 0 30 30 100
140 67 68 108 4 15 23 7 64 30 0 30 30 100
141 70 8 109 6 15 22 61 6 30 0 30 30 100
142 73 82 110 8 15 20 8 48 2 30 0 30 100
143 77 04 112 15 19 6 56 8 30 0 30 30 100
144 80 16 113 2 15 18 4 38 0 30 0 30 100
145 83 28 114 4 15 17 2 52 30 0 30 30 100
146 86 4 115 6 15 16 49 6 30 0 30 100
147 89 52 116 8 15 14 6 47 2 30 0 30 100
148 92 64 118 15 13 6 44 8 30 0 30 100
149 95 76 119 2 15 12 4 42 4 30 0 30 100
150 98 88 120 4 15 11 2 40 30 0 30 100

PS C:\Users\askey>

```

Figure 24. Powershell Transition Script

Figure 25. Powershell Transition texture in Blender

Figure 26. Experimentation with Heightmapping Textures

Further experimentation was done to see how these exported textures could be manipulated.

Figure 26 was used as an exploration into representing the differences between subtractive manufacturing and additive. The forms on the left have been smoothed to remove any steep angles or hard edges that would not be able to produced with standard manufacturing methods.

The forms in the centre show how this can be pushed to standard manufacturing limits, there are no undercuts in this texture and the sides of the units of the textures are almost vertical but could potentially still be made with traditional manufacturing.

The right-most texture shows the original texture with a steep angle that can only be 3D printed.

Production Exploration

ABS Plastic

Experimentation for this stage of design exploration was primarily done on an Ultimaker FDM printer. This printer was chosen over the alternative UPBOX 3D Printer due to the higher quality of the details and a greater consistency, however this printer was slower to print with.

ABS Plastic and PLA plastic were tested. ABS plastic was chosen for the higher durability and consistency of the material, although it was more prone to lifting off the print bed (Figure 34) and cracking if the temperature changed inside the printer (Figure 31).

Figure 27. Ultimaker Printer bed

Figure 28. Print definitions on Ultimaker

Figure 29. Printer Z-hopping on (left) and off (right)

Figure 30. Scales of texture units

Figure 31. Cracking of texture

Prints from this printer were also susceptible to being printed irregularly, the image on the left in Figure 32 shows that the “units” of the textures are being printed separately to the body of the form, whereas the image to the right shows these unit being “included” as part of the body.

Figure 33. Print in-fill in Cura

Figure 32. Print layers in Cura

Figure 34. Lifting off print bed

Figure 35. Finished print

Resin Plastic

Figure 36. J750 Printer bed

The Stratasys J750 was also tested on as a method of producing stimuli for user studies. This printer was able to print at a very high detail and at a high speed, but had drawbacks in the quality of the prints.

Figure 37. J750 Resin Print with support material

Figure 38. J750 Glossy Print & mattified print

The most successful prints from this printer were made on a Gloss setting which rendered the top facing surface with a glossy sheen.

However this sheen proved difficult to work with and made the textures themselves less obvious. Post processing of prints was later done to coat these prints with a matte finish.

The alternative setting of using the “matte” printer setting was not ideal as in order to create this matte, the printer added a layer of support material to the top, increasing the post production time and decreasing the consistency.

Figure 39. ABS and Glossy resin

Figure 40. ABS and Mattified resin

Materials Comparisons

Figure 41. PLA .25mm ultimaker failure

Figure 42. PLA .25mm ultimaker

Figure 43. PLA White, .25mm

Figure 44. PLA White, .40mm

Figure 47. ABS .25 ultimaker

Figure 48. ABS .4 Ultimaker

Figure 49. ABS, .40mm, upbox

Figure 45. J750, Gloss black

Figure 46. J750, Matte black

FDM and J750 comparisons

Figure 56. ABS FDM (left) and J750 (right) print

In order to determine which method of production would be utilised in the production of stimuli for the user study, a number of texture samples were printed in each material and compared visually in order to determine which method had the highest success rate and highest quality of output.

Ultimately the results of these comparisons showed that the J750 resin printed textures had a far higher quality than either method of FDM, although there was a loss of detail due to the fact that the gloss setting that was chosen for these prints could not cleanly print a mesh with a draft angle.

Figure 57. FDM (left) and J750 (right)

Figure 58. FDM (left) and J750 (right)

Figure 59. Stimuli for user studies being 3D printed

Figure 60. Stimuli for user studies being removed from 3D printer

Surface Theory

Figure 61. 3D print from Design experiments I

Design experiment, exploration into form suitable for displacement mapping

A close-up photograph of two different textured materials. The top material is dark, possibly black, with a complex, irregular pattern of small, raised, and recessed areas, resembling a woven or knitted fabric. A diagonal crease or seam runs across the middle of the image. Below this, a lighter-colored material, possibly white or light grey, is visible, featuring a distinct, regular ribbed or striped texture.

Emotion Study

User Studies

A voluntary user study of 11 participants was undertaken on a series of 39 textures created through the parametric *OpenSCAD* process as described in Design Experiments I. Six emotions and 3 matrix values were tested against for part one, and 30 texture samples were tested for part two of the study.

In order to increase the number of perceptions possible, multiple variations of each of the nine values were created. An 'ideal' texture that was judged to best fit the data, and two "alternate" textures chosen as reasonable interpretations of the same data that were also visually distinctive from any other texture.

Figure 62. Selection of textures used for user study

Survey Review

The matrix below represents the studies reviewed for this research sorted by date into a table of the most relevant and similar research that used either two-dimensional or three-dimensional stimuli. Key deductions from this research were as follows.

The decision to use a “free grouping” or “free sorting” task for the first study found precedent in the 1993 study by (Holliins et al., 1993) which asked participants to sort tactile surface textures into “categories on the basis of perceived similarity”, this research also influenced the later article in 1996 by (Ravishankar Rao & Lohse, 1996) which included the addition of a “rating task” using Likert scales, and more recently the 2015 study by (Liu et al., 2015) which used “free grouping and rating on 9 Likert scales” in order to assess the qualities of the samples, whomst also noted that the inclusion of this task aided in avoiding fatigue in the experiments.

The decision to use likert scales using only adjectives and not statements has precedent in the studies of: Ravishankar Rao & Lohse (1996) who used 9-point likert scales on a series of 12 pairs of opposing adjectives, Elkharraz et al. (2013) used a 7-point scale of “bipolar opposite” adjectives and Ok & Scudder (2016) who used 8-point “bipolar opposite” adjective Likert scales.

The use of 3D printing textural items for participant studies has precedent in Elkharraz et al. (2013) in which the tested model was constructed from a wooden imprint of a 3D printed form, Ok & Scudder (2016) in which an unmodified white SLA 3D print was used directly for testing, and the studies of Van Rompay et al. (2017) and Van Rompay et al. (2018) which both used unmodified white PLA prints from a FDM Ultimaker 2 printer.

Visual Perception of Procedural Textures	Liu, J., Deng, J., Cai, X., Qi, L., & Choulet, M. (2015, June 24). Visual Perception of Procedural Textures: Identifying Perceptual Dimensions and Predicting Generation Models. <i>PLoS ONE</i> . https://doi.org/10.1371/journal.pone.0130395	2015	78	23	procedural texture generation models	20	heightmap images, rendered, printed	visual	Flaming RW, Weibel G, Gegenbauer K. Perceptual qualities and material classes. <i>Journal of vision</i> . 2013;13(19): pii=25447352. Oliva A, Mack ML, Shrivastava M, Peepel A. Identifying the perceptual dimensions of visual complexity of textures. In: <i>Proc. of the IEEE Conference on Computer Vision and Pattern Recognition</i> . 2015. p. 1040-1048.	All subjects had no knowledge of procedural models and were unaware of the purpose of the psychophysical experiments. Ten psychophysical experiments were conducted on 450 samples, including free grouping and rating on 9-point bipolar opposite scales.	perceptual scales for each sample	Sensory perception Vision Texture Psychophysics Cell fusion Color vision	free grouping and likert scale	contrast, repetition, granularity, coarseness, roughness, feature density, directionality, structural complexity, coarseness, regularity, local orientation, and uniformity (if low contrast, non-repetitive, non-granularity, non-random, rough, low feature density, non-directional, low structural complexity, coarse, irregular, non-oriented and nonuniform).
Emotive Qualities of Parametrically Designed and 3D Printed Surfaces	Ok, J., & Scudder, D. (2016, June 22). Emotive qualities of parametrically designed and 3D printed surfaces. <i>Libro de Actas - Systems & Design: Beyond Processes and Thinking (SDP)</i> . SD2016. Systems & Design: Beyond Processes and Thinking. https://doi.org/10.1002/9781119199999.ch20	2016		16	rectangular tiles	30	SLA white plastic	bimodal	KARANA, E., HEIDKERT, P., and KANDACHAR, P. (2008). Mappings of materials through sensorial properties and manufacturing processes. In <i>Materials and Design</i> , Vol. 30, pp. 2778-2784. KARANA, E., HEIDKERT, P., and KANDACHAR, P. (2010). Mappings of materials through sensorial properties and manufacturing processes. In <i>Materials and Design</i> , Vol. 30, pp. 2778-2784.	perception of texture		8-point "bipolar opposite" adjective likert scales	smooth-rough, sharp-blunt, hard-soft, warm-cool, fragile-sturdy, simple-complex, valuable-cheap, natural-synthetic, usual-formal, pleasant-unpleasant, modern-traditional, attractive-unattractive	
"See me, feel me": Effects of 3D-printed surface patterns on beverage evaluation	van Rompay, T. J. L., Finger, F., Saitan, G., & Pankas, A. (2017). "See me, feel me": Effects of 3D-printed surface patterns on beverage evaluation. <i>Food Quality and Preference</i> , 62, 302-310. https://doi.org/10.1016/j.foodqual.2016.12.002	2017	160	2	cupe	30	3D printed PLA FDM Ultimaker 2 / 100um	bimodal	we will address this factor in relation to visualizable surface patterns (i.e., perceived by touch and vision)	H1 An angular, versus rounded, surface pattern results in a more bitter and less sweet taste experience. H2 An angular, versus			"Try the new strong taste." / "high intensity." / "Try the new soft taste." (see intensity). A manipulation check involving 20 participants who rated the bitterness of these product claims at the cups presented, i.e., "This slogan fits the cup", on 5-point rating scales)	
Investigating the influence of product perception and geometric features	Perez Mata, M., Ahmed-Kristensen, Z., Brockhoff, P. B., & Taniguchi, N. (2017). Investigating the influence of product perception and geometric features. <i>Research in Engineering Design</i> , 28(3), 357-376. https://doi.org/10.1007/s00153-015-0244-1	2017		71	11 images	26		visual					Previous research (Schutte and Eklund 2000; Hsiao and Chen 2000; Culbert et al. 2009; Ashwin and Ahmed-Kristensen 2011) has shown that some aesthetic properties influence the perception of products. It is therefore expected to find relationships between perceptions and aesthetic features for vases.	eight categories for terms that describe the perception of products where emotional is one of these categories. The eight categories are: broadly evaluative, formal, representational, aesthetic, behavioural, representational, perceptual and historical.
The Power of Visual Texture in Aesthetic Perception	Liu, J., Lughofer, E., Zeng, X., & Li, Z. (2018). The Power of Visual Texture in Aesthetic Perception: An Exploration of the Predictability of Perceived Aesthetic Emotions. <i>Computational Intelligence and Neuroscience</i> , 2018. https://doi.org/10.1155/2018/1812040	2018	20	151	computer images	20	images	visual	A special tool called Texture Assistant was developed to help to complete the evaluation procedure	aesthetic perception of image			Question 1: which aesthetic adjectives can be used to describe the initial perceptual feeling of the texture at first glance? Question 2: which aesthetic adjectives can reveal the nature of the thing that makes the visual texture itself? Question 3: which aesthetic	
The sweetest punch: Effects of 3D-printed surface textures and graphics design on ice-cream evaluation	Van Rompay, T. J. L., Kijner, L. M., & Saitan, G. (2018). The sweetest punch: Effects of 3D-printed surface textures and graphics design on ice-cream evaluation. <i>Food Quality and Preference</i> , 68, 158-164. https://doi.org/10.1016/j.foodqual.2018.02.018	2018	176	2	cupe	30	3D printed PLA FDM Ultimaker 2 / 100um	bimodal		H1 A sharp, versus smooth, surface texture or poster design results in a lower and less sweet taste experience, and vice versa. H2			7-point statement likert scales	sweetness and sourness, sharp, strong and intense, "I like the taste of the ice-cream." "The ice-cream tasted exactly as I expected" and "I am surprised about the taste of this ice-cream (reverse-coded)". Finally, the overall liking of the product that was measured using four items (based on Hirschman and Solomon's (1984) brand evaluation scale): "I feel positive about this product", "I like this product", "This product pleases me", and "This is attractive

Table 1. Section of survey review matrix

Research methodology

User studies were designed after best practices recognised in literature that also looked into the areas of emotion research or texture research. A matrix of this data was created in order to represent key details from these surveys such as the adjectives used to identify textures and how these words were chosen, the number and types of samples used as well as various other factors, as represented in the table below. A total of 23 different studies were analysed through this process.

The final survey design was chosen to be split into multiple parts. One part of the survey was open ended and multimodal and asked people to instead identify any “groupings” they identified in 30 textures through a “free sorting” methodology. The other part focused on using Likert scales and asked participants to rank first their visual impression and secondly their visual and tactile impression of a series of 9 textures. This design was chosen in order to have one part of the survey closed-ended and confirmatory of hypothesis, and for the other to be up to the participant’s interpretation in order to not restrict their potential emotional interpretations. This method also helps to reduce any potential factor of fatigue that may be experienced as the first part requires a more creative approach and the second a more analytical.

Parameter Selection

For the exploratory study 12 “alternate” textures, two for each of the six emotions were printed, as well as 6 for the 3D matrix, 6 ‘mixed’ emotions which with parameters the mean of two opposing emotions, as well as 6 “familiar” textures: smooth, rough, grid, lines, diamonds, random. For the confirmatory study 6 “ideal” textures each best representing one of six emotions were used, in addition to 3 “ideal” textures representative of the 3D matrix.

Stimuli Part One			Stimuli Part Two	
Alternate “ideal” values	Mixed Mean Values	Familiar	“Ideal” values I	“Ideal” values II
Dominance alternate	Happiness + Surprise	Smooth	Ideal Valence	Ideal Surprise
Dominance alternate 2	Happiness + Fear	Rough	Ideal Arousal	Ideal Sadness
Valence alternate	Fear + Sadness	Random	Ideal Dominance	Ideal Happiness
Valence alternate 2	Disgust + Surprise	Linear		Ideal Fear
Arousal alternate	Disgust + Anger	Grid		Ideal Disgust
Arousal alternate 2	Anger + Sadness	Diamond		Ideal Anger
Surprise alternate				
Surprise alternate 2				
Sadness alternate				
Sadness alternate 2				
Happiness alternate				
Happiness alternate 2				
Fear alternate				
Fear alternate 2				
Disgust alternate				
Disgust alternate 2				
Anger alternate				
Anger alternate 2				

Table 2. List of textures to be printed for the user study

A matrix of relevant studies into emotions and shape or texture was created in order to best understand the data available. Physical and geometric descriptions of the emotional textures and geometries were explored to be applied to the parametric model, due to the limited number of studies in this field few were immediately applicable, however descriptions for the emotion matrix model of valence, dominance, and arousal were more common, while specific emotions were less commonly described. Ultimately specific numerical values for the parameters of textures were determined primarily through analysing existing research by Ok & Scudder (2016) and also by Mothersill (2014), these were then visually assessed in order to find the “best fit” to the descriptions that could be found. When no descriptions were immediately applicable personal interpretations and judgements were made by means of visual comparison and heuristic problem solving.

title	bibliography	Year	fear	anger	calmness	happiness	surprise	disgust	(dominant) pleasant/unpleasant	(dominant) dominant/passive	(Personal) Excitement/Disinterest
Surface touch and haptic-a case study in a new human factors technology	Barnes, C. J., Chish, T. H., C. Henson, B., & Soutar, G. (2004). Surface touch and haptic-a case study in a new human factors technology. <i>Work</i> , 25(1), 149-150. https://doi.org/10.1080/10447310410001631191	2004							positive feelings are generated when a finger runs over a rough grid surface, that is smoother than a ridge for negative feelings are generated by smoother surfaces.		
The influence of the shape of product packaging on the perception of the sensory attributes of food	Poulsen-Pedersen, B., & Jensen, C. (2012). The influence of the shape of product packaging on the perception of the sensory attributes of food. <i>Food Quality and Preference</i> , 25(1), 67-73.	2012									
The form of aesthetic design	Mothersill, P., & Chappell, J. (2014). The form of aesthetic design. <i>Design Theory</i> , 1(1), 1-10.	2014									
Emotive qualities of 3D printed surfaces	Ok, J., & Scudder, G. (2016). Emotive qualities of 3D printed surfaces. <i>Design Research Journal</i> , 20(1), 1-10.	2016									
“See me, feel me”: The influence of 3D printed surface patterns on haptic evaluation	van Rooijen, J. J., & Farkes, A. (2017). “See me, feel me”: The influence of 3D printed surface patterns on haptic evaluation. <i>Food Quality and Preference</i> , 62, 1-10. https://doi.org/10.1016/j.foodqual.2017.03.001	2017							whenever curved forms rather than straight lines are used, consumers (e.g., Becker et al., 2011; Berghs, 1992).	angular forms conveying strength, stability, and power.	
Investigating the influence of product packaging and geometric features	Park, H., & Kim, S. (2017). Investigating the influence of product packaging and geometric features. <i>Engineering Design</i> , 20(1), 1-10.	2017									
The aesthetic quality of 3D printed surface patterns and haptic design on the human evaluation	van Rooijen, J. J., & Farkes, A. (2017). The aesthetic quality of 3D printed surface patterns and haptic design on the human evaluation. <i>Food Quality and Preference</i> , 62, 1-10. https://doi.org/10.1016/j.foodqual.2017.03.001	2017									
A Longitudinal Study on the Perception of 3D Printed Surface Patterns	van Rooijen, J. J., & Farkes, A. (2017). A longitudinal study on the perception of 3D printed surface patterns. <i>Food Quality and Preference</i> , 62, 1-10. https://doi.org/10.1016/j.foodqual.2017.03.001	2017									
The aesthetic quality of 3D printed surface patterns and haptic design on the human evaluation	van Rooijen, J. J., & Farkes, A. (2017). The aesthetic quality of 3D printed surface patterns and haptic design on the human evaluation. <i>Food Quality and Preference</i> , 62, 1-10. https://doi.org/10.1016/j.foodqual.2017.03.001	2017									
A Longitudinal Study on the Perception of 3D Printed Surface Patterns	van Rooijen, J. J., & Farkes, A. (2017). A longitudinal study on the perception of 3D printed surface patterns. <i>Food Quality and Preference</i> , 62, 1-10. https://doi.org/10.1016/j.foodqual.2017.03.001	2017									

Table 4. Section of texture Review Matrix

code	description	Changes to shape at lowest and highest values
fno	Facet Number: resolution of each texture unit	At minimum shape is triangular, at max shape is circular
den	Density: scale of each texture unit	At min small and isolated, at max compressed & overlaps
roz	Z-Rotation: z rotation of the texture unit	At min procedurally rotates, at max randomly rotates
rx	XY Rotation: xy rotation of the texture unit	At min no rotation, at max rotated by 90 degrees
skw	Skew: skew of the texture unit along x axis	At min perfectly uniform, at max stretched lengthwise
heo	Height: minimum height of the texture unit	At min low lying shape, at max tall shape
amp	Amplitude: difference between low and high	At min subtle changes, at max extreme difference
wax	X Wave: wavelength on x axis	At min no wave pattern, at max compressed wave pattern
way	Y Wave: wavelength on y axis	At min no wave pattern, at max compressed wave pattern
csk	Centre Skew: scale of the centre of the shape	At min no centre in shape, at max filled centre in shape

Table 3. Description and effects of each parameter

Stimuli Production

Each texture was rendered in Openscad using a script designed to interpret a series of 10 parameters and then use this data to create a 50mm*50mm square 3D model with a Z height of at least 1mm in the thinnest point. Each texture had 26 rows and 26 columns of “units” of the texture, a scale of 1.92mm*1.92mm for each, this scale was determined to provide the most detail from the printing method and also be dense enough to show a wide range of visual and tactile variance, the final scale can be seen in Figure 63.

The parameters present in all these models are in Table 3.

Figure 63. Scale of texture units

Surface Number	1	2	3	4	5	6	7	8	9
Facet Number	100	100	110	24	70	20	24	40	130
Density	70	100	90	80	80	190	50	80	500
Z Rotation	20	0	40	25	10	2	0	2	0
XY Rotation	1	2	0	12	8	10	8	0	0
Skew	0	50	60	90	50	200	0	75	0
Height	25	10	10	10	0	0	30	4	0
Amplitude	15	15	20	0	35	18	15	65	18
X Wave	35	9	0	0	15	80	1800	0	90
Y Wave	35	0	5	0	45	190	0	4.5	90
Centre Skew	100	92	45	100	100	120	100	100	100

Table 5. Parameters used for the first ten textures

Each texture was 3D printed at a size of 50mm*50mm with a z-height that varied between 2mm and 5mm according to the parameters of the model. These textures were printed in a black-coloured resin based voxel printer, the Stratasys J750, at a resolution of 50 microns, these were then cleaned lightly in order to remove any support material and attached with double-sided tape onto pre-cut black cardboard rectangles of size 50mm*60mm that each had 10mm of space at the bottom for a printed number from 1 to 39, textures were then randomly assigned to a number. Finally the textures were then coated twice with a clear aerosol matte varnish in order to make the textures less reflective and to make the texture easier to see, and in order to make the sample more durable and more easily cleaned, finally two strips of adhesive magnetic tape were attached to the back of each texture.

Figure 64. openscad Render of "Arousal" texture.

Figure 65. Comparing 3D print with and without matte finish

Figure 66. Stimuli used for participatory testing

User Study Setup

This user study was initiated with an ethics application approved by the Victoria University Wellington Human Ethics Committee. The study itself was set up in an open space next to a blank wall and a single desk and chair was placed for the participant to sit in. Two meters in front of the desk was a whiteboard onto which the 30 texture samples for part one of the study were initially placed. Before and after the study participants were asked to wash their hands or to use supplied hand sanitiser that was also left on the table to be used at any time. Before each study the textures were sprayed with an aerosol disinfectant and wiped with a clean antiseptic cloth. At all times during the study the participants were at least one metre away from the researcher.

The 11 participants for the study were asked on the day or on one of the preceding days if they would be interested in participating in the study, and flyers and emails advertising the study were also distributed through Victoria University Wellington.

Figure 67. Typical Study scenario

Figure 68. Luxmeter Levels

Session Num	session 1	session 2	session 3	session 4											
Location	Wig201 Classroom	Wig201 Classroom	Wig201 Classroom	Wig201 Shared Space											
Date	19/03/20	20/03/20	23/03/20	23/03/20											
Time	2:45-5:45	11:10-3:53	9:50-11:45	2:00-5:22											
Lux Average	233.1	217.6	583.5	average											
Duration Total	2:35:00	2:17:00	1:41:00	3:07:00	Total	9:40:00									
Study	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11				
Session	session 1	session 1	session 1	session 2	session 2	session 2	session 3	session 3	session 4	session 4	session 4				
P1 start	2:46:00 PM	3:54:00 PM	4:55:00 PM	11:00:00 AM	11:39:00 AM	2:55:00 PM	9:50:00 AM	10:49:00 AM	2:00:00 PM	3:20:00 PM	3:58:00 PM				
P1 end	3:14:00 PM	4:10:00 PM	5:15:00 PM	11:00:00 AM	12:00:00 PM	3:09:00 PM	10:10:00 AM	11:07:00 AM	2:25:00 PM	3:40:00 PM	4:42:00 PM				
Duration P1	0:28:00	0:16:00	0:20:00	0:16:00	0:21:00	0:14:00	0:20:00	0:18:00	0:25:00	0:20:00	0:44:00	Average: 0:21:27			
P2 start	3:14:00 PM	4:10:00 PM	5:15:00 PM	11:10:00 AM	12:00:00 PM	3:09:00 PM	10:10:00 AM	11:07:00 AM	2:40:00 PM	3:40:00 PM	4:42:00 PM				
P2 end	3:45:00 PM	4:40:00 PM	5:45:00 PM	11:28:00 AM	12:30:00 PM	3:53:00 PM	10:35:00 AM	11:45:00 AM	3:10:00 PM	4:10:00 PM	5:20:00 PM				
Duration P2	0:31:00	0:30:00	0:30:00	0:18:00	0:30:00	0:44:00	0:25:00	0:38:00	0:30:00	0:30:00	0:38:00				
Duration P2 Total	0:59:00	0:46:00	0:50:00	0:28:00	0:51:00	0:58:00	0:45:00	0:56:00	0:55:00	0:50:00	1:22:00	Average: 0:52:44			
Study	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11				
Session	session 1	session 1	session 1	session 2	session 2	session 2	session 3	session 3	session 4	session 4	session 4				
Lux Board	233.0	339.0	339.0	372.0	330.0	330.0	248.0		663.0						
Lux Board	225.0			333.0			294.0		646.0						
Lux Board	269.0				153.0				599.0						
Lux Board	243.0														
Board Average	242.5		339.0	336.0	305.7	330.0	271.0		636.0			Average 351.5			
Lux Table		221.0	228.0	228.0	356.0	225.0	129.0		549.0						
Lux Table		226.0		213.0	353.0	193.0			513.0						
Lux Table		223.0		275.0	130.0										
Lux Table		223.0		276.0											
Table Average	223.3		228.0	248.0	279.7	209.0	164.0		531.0			Average 269.0			
Lux Average	232.9	283.5	282.5	292.0	292.7	269.5	217.5		583.5			310.2			

Table 6. User Survey Metadata

The user studies were undertaken over three days, comprising four sessions set up in two different spaces; the first space was a classroom that was close to a wall of glass windows, and the second space was a shared space that was further away from this wall of glass windows.

Part one of the study required a mean duration of 21 minutes 27 seconds to complete, part two required a mean duration of 31 minutes 16 seconds to complete. Table 6 lists all of the recorded metadata of the study, including the duration, time, date, locations and the light level of the space. The light level in the space was measured intermittently during and after the surveys when possible with a Minolta Luxmeter, this was to be able to gauge if there were any significant changes in the environment during the testing sessions due to the variability of the lighting environment in the locations in being next to a glass wall.

The questionnaire itself was printed landscape in black and white and was presented to the participant along with a consent form to be signed and an information sheet on the study.

Group Name(s): _____		
Surface Number(s)	<div style="display: flex; align-items: center;"> Most Obvious → Least Obvious </div> <div style="border: 1px solid #ccc; height: 30px; margin-top: 5px;"></div>	Comments (optional):
Group Name (s): _____		
Surface Number(s)	<div style="display: flex; align-items: center;"> Most Obvious → Least Obvious </div> <div style="border: 1px solid #ccc; height: 30px; margin-top: 5px;"></div>	Comments (optional):
Group Name (s): _____		
Surface Number(s)	<div style="display: flex; align-items: center;"> Most Obvious → Least Obvious </div> <div style="border: 1px solid #ccc; height: 30px; margin-top: 5px;"></div>	Comments (optional):

Figure 69. Survey format for part one

Surface number: _____	
What Attributes Do You feel when you look at this surface?	
A	Excitement ☐ ☐ ☐ ☐ ☐ ☐ ☐ Disinterest
B	Dominant ☐ ☐ ☐ ☐ ☐ ☐ ☐ Passive
C	Pleasant ☐ ☐ ☐ ☐ ☐ ☐ ☐ Unpleasant
D	Fear ☐ ☐ ☐ ☐ ☐ ☐ ☐ Security
E	Disgust ☐ ☐ ☐ ☐ ☐ ☐ ☐ Comfort
F	Surprise ☐ ☐ ☐ ☐ ☐ ☐ ☐ Anticipation
G	Happiness ☐ ☐ ☐ ☐ ☐ ☐ ☐ Upset
H	Sadness ☐ ☐ ☐ ☐ ☐ ☐ ☐ Bliss
I	Anger ☐ ☐ ☐ ☐ ☐ ☐ ☐ Calm
What characteristics best describe this surface?	
A	Safe ☐ ☐ ☐ ☐ ☐ ☐ ☐ Unclean
B	Approachable ☐ ☐ ☐ ☐ ☐ ☐ ☐ Uncomfortable
C	Fast ☐ ☐ ☐ ☐ ☐ ☐ ☐ Slow
D	Fragile ☐ ☐ ☐ ☐ ☐ ☐ ☐ Robust
E	Electronic ☐ ☐ ☐ ☐ ☐ ☐ ☐ Analogue
F	Futuristic ☐ ☐ ☐ ☐ ☐ ☐ ☐ Familiar
How much do you like this surface?	
A	Strong like ☐ ☐ ☐ ☐ ☐ ☐ ☐ Strong dislike

Figure 70. Survey format for part two

Part One: Exploratory Study

Participants of this survey were presented with a series of 30 textures, ordered in a grid randomly, all adhered magnetically to an otherwise blank whiteboard and asked if they could think of any “emotional” ways they could group these textures; it was made clear by the researcher that not every texture needs to belong to a group, and any texture may belong to more than one group. Participants were free to touch and rearrange these as they liked (Figure 71) but were asked not to pick up any texture from the whiteboard, and also had access to a whiteboard marker if it helped them take note of their process. Results for this part of the survey were recorded by participants on survey sheets that asked for the ranking of textures in a group from most strongly resembling the group to the least emblematic (Figure 74).

Figure 71. Interactions during part one

Figure 72. Assessment of textures for part one

Figure 73. Arrangements of textures after part one

Part One: Grouping

Please indicate how you would group surfaces visually and by touch

There are no right or wrong answers

Guidelines for this assessment: Look, touch, move, but don't pick up

S4

How might you group these surfaces using emotive words?

Please list according to how obvious you think each is in the group. A surface can belong to more than one group.

Group Name(s): TRAPPED, SURROUNDED

Surface Number(s)	Most Obvious	→	Least Obvious	Comments (optional):
	16, 25		17	

Group Name(s): UNEASY, DISORDERED, ITCHY

Surface Number(s)	Most Obvious	→	Least Obvious	Comments (optional):
	37, 18, 14			

Group Name(s): BOUNCY, PLAYFUL, INTRIGUED

Surface Number(s)	Most Obvious	→	Least Obvious	Comments (optional):
	29, 38		33 22 10, 32	

Group Name(s): HARSH, COLD, WET

Surface Number(s)	Most Obvious	→	Least Obvious	Comments (optional):
	30		12 20 21	

More space on the following page

Figure 74. Filled questionnaire for part one

Part Two: Confirmatory Study

Participants of this survey were presented with nine textures one-by-one in a predetermined order. First participants were asked to rate the visual perception of a texture and asked to look at it, but not to touch or move it, they were then asked to fill out a survey sheet that contained a number of adjective-based Likert scales enquiring how strongly they perceived emotional and characteristic based qualities (Figure 77). Once this visual perception test was finished the participants were asked to touch the texture and answer the same Likert questions on a second page for the same texture. This process was repeated for all 9 textures in this stage.

Figure 75. Setup for the visual study

Figure 76. Interactions for the multimodal study

Part Two A: Visual

Please indicate how you feel about the surface visually
There are no right or wrong answers
Guidelines for this assessment: Look, but don't touch

S4

Surface number: 1

What Attributes Do You feel when you look at this surface?

A	Excitement	☐	☒	☐	☐	☐	☐	☐	☐	Disinterest
B	Dominant	☐	☐	☐	☐	☐	☒	☐	☐	Passive
C	Pleasant	☐	☒	☐	☐	☐	☐	☐	☐	Unpleasant
D	Fear	☐	☐	☐	☐	☐	☒	☐	☐	Security
E	Disgust	☐	☐	☐	☐	☐	☒	☐	☐	Comfort
F	Surprise	☐	☒	☐	☐	☐	☐	☐	☐	Anticipation
G	Happiness	☐	☒	☐	☐	☐	☐	☐	☐	Upset
H	Sadness	☐	☐	☐	☐	☐	☐	☒	☐	Bliss
I	Anger	☐	☐	☐	☐	☒	☐	☐	☐	Calm

What characteristics best describe this surface?

A	Safe	☐	☒	☐	☐	☐	☐	☐	Unclean
B	Approachable	☐	☐	☒	☐	☐	☐	☐	Uncomfortable
C	Fast	☐	☐	☐	☐	☐	☒	☐	Slow
D	Fragile	☐	☐	☐	☐	☒	☐	☐	Robust
E	Electronic	☐	☒	☐	☐	☐	☐	☐	Analogue
F	Futuristic	☒	☐	☐	☐	☐	☐	☐	Familiar

How much do you like this surface?

A	Strong like	☐	☒	☐	☐	☐	☐	Strong dislike
---	-------------	-----------------------	----------------------------------	-----------------------	-----------------------	-----------------------	-----------------------	----------------

Figure 77. Filled questionnaire for part Two

Survey Analysis

The data from the 11 user studies was transcribed into Google Sheets spreadsheets in a format that was visually comparable with the ways of the layout of the actual survey. Data was transcribed twice in order to correct any errors made the first time, and at every stage Google Sheets was programmed to error check entered values in order to identify any incompatible data to identify obvious outliers.

aroused	0.543	surprise	1.000	contentment	0.773	sad	0.619	angry	0.684	safe	0.468	comfort	1.000	anxious	0.585	angry	0.645	contentment	0.773
angry	0.524	happy	0.596	joyful	0.594	contentment	0.591	anxious	0.506	basic	0.393	comfortable	0.778	surprise	0.576	scared	0.632	joyful	0.594
uneasy	0.470	unusual	0.575	happy	0.550	joyful	0.516	aroused	0.504	reliable	0.380	pleasant	0.492	aroused	0.503	anxious	0.595	soothing	0.595
indecision	0.461	strange	0.556	human	0.451	indecision	0.502	calm	0.500	human	0.311	relaxing	0.486	uneasy	0.464	surprise	0.576	relaxing	0.500
contentment	0.452	curious	0.548	living	0.448	anxious	0.486	indecision	0.471	stable	0.310	safe	0.472	joyful	0.451	uncomfortable	0.529	uncomfortable	0.452
surprise	0.446	interesting	0.522	unity	0.442	calm	0.481	contentment	0.452	trustworthy	0.297	soothing	0.444	satisfying	0.408	sad	0.526	contentment	0.452
comfortable	0.436	sad	0.518	calm	0.437	unsettling	0.465	scared	0.438	friendly	0.290	contentment	0.444	contentment	0.394	uneasy	0.493	pleasant	0.437
scared	0.428	scared	0.515	sad	0.432	weary	0.462	sad	0.428	comfort	0.286	friendly	0.436	unsettling	0.387	happy	0.460	happy	0.428
anxious	0.414	anxious	0.495	comfort	0.412	uneasy	0.459	uneasy	0.414	dynamic	0.283	uncomfortable	0.434	curious	0.384	curious	0.447	satisfying	0.414
sad	0.404	weird	0.493	surprise	0.405	strange	0.442	loud	0.409	unity	0.282	calm	0.429	weary	0.375	weird	0.437	weird	0.404
peculiar	0.402	scary	0.483	anxious	0.398	nostalgic	0.431	harsh	0.402	captured	0.260	living	0.405	uncomfortable	0.370	strange	0.421	nostalgic	0.402
unsettling	0.395	fun	0.479	fun	0.393	angry	0.426	weary	0.388	surprise	0.259	inviting	0.393	happy	0.370	calm	0.414	weary	0.395
weary	0.392	intriguing	0.479	satisfying	0.393	surprise	0.425	surprise	0.384	defensive	0.255	attractive	0.366	calm	0.365	loud	0.412	surprise	0.392
strange	0.383	inviting	0.461	pleasant	0.366	scared	0.398	uncomfortable	0.383	living	0.251	natural	0.360	unusual	0.360	scary	0.398	strange	0.383
loud	0.368	angry	0.459	natural	0.355	uncomfortable	0.387	joyful	0.356	familiar	0.245	satisfying	0.356	nostalgic	0.352	aroused	0.393	surprise	0.368
harsh	0.350	familiar	0.457	peculiar	0.345	happy	0.379	human	0.350	heavy	0.233	happy	0.354	inviting	0.352	unusual	0.374	pleasant	0.350
curious	0.330	uncomfortable	0.441	strange	0.342	peculiar	0.374	strange	0.349	harsh	0.233	weary	0.348	scared	0.346	harsh	0.359	curious	0.330
jarring	0.319	pleasant	0.439	relaxing	0.330	aroused	0.363	unsettling	0.335	attractive	0.230	precise	0.330	strange	0.343	weary	0.357	naughty	0.319
weird	0.317	unsettling	0.427	playful	0.329	trapped	0.345	unity	0.334	precise	0.220	fun	0.328	familiar	0.334	familiar	0.353	angry	0.317
human	0.311	uneasy	0.421	uneasy	0.315	harsh	0.341	trapped	0.310	scared	0.219	reliable	0.321	loud	0.329	defensive	0.330	strong	0.311
calm	0.311	satisfying	0.409	nostalgic	0.314	scary	0.341	chaotic	0.306	calm	0.218	cramped	0.320	pleasant	0.327	unsettling	0.329	chaotic	0.311
unfriendly	0.301	loud	0.399	aroused	0.313	weird	0.339	peculiar	0.297	comfortable	0.209	basic	0.315	indecision	0.326	unfriendly	0.323	aroused	0.301
nostalgic	0.291	joyful	0.397	scared	0.307	human	0.332	intimidating	0.292	unusual	0.205	joyful	0.312	receptive	0.326	rough	0.314	organic	0.291
scary	0.289	attractive	0.386	curious	0.307	soothing	0.329	scary	0.288	angry	0.204	grippy	0.303	angry	0.314	trapped	0.314	indecision	0.289
intimidating	0.285	calm	0.385	safe	0.307	unusual	0.326	heavy	0.280	strange	0.199	stable	0.300	fun	0.312	itchy	0.310	human	0.285
familiar	0.281	peculiar	0.379	weary	0.305	loud	0.326	curious	0.274	uncomfortable	0.193	familiar	0.300	chaotic	0.306	interesting	0.306	trapped	0.281
joyful	0.272	aroused	0.377	energetic	0.301	jarring	0.321	happy	0.274	anxious	0.191	surprise	0.294	scary	0.306	intimidating	0.305	trapped	0.272
interrupting	0.268	captured	0.361	guiding	0.293	pleasant	0.317	familiar	0.267	uneasy	0.191	anxious	0.289	peculiar	0.306	interrupting	0.295	pleasant	0.268
unusual	0.260	playful	0.359	angry	0.293	familiar	0.316	receptive	0.266	intimidating	0.191	nostalgic	0.287	intriguing	0.304	jarring	0.277	energetic	0.260
trapped	0.239	friendly	0.342	fuzzy	0.291	comfort	0.312	comfort	0.263	trapped	0.182	heavy	0.275	lively	0.296	friendly	0.271	bothered	0.239
satisfying	0.236	nostalgic	0.337	indecision	0.281	unity	0.310	energetic	0.262	scary	0.181	guiding	0.273	jarring	0.286	captured	0.269	intriguing	0.236
receptive	0.233	intimidating	0.330	attractive	0.274	chaotic	0.299	living	0.260	natural	0.176	lively	0.272	heavy	0.285	comfortable	0.269	exfoliating	0.233
chaotic	0.225	jarring	0.330	soothing	0.273	heavy	0.296	unusual	0.253	happy	0.173	playful	0.266	energetic	0.284	safe	0.264	unfriendly	0.225
inviting	0.224	lively	0.325	loud	0.268	curious	0.282	interrupting	0.252	guiding	0.171	harsh	0.261	playful	0.281	heavy	0.261	weary	0.224
playful	0.218	rough	0.320	weird	0.266	playful	0.278	weird	0.252	neutral	0.169	dynamic	0.257	sad	0.281	inviting	0.257	weary	0.218
unity	0.217	safe	0.318	uncomfortable	0.262	living	0.273	prickly	0.246	unfriendly	0.168	trustworthy	0.253	relaxing	0.281	peculiar	0.255	laying	0.217
disorderly	0.214	defensive	0.313	lively	0.261	gritty	0.270	jarring	0.245	curious	0.164	uneasy	0.253	comfort	0.256	fun	0.252	curious	0.214
prickly	0.211	heavy	0.306	inviting	0.260	repetitive	0.268	disorderly	0.243	interesting	0.163	unusual	0.248	weird	0.248	nostalgic	0.246	comfortable	0.211
cramped	0.206	harsh	0.303	trapped	0.259	satisfying	0.257	unfriendly	0.242	inviting	0.162	unity	0.247	fuzzy	0.244	pleasant	0.242	uncomfortable	0.206
itchy	0.203	comfortable	0.299	unusual	0.246	fuzzy	0.249	playful	0.242	peculiar	0.161	human	0.247	guiding	0.243	bumpy	0.238	soothing	0.203
comfort	0.203	relaxing	0.299	scary	0.246	prickly	0.246	soothing	0.240	fuzzy	0.160	peculiar	0.239	rough	0.240	prickly	0.238	happy	0.203
happy	0.202	comfort	0.294	receptive	0.245	relaxing	0.245	repetitive	0.240	layered	0.157	neutral	0.236	precise	0.240	intriguing	0.235	repetitive	0.202
gritty	0.201	weary	0.286	chaotic	0.242	inviting	0.240	natural	0.238	scattered	0.152	organic	0.236	cramped	0.239	chaotic	0.233	unsettling	0.201
repetitive	0.200	chaotic	0.273	communicative	0.238	itchy	0.233	rough	0.235	chaotic	0.145	loud	0.234	interesting	0.237	satisfying	0.232	guiding	0.200
pleasant	0.195	energetic	0.273	trustworthy	0.236	scattered	0.233	scattered	0.233	cohesive	0.143	receptive	0.225	harsh	0.236	cramped	0.232	receptive	0.195
living	0.192	natural	0.267	interesting	0.232	intriguing	0.226	nostalgic	0.219	pleasant	0.140	rough	0.216	bumpy	0.235	receptive	0.229	bothered	0.192
scattered	0.184	trapped	0.259	familiar	0.232	energetic	0.225	inviting	0.218	weird	0.136	sad	0.211	soothing	0.234	living	0.225	satisfying	0.184
defensive	0.183	contentment	0.257	comfortable	0.227	natural	0.224	pleasant	0.215	disorderly	0.133	fuzzy	0.209	interrupting	0.230	disorderly	0.220	disorderly	0.183
rough	0.180	human	0.253	unsettling	0.223	fun	0.221	guiding	0.214	loud	0.132	layered	0.209	unity	0.229	gritty	0.219	angry	0.180
fuzzy	0.180	living	0.252	basic	0.218	captured	0.218	defensive	0.212	unsettling	0.131	trapped	0.198	gritty	0.225	human	0.215	jarring	0.180
captured	0.175	receptive	0.243	friendly	0.218	rough	0.218	lively	0.207	satisfying	0.128	aroused	0.191	human	0.210	soothing	0.214	friendly	0.175
intriguing	0.172	fuzzy	0.236	stable	0.207	lively	0.208	captured	0.207	interrupting	0.127	cohesive	0.189	repetitive	0.207	indecision	0.210	happy	0.172
heavy	0.172	scattered	0.235	captured	0.203	cramped	0.199	safe	0.201	contentment	0.123	strange	0.188	attractive	0.204	attractive	0.210	repetitive	0.172
shifty	0.155	soothing	0.232	scattered	0.201	interrupting	0.191	fun	0.200	fun	0.110	scared	0.186	scattered	0.204	joyful	0.208	naughty	0.155
soothing	0.154	indecision	0.228	organic	0.193	interesting	0.182	itchy	0.196	sad	0.108	energetic	0.184	intimidating	0.202	natural	0.207	crumbly	0.154
scaly	0.154	unity	0.226	harsh	0.186	receptive	0.176	satisfying	0.190	rough	0.107	interesting	0.171	trapped	0.201	energetic	0.206	happy	0.154
natural	0.136	gritty	0.224	dynamic	0.185	bumpy	0.162	gritty	0.186	repetitive	0.107	curious	0.170	itchy	0.201	relaxing	0.199	captured	0.136
neutral	0.135	bouncy	0.222	intriguing	0.182	intimidating	0.162	friendly	0.180	weary	0.105	jarring	0.164	dynamic	0.191	fuzzy	0.192	scattered	0.135
hospitable	0.132	bumpy	0.216	interrupting	0.179	communicative	0.156	communicative	0.180	organic	0.100	communicative	0.163	bouncy	0.191	shifty	0.189	friendly	0.132
interesting	0.127	unfriendly	0.209	rough	0.172	layered	0.156	interesting	0.162	cramped	0.098	bumpy	0.163	captured	0.186	comfort	0.188	intriguing	0.127
fun	0.118	neutral	0.198	precise	0.162	guiding	0.155	relaxing	0.157	relaxing	0.086	unsettling	0.158	defensive	0.185	neutral	0.185	attractive	0.118
uncomfortable	0.115	precise	0.197	repetitive	0.160	safe	0.146	basic	0.156	energetic	0.079	repetitive	0.152	natural	0.183	scattered	0.178	friendly	0.115
attractive	0.115	reliable	0.197	reliable	0.155	comfortable	0.142	fuzzy	0.156	intriguing	0.079	scary	0.149	safe	0.182	playful	0.178	cramped	0.115
unitive	0.113	interrupting	0.193	bouncy	0.139	bouncy	0.140	dynamic	0.154	aroused	0.074	intriguing	0.147	cohesive	0.177	contentment	0.165	unfriendly	0.113
friendly	0.112	cramped	0.190	cohesive	0.135	cohesive	0.126	trustworthy	0.146	communicative	0.066	bouncy	0.146	comfortable	0.175	stable	0.158	pleasant	0.112
cohesive	0.108	dynamic	0.188	neutral	0.134	inhospitable	0.124	cramped	0.140	soothing	0.065	itchy	0.145	prickly	0.168	lively	0.154	interrupting	0.108
energetic	0.106	stable	0.185	bumpy	0.133	unfriendly	0.122	intriguing	0.140	receptive	0.063	weird	0.138	stable	0.166	repetitive	0.148	unfriendly	0.106
lively	0.104	guiding	0.174	heavy	0.130	dynamic	0.110	comfortable	0.139	playful	0.055	gritty	0.135	living	0.165	unity	0.142	satisfying	0.104
guiding	0.102	organic	0.173	prickly	0.126	attractive	0.108	cohesive	0.137	lively	0.051	angry	0.131	communicative	0.149	organic	0.137	pleasant	0.102
basic	0.098	basic	0.173	itchy	0.123	scaly	0.107	precise	0.136	indecision	0.042	captured	0.129	layered	0.129	trustworthy	0.129	cohesive	0.098
bumpy	0.091	prickly	0.170	jarring	0.109	disorderly	0.087	neutral	0.135	shifty	0.039	indecision	0.125	disorderly	0.128	scaly	0.119	dynamic	0.091
organic	0.087	trustworthy	0.169	cramped	0.103	precise	0.087	attractive	0.122	itchy	0.037	defensive	0.124	friendly	0.118				

Exploratory Study Transcription

The first part of the study was transcribed with any identified group names and any comments that added to the group name, with one row of the surface numbers ranked visually from 1 to 20, with 20 being the least obvious. If there was no clear distinction on how the numbers were written down or any clear separation between them, these were all ranked next to each other as they were written. If there was a clear distinction that used whitespace such as one being towards the end of the printed arrow, this was transcribed as the least obvious, or the distance was visually judged on a scale of 1 to 20. The number 20 was chosen to accommodate the largest number of surfaces written in a group of the tests, which was 19.

Figure 79 and Table 7 represent this process transcribing four answers from a questionnaire; in Figure 79 it can be seen that the third group is more spaced out than the second, as such these entries were listed further apart. Comments on this section were excluded if irrelevant and more were added if further notes were taken by the researcher at the time.

Part One: Grouping

Please indicate how you would group surfaces visually and by touch
There are no right or wrong answers
Guidelines for this assessment: Look, touch, move, but don't pick up

S9

How might you group these surfaces using emotive words?

Please list according to how obvious you think each is in the group. A surface can belong to more than one group.

Group Name(s): Interesting / Curious / Peculiar

Surface Number(s)

Most Obvious: 25 10

→

Least Obvious

Comments (optional):
I like them

Group Name(s): Natural / Organic / Familiar

Surface Number(s)

Most Obvious: 32 30 12

→

Least Obvious

Comments (optional):

Group Name(s): Uniform / Comfortable but different

Surface Number(s)

Most Obvious: 11 21 22 35

→

Least Obvious

Comments (optional):
aesthetically they look familiar but feel unlike normal texture.

Group Name(s): Safe / calm

Surface Number(s)

Most Obvious: 38 27 29 23 31

→

Least Obvious

Comments (optional):

More space on the following page

Figure 79. Questionnaire 9 part one

Part One		How might you group these surfaces using emotive words?																																							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																				
1	Group Names	interesting		curious		peculiar																		Rank No.	2	3															
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
2	Group Names			25		10																		25		10															
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
3	Group Names	natural		organic		familiar																		Rank No.		4	5	6													
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
4	Group Names	uniform		comfortable																				Rank No.		1	2	5	9												
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
5	Group Names	11		21				22				35												Rank No.		3	5	7	9	12											
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
6	Group Names	safe		calm																				Rank No.		3	5	7	9	12											
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
7	Group Names			38				27				29				23				31				Rank No.		38	27	29	23	31											
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
8	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
9	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
10	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
11	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
12	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
13	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
14	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
15	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
16	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
17	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
18	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
19	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
20	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
21	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
22	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
23	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
24	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
25	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
26	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
27	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
28	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
29	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
30	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
31	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
32	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
33	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
34	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
35	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
36	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
37	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
38	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
39	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
40	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
41	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
42	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
43	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
44	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
45	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
46	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
47	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
48	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
49	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
50	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
51	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
52	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
53	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
54	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
55	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
56	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
57	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
58	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
59	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
60	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
61	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
62	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
63	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
64	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
65	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
66	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
67	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
68	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
69	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
70	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
71	Group Names																																								
	Comments																																								
	SurfaceNumbers	Most Obvious																				Least Obvious																			
72	Group Names																																								
	Comments																																								

Data Validation

During transcription the rankings of surfaces were automatically extracted in order for each set of group names to have an easy to understand list of each associated surface. This can be seen in the right most columns of Table 7 where the number of a surface has been given a numerical value to determine its “strength”. In some cases the description used for a group by a participant was not clear or not judged to be “emotional” enough, as such these were either excluded or changed to a more appropriate and justifiably similar synonym. If at any point one of the sheets had multiple surfaces listed in one group the first rank for the surface was chosen and the second was ignored.

Once all of the data from the surveys was transcribed (and re-transcribed) this data was then collated into a second spreadsheet that referenced the first. At no point was this data from this point edited or copy and pasted, only cell references to the original spreadsheet were used once the data was transcribed.

In Table 8 it can be seen that all the group names used within a study are combined into a single cell in order to create a word cloud of the data; this data is then combined into a single cell at the top of the page with all of the words and a count for the number of words in total. Not shown under this section is the rest of the survey data which is also combined into an easily usable matrix.

		Word Count:	119	Unique Word Count:	101	Duplicate Words:	18
Combined Word Cloud	grabby, unfriendly, defensive, receptive, communicative, guiding, pleasant, inviting, friendly, creatures, alive, dynamic, scales, hills, bumps, basic, grid, scattered, stacked, precise, formation, chaotic, Vibey, energetic, chill, Heavy, loud, Joyful, familiar, nostalgic, neutral, Scared, trapped, surrounded, uneasy, disorderly, itchy, bouncy, playful, intrigued, harsh, cold, weary, illusive, giddy, prickly, human, uncomfortable, rough, gritty, relaxing, calm, weird, soothing, satisfying, unsettling, surprising, jarring, order, harsh, comfort, calm, surprise, uneasy, reliable, fun, happy, aroused, content, neutral, sad, anxious, calm, angry, calm, surprise, indecision, invitation, interesting, curious, peculiar, natural, organic, familiar, uniform, comfortable, safe, calm, different, uncomfortable, scary, peculiar, strange, intriguing, surprising, intimidating, strange, unusual, intimidating, nonslip, interrupting, exfoliating, uncomfortable, cramped, wavy, fuzzy, attractive, visual, rectilinear, continuous, trustworthy, crumbly, slippery, comfortable, calm, happy, anger, sadness, surprised						
Word cloud	Word cloud	Word cloud	Word cloud	Word cloud	Word cloud	Word cloud	Word cloud
grabby, unfriendly, defensive, receptive, communicative, guiding, pleasant, inviting, friendly, creatures, alive, dynamic	scales, hills, bumps, basic, grid, scattered, stacked, precise, formation	chaotic, Vibey, energetic, chill, Heavy, loud, Joyful, familiar, nostalgic, neutral, Scared	trapped, surrounded, uneasy, disorderly, itchy, bouncy, playful, intrigued, harsh, cold, weary, illusive, giddy, prickly, human, uncomfortable	rough, gritty, relaxing, calm, weird, soothing, satisfying, unsettling, surprising, jarring, order	harsh, comfort, calm, surprise, uneasy, reliable	fun, happy, aroused, content, neutral, sad, anxious, calm, angry	
Part One		How might you group these surfaces using emotive words?					
Study1	Study2	Study3	Study4	Study5	Study6	Study7	

Table 8. Word clouds from part one

All data analysis was done within Google sheets using spreadsheet formulas and Google Query Language, these tools were chosen for the flexibility that the query language offered for running complex data queries; data was referenced from one sheet to another, and one document to another using only cell references and never copying-and-pasting, as such if the data needed to be edit at any point only the first entry of it needed to be edited and every reference to it would be automatically updated.

Preliminary Analysis

Part one of the study was the free grouping part in which participants were able to use any word or descriptor necessary to express their perceptions of a surface, as such this required an approach for qualitative data analysis.

This data was analysed by extracting all of the group names and ranked surfaces from every study into a single spreadsheet, for each study a word cloud was made of the participants groups and finally a combined word cloud of every single word that was used throughout the study.

Using this data a second spreadsheet was made that would query search all of the user studies that corresponded with each surface number; spreadsheet cells were made for each of the 30 surfaces studied with space for an image of them, a table of the parameters used to construct it, and space for the up to 26 descriptors that any participant identified.

In Table 9 it is shown how these descriptors were entered into a single column listed as they were found within the data, these values are conditional formatted using a strength percentage of that word calculated from how the texture was ranked in the participants' groups of that description; the original numerical rank value is seen to the right of this strength. Additionally the parameters used in order to create the surface are written below an image and the filename of the texture. Descriptions were also colour-coded using conditional formatting to highlight any cross-over with adjectives used in part two of the study.

Legend			
"Description" is all words used to describe surface			
Yellow/Green % is relative strength of the quality			
Light-Blue is an emotive quality tested for		Excitement, Dominant, Pleasant, Fear, Disgust, Surprise, Happiness, Sadness, Anger	

Surface: 10		VISUAL & TOUCH
Description	Strength	Val	
	interesting	90.00%	3.0	
	curious	90.00%	3.0	
	peculiar	90.00%	3.0	
	hills	95.00%	2.0	
	relaxing	100.00%	1.0	
	calm	100.00%	1.0	
	happy	100.00%	1.0	
	Heavy	85.00%	4.0	
	loud	85.00%	4.0	
	bouncy	20.00%	17.0	
	playful	20.00%	17.0	
	"Happiness Alt 2"	intrigued	20.00%	17.0
		comfort	90.00%	3.0
		calm	90.00%	3.0
Parameter	value	anger	35.00%	14.0
Facet Number	100	invitation	100.00%	1.0
Density	50	surprised	95.00%	2.0
Z Rotation	0	wavy	90.00%	3.0
XY Rotation	0	fuzzy	90.00%	3.0
Skew	0	calm	90.00%	3.0
Height	45	attractive	90.00%	3.0
Amplitude	22	visual	90.00%	3.0
X Wave	65			
Y Wave	65			
Centre Skew	100			

Surface: 11		VISUAL & TOUCH
Description	Strength	Val	
	calm	95.00%	2.0	
	uniform	100.00%	1.0	
	comfortable	100.00%	1.0	
	neutral	90.00%	3.0	
	nonslip	80.00%	5.0	
	interrupting	80.00%	5.0	
	grid	90.00%	3.0	
	nostalgic	90.00%	3.0	
	prickly	35.00%	14.0	
	human	35.00%	14.0	
	uncomfortable	35.00%	14.0	
	"Arousal Alt"	reliable	95.00%	2.0
		order	95.00%	2.0
	Parameter	value		
Facet Number	40			
Density	50			
Z Rotation	0			
XY Rotation	0			
Skew	15			
Height	4			
Amplitude	65			
X Wave	0			
Y Wave	4.5			
Centre Skew	100			

Surface: 13		VISUAL & TOUCH
Description	Strength	Val	
	scales	80.00%	5.0	
	fun	90.00%	3.0	
	happy	90.00%	3.0	
	Vibey	65.00%	8.0	
	energetic	65.00%	8.0	
	chill	65.00%	8.0	
	aroused	100.00%	1.0	
	strange	40.00%	13.0	
	unusual	40.00%	13.0	
	indecision	95.00%	2.0	
	intimidating	60.00%	9.0	
	"Fear-Sadness Synthesis"	anger	60.00%	9.0
		illusive	85.00%	4.0
		giddy	85.00%	4.0
Parameter	value	jarring	85.00%	4.0
Facet Number	62	uncomfortable	25.00%	16.0
Density	90	scary	25.00%	16.0
Z Rotation	12.5			
XY Rotation	7			
Skew	70			
Height	10			
Amplitude	7.5			
X Wave	4.5			
Y Wave	0			
Centre Skew	96			

Surface: 14		VISUAL & TOUCH
Description	Strength	Val	
	grabby	85.00%	4.0	
	unfriendly	85.00%	4.0	
	defensive	85.00%	4.0	
	scales	95.00%	2.0	
	fun	95.00%	2.0	
	happy	95.00%	2.0	
	intimidating	85.00%	4.0	
	Vibey	90.00%	3.0	
	energetic	90.00%	3.0	
	chill	90.00%	3.0	
	uneasy	85.00%	4.0	
	disorderly	85.00%	4.0	
	itchy	85.00%	4.0	
	aroused	95.00%	2.0	
Parameter	value	surprise	50.00%	11.0
Facet Number	90	strange	80.00%	5.0
Density	85	unusual	80.00%	5.0
Z Rotation	25	intimidating	50.00%	11.0
XY Rotation	4	anger	90.00%	3.0
Skew	55	Joyful	95.00%	2.0
Height	5	unsettling	100.00%	1.0
Amplitude	27.5	surprising	100.00%	1.0
X Wave	7.5	uneasy	85.00%	4.0
Y Wave	25	uncomfortable	55.00%	10.0
Centre Skew	72.5	scary	55.00%	10.0

Table 9. Data references for part one

This process was repeated for all 30 different surfaces until the spreadsheet contained all of the relevant data pertaining to a surface. Surprisingly the smallest number of written descriptions that were given for a surfaces was 10, and no surface was left out on groupings.

Confirmatory Study Transcription

For the transcription of part two a spreadsheet was constructed in a format visually comparable to the questions asked; and for transcription a tick mark was placed next to each corresponding rank as was filled out on the questionnaire.

Figure 80 represents how this information was filled in on a questionnaire sheet, and Table 10 represents how the same data was represented in the spreadsheet.

Part Two A: Visual

Please indicate how you feel about the surface visually. There are no right or wrong answers. Guidelines for this assessment: look, but don't touch.

Surface number: 1

What Attributes Do You feel when you look at this surface?

A	Excitement	☒	☐	☐	☐	☐	☐	☐	Disinterest
B	Dominant	☐	☒	☐	☐	☐	☐	☐	Passive
C	Pleasant	☐	☐	☒	☐	☐	☐	☐	Unpleasant
D	Fear	☐	☐	☐	☒	☐	☐	☐	Security
E	Disgust	☐	☐	☐	☐	☒	☐	☐	Comfort
F	Surprise	☐	☐	☐	☐	☐	☒	☐	Anticipation
G	Happiness	☐	☐	☐	☐	☐	☐	☒	Upset
H	Sadness	☐	☐	☐	☐	☐	☐	☒	Bliss
I	Anger	☐	☐	☐	☐	☐	☐	☒	Calm

What characteristics best describe this surface?

A	Safe	☒	☐	☐	☐	☐	☐	Unclean
B	Approachable	☐	☒	☐	☐	☐	☐	Uncomfortable
C	Fast	☐	☐	☒	☐	☐	☐	Slow
D	Fragile	☐	☐	☐	☒	☐	☐	Robust
E	Electronic	☐	☐	☐	☐	☒	☐	Analogue
F	Futuristic	☐	☐	☐	☐	☐	☒	Familiar

How much do you like this surface?

A Strong like ☒ ☐ ☐ ☐ ☐ ☐ Strong dislike

Part Two B: Visual & Touch

Please indicate how you feel about the surface visually and by touch. There are no right or wrong answers. Guidelines for this assessment: look, touch, move, but don't pick up.

Surface number: 1

What Attributes Do You feel when you look at this surface?

A	Excitement	☒	☐	☐	☐	☐	☐	☐	Disinterest
B	Dominant	☐	☒	☐	☐	☐	☐	☐	Passive
C	Pleasant	☐	☐	☒	☐	☐	☐	☐	Unpleasant
D	Fear	☐	☐	☐	☒	☐	☐	☐	Security
E	Disgust	☐	☐	☐	☐	☒	☐	☐	Comfort
F	Surprise	☐	☐	☐	☐	☐	☒	☐	Anticipation
G	Happiness	☐	☐	☐	☐	☐	☐	☒	Upset
H	Sadness	☐	☐	☐	☐	☐	☐	☒	Bliss
I	Anger	☐	☐	☐	☐	☐	☐	☒	Calm

What characteristics best describe this surface?

A	Safe	☒	☐	☐	☐	☐	☐	Unclean
B	Approachable	☐	☒	☐	☐	☐	☐	Uncomfortable
C	Fast	☐	☐	☒	☐	☐	☐	Slow
D	Fragile	☐	☐	☐	☒	☐	☐	Robust
E	Electronic	☐	☐	☐	☐	☒	☐	Analogue
F	Futuristic	☐	☐	☐	☐	☐	☒	Familiar

How much do you like this surface?

A Strong like ☒ ☐ ☐ ☐ ☐ ☐ Strong dislike

Figure 80. questionnaire 1 part two

Part Two A								Part Two B								VISUAL								VISUAL & TOUCH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Visual								Visual and Touch								value				%				result				value				%				result				change																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Surface 1																1				2				3				4				5				6				7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Excitement		✓						Disinterest		✓						Disinterest	2	67%	Excitement	2	67%	Excitement	 	

Table 10. Transcribed questionnaire 1 part two

Data Validation

This spreadsheet was designed to have necessary values for strengths as represented in the Likert scales to be present, and for all the adjectives to be visible as they were present on the survey.

This was made in order for the numerical value of each rank to be automatically calculated as the values were entered; on the right-most side of Table 10 it can be seen that a percentage is visible that shows the relative strength of the value recorded. The result was rated from one to four for each of the two bipolar opposite adjectives, such that if an adjective had a Likert scale of two it was rated as 67% excitement and the value for the bipolar opposite adjective (in this case disinterest) was given no value. If the Likert scale were to be rated at six it would be rated as 67% disinterest. If there was a neutral ranking on the Likert scale the word “neutral” was pasted in the cell in lieu of an adjective.

The numerical difference between the values for both the visual parts and the visual and touch parts was also calculated automatically during the transcription. If at any point a participant did not write down a value on the sheet the neutral value of four was entered and a note made on the transcription page. There were no parts of the questionnaire sheets that had multiple boxes ticked.

Once all of the data from the surveys was transcribed (and re-transcribed) this data was then only referenced using google spreadsheet formulas, at no point was data from this point edited outside of this spreadsheet or copy and pasted, only cell references were used once the data was transcribed.

Preliminary Analysis

Part two of the study was the Likert scale testing in which participants were asked to describe a surface presented to them using one of the adjectives predetermined by the researchers, as such this required an approach for quantitative data analysis.

This data was analysed by extracting all of the relative strengths of each of the 16 Likert scales written on the questionnaire sheet. A second spreadsheet was made to query search all of the user studies that corresponded to each of the 9 surfaces in this section; spreadsheet cells were made, as shown in Table 11, for these surfaces with space for an image, a table of the parameters, and separate tables for the identified descriptions for both the visual test and the multimodal test; which included both the most strongly identified value for each pair of adjectives and the percentage weighting of this value and the differences that occurred between the two tests.

Conditional formatting was also used to represent the strengths of the values identified, in addition to highlighting any crossover with the hypothesised emotive response of a texture, which was coloured in a dark blue colour if this was listed as one of the identified values.

This process was repeated for all 9 different surfaces until the spreadsheet contained the all of the relevant data pertaining to a surface in this part of the study.

All Studies Averaged																	Legend						
VISUAL						VISUAL & TOUCH						Visual					Visual & Touch						
Surface 1			Surface 1			Change			Hypothesis			rank			Hypothesis			rank					
Result	Strength	AVG	Result	Strength	AVG	Change	Hypothesis	rank	Hypothesis	rank	Parameter	value	Facet Number	Density	Z Rotation	XY Rotation	Skew	Height	Amplitude	X Wave	Y Wave	Centre Skew	
Excitement	33.3%	3.0	Excitement	36.4%	2.9	0.09		2		1													
Passive	30.3%	4.9	Passive	27.3%	4.8	0.09		3		3													
Pleasant	42.4%	2.7	Pleasant	33.3%	3.0	-0.27		1		2													
Security	21.2%	4.6	Security	12.1%	4.4	0.27		2.5		4													
Comfort	42.4%	5.3	Comfort	45.5%	5.4	-0.09		1		1													
Surprise	9.1%	3.7	Surprise	12.1%	3.6	0.09		6		3													
Happiness	21.2%	3.4	Happiness	3.0%	3.9	-0.55	Happiness	4		5.5													
Bliss	12.1%	4.4	Sadness	3.0%	3.9	0.45		5		5.5													
Calm	21.2%	4.6	Calm	36.4%	5.1	-0.45		2.5		2													
Safe	9.1%	3.7	Safe	9.1%	3.7			1		5													
Approachable	15.2%	3.5	Approachable	18.2%	3.5	0.09		3		3													
Slow	15.2%	4.5	Slow	30.3%	4.9	-0.45		2		1													
Robust	21.2%	4.6	Robust	24.2%	4.7	-0.09		4		2													
Electronic	30.3%	3.1	Electronic	9.1%	3.7	-0.64		5		5													
Futuristic	36.4%	2.9	Futuristic	9.1%	3.7	-0.82		6		5													
Strong Like	33.3%	3.0	Strong Like	30.3%	3.1	-0.09																	
Surface 2						Surface 2						Visual					Visual & Touch						
Excitement	3.0%	3.9	Disinterest	6.1%	4.2	-0.27		3		3													
Passive	12.1%	4.4	Passive	21.2%	4.6	-0.27		1		1													
Unpleasant	6.1%	4.2	Pleasant	9.1%	3.7	0.45		2		2													
Fear	9.1%	3.7	Security	6.1%	4.2	-0.45		2		5													
Comfort	6.1%	4.2	Comfort	12.1%	4.4	-0.18		3.5		4													
Anticipation	30.3%	4.9	Anticipation	18.2%	4.5	0.36		1		1.5													
Upset	3.0%	4.1	Happiness	3.0%	3.9	0.18		5		6													
Bliss	6.1%	4.2	Bliss	18.2%	4.5	-0.36	Sadness	3.5		1.5													
Anger/Calm	4.0	4.0	Calm	15.2%	4.5	-0.45		4		3													
Safe	6.1%	3.8	Unclean	12.1%	4.4	-0.55		3.5		3.5													
Uncomfortable	18.2%	4.5	Approachable	9.1%	3.7	0.82		2		5													
Fast	51.5%	2.5	Fast	12.1%	3.6	-1.18		1		2													
Robust	6.1%	4.2	Robust	15.2%	4.5	-0.27		3.5		1													
Electronic	3.0%	3.9	Analogue	3.0%	4.1	-0.18		5.5		6													
Familiar	3.0%	4.1	Familiar	12.1%	4.4	-0.27		5.5		3.5													
Strong Dislike	15.2%	4.5	Strong Like	6.1%	3.8	0.64																	
Surface 3						Surface 3						Visual					Visual & Touch						
Excitement	57.6%	2.3	Excitement	18.2%	3.5	-1.18		1		3													
Dominant	39.4%	2.8	Dominant	30.3%	3.1	-0.27		2		1													
Unpleasant	30.3%	4.9	Unpleasant	18.2%	4.5	0.36		3		2													
Fear	24.2%	3.3	Fear	18.2%	3.5	-0.18		5.5		2													
Disgust	3.0%	3.9	Disgust	6.1%	3.8	0.09	Disgust	5.5		4													
Surprise	3.0%	3.9	Surprise	12.1%	3.6	0.27		5.5		3													
Happiness	9.1%	3.7	Upset	18.2%	4.5	-0.82		3		1													
Sadness	6.1%	3.8	Sadness/Bliss	4.0	4.0	-0.18		4		5													
Anger	15.2%	3.5	Calm	3.0%	4.1	-0.55		2		5													
Unclean	57.6%	5.7	Unclean	54.5%	5.6	0.09		1		1													
Uncomfortable	36.4%	5.1	Uncomfortable	30.3%	4.9	0.18		3		2													
Fast/Slow	4.0	4.0	Slow	9.1%	4.3	-0.27		5		5													
Robust	3.0%	4.1	Robust	3.0%	4.1			6		6													
Analogue	42.4%	5.3	Analogue	24.2%	4.7	0.55		2		3													
Futuristic/Familiar	4.0	4.0	Familiar	12.1%	4.4	-0.36		4		4													
Strong Like	27.3%	3.2	Strong Dislike	9.1%	4.3	-1.09																	
Surface 4						Surface 4						Visual					Visual & Touch						
Excitement	72.7%	1.8	Excitement	42.4%	2.7	-0.91		1		1													
Dominant	36.4%	2.9	Dominant	30.3%	3.1	-0.18		2		2													
Unpleasant	15.2%	4.5	Unpleasant	12.1%	4.4	0.09		3		3													
Fear	27.3%	3.2	Fear	3.0%	3.9	-0.73	Fear	1		5													
Disgust	21.2%	3.4	Disgust/Comfort	4.0	4.0	-0.64		2		1													
Surprise/Anticipation	4.0	4.0	Surprise	33.3%	3.0	1.00		2		4													
Upset	9.1%	4.3	Happiness	6.1%	3.8	0.45		5		1													
Bliss	15.2%	4.5	Bliss	9.1%	4.3	0.18		4		3													
Anger	15.2%	3.5	Anger	18.2%	3.5	0.09		3		2													
Unclean	21.2%	4.6	Unclean	36.4%	5.1	-0.45		3		2													
Uncomfortable	15.2%	4.5	Uncomfortable	42.4%	5.3	-0.82		5		1													
Fast	36.4%	2.9	Fast	21.2%	3.4	-0.45		1		4													
Robust	24.2%	4.7	Robust	9.1%	4.3	0.45		2		5													
Analogue	9.1%	4.3	Electronic/Analogue	4.0	4.0	0.27		6		5.5													
Futuristic	15.2%	3.5	Futuristic	24.2%	3.3	0.27		1		1													
Strong Like	30.3%	3.1	Strong Like	30.3%	3.1																		
Surface 5						Surface 5						Visual					Visual & Touch						
Excitement	69.7%	1.9	Excitement	57.6%	2.3	-0.36		1		1													
Dominant	45.5%	2.6	Dominant	24.2%	3.3	-0.64		2		2													
Pleasant	24.2%	3.3	Pleasant	9.1%	3.7	-0.45		3		3													
Fear	18.2%	3.5	Fear	3.0%	3.9	-0.45		1		5.5													
Comfort	15.2%	4.5	Disgust	3.0%	3.9	0.55		2		5.5													
Surprise/Anticipation	4.0	4.0	Surprise	33.3%	3.0	1.00	Surprise	2		4													
Happiness	6.1%	3.8	Happiness	9.1%	3.7	0.09		4		4													
Bliss	12.1%	4.4	Bliss	12.1%	4.4			3		3													
Calm	3.0%	4.1	Anger	12.1%	3.6	0.45		5		2													
Unclean	6.1%	4.2	Unclean	9.1%	4.3	-0.09		6		5.5													
Uncomfortable	12.1%	4.4	Uncomfortable	27.3%	4.8	-0.45		5		2													
Fast	24.2%	3.3	Fast	15.2%	3.5	-0.27		2		4													
Robust	21.2%	4.6	Robust	18.2%	4.5	0.09		3		3													
Electronic	15.2%	3.5	Analogue	9.1%	4.3	-0.73		4		5.5													
Futuristic	27.3%	3.2	Futuristic	36.4%	2.9	0.27		1		1													
Strong Like	42.4%	2.7	Strong Like	9.1%	3.7	-1.00																	
Surface 6						Surface 6						Visual					Visual & Touch						
Excitement	84.8%	1.5	Excitement	63.6%	2.1	-0.64		1		2													
Dominant	81.8%	1.5	Dominant	72.7%	1.8	-0.27		2		1													
Unpleasant	15.2%	4.5	Unpleasant	30.3%	4.9	-0.45		3		3										</			

Semantic Analysis

An approach to semantic analysis was required for the results of part one of the study, in which participants were free to use any adjective or word to describe a group of surfaces; for this part of the analysis two tools related to natural language processing were applied to the context of a user study in order to find comparisons and relative strengths to one another of all of the words used by participants. A new spreadsheet document was created to import values and results from the tables made for the preliminary data analysis.

Natural Language Processing is a field of computer science and linguistics concerned with the question of how to program computers to process large amounts of data, applying these models provided a foundation for how this information could be more objectively grouped in in order to identify the relationships between different adjectives.

The tools used for this analysis were NLTK (natural Language Toolkit), commonly used within research methods, and Spacy, more commonly used as a production tool for search engines; both of these tools were run on the same data in order to determine which was the most applicable to be used to analyse the data. This processing was done within Google Colab, a web-based Python scripting environment for machine learning research.

During this analysis functions were run to compare the similarity of each word in the database to every other word, out-putting a downloadable csv file of the initial adjective, the comparison word, and the similarity as a numerical “distance” value from -1.0 to 1.0. This output contained over 5000 different combinations of words. The same process was used for each NLP tool.

Figure 81. Google Colab notebook

Semantic Processing

The method for processing the semantic data was the same for both NLTK and spacy, and is described below. A list of the 101 unique words identified in the free grouping study were copied into a Google Colab script, a function was then run which made the comparisons, and then saved all 10,000 comparisons of every word in the data set to a file. In Figure 81 an example of this script and the data output can be seen.

The file of word comparisons was then uploaded to Google Sheets with one column each for the word, the comparison, and the numerical semantic distance. This data was sorted according to the highest values of semantic distance and filtered to remove duplicate words or comparisons. The results of this output in provided a list of 5,050 different values of unique word comparisons, all ranked according to the semantic distance.

Run 1 - Original words before intervention						
75	101	57				
C.	Unique words	Top Five Similar to column B, raw semantic output				
4	grabby	prickly	slippery	giddy	crumbly	vibey
4	unfriendly	intimidating	harsh	uncomfortable	friendly	uneasy
0	defensive	surprising	surprised	intimidating	surprise	neutral
2	receptive	communicative	anxious	aroused	energetic	inviting
1	communicative	receptive	energetic	playful	dynamic	joyful
1	guiding	receptive	dynamic	precise	basic	human
12	pleasant	relaxing	friendly	comfortable	calm	inviting
4	inviting	pleasant	attractive	invitation	relaxing	comfortable
7	friendly	pleasant	comfortable	safe	happy	attractive
4	creatures	strange	human	alive	scary	peculiar

Table 12. Spacy semantic similarity, unfiltered descriptors

Run 2 - New words after intervention						
65	84	44				
C.	Unique words	Top Five Similar to column P, intervened semantic output				
1	grippy	bumpy	crumbly	comfortable	prickly	comfort
6	unfriendly	inhospitable	intimidating	harsh	uncomfortable	friendly
0	defensive	intimidating	surprise	shifty	neutral	anxious
3	receptive	communicative	anxious	aroused	energetic	inviting
1	communicative	receptive	energetic	playful	cohesive	dynamic
0	guiding	receptive	dynamic	precise	basic	human
10	pleasant	relaxing	friendly	lively	comfortable	calm
3	inviting	pleasant	lively	attractive	relaxing	comfortable
6	friendly	pleasant	comfortable	safe	happy	attractive
2	living	human	comfortable	happy	trapped	safe

Table 13. Spacy semantic similarity, filtered descriptors

Once results on the first analysis were available it was clear that the data would need further intervention in order to clarify some of the words in the dataset and to change some words to synonyms, this was a process of trial and error to identify or eliminate any words that were outliers in the data, within Table 12 and Table 13 the unique words column on the left hand side has been updated to change “grabby” to “grippy”, this was done in order to reflect the meaning or definition a participant may have been trying to express with a word that was better suited for the semantic analysis. After this process the number of unique words in the data set was reduced from 101 to 84.

		highlight word:		Run 2 - New words after intervention																		
		23		65	84	44																
top rated semantic > .45		count	NEW GROUP	C. Unique words	Top Five Similar to column P, intervened semantic output																	
	4	harsh	0.561	1	grippy	bumpy	crumbly	comfortable	prickly	comfort	0.44	0.36	0.34	0.31	0.30							
	4	intimidating	0.531	6	unfriendly	inhospitable	intimidating	harsh	uncomfortable	friendly	0.60	0.53	0.51	0.49	0.49							
	3	upset	0.529	0	defensive	intimidating	surprise	shifty	neutral	anxious	0.32	0.31	0.31	0.30	0.28							
	3	x	0.596	3	receptive	communicative	anxious	aroused	energetic	inviting	0.60	0.47	0.46	0.44	0.42							
	4	fun	0.424	1	communicative	receptive	energetic	playful	cohesive	dynamic	0.60	0.47	0.42	0.41	0.41							
	3	inviting		0	guiding	receptive	dynamic	precise	basic	human	0.39	0.36	0.36	0.34	0.34							
	calm	0.595	5	calm	0.595	10	pleasant	relaxing	friendly	lively	comfortable	calm	0.66	0.63	0.63	0.62	0.60					
	surprise	0.461	3	inviting	1.000	3	inviting	pleasant	lively	attractive	relaxing	comfortable	0.59	0.55	0.55	0.54	0.50					
	calm	0.452		x		6	friendly	pleasant	comfortable	safe	happy	attractive	0.63	0.58	0.56	0.54	0.52					
		4	natural	0.509	2	living	human	comfortable	happy	trapped	safe	0.45	0.44	0.43	0.42	0.41						
3		energetic	0.559	5	dynamic	energetic	precise	cohesive	stable	lively	0.56	0.46	0.45	0.44	0.43							
5		itchy	0.650	4	scaly	itchy	prickly	bumpy	exfoliating	fuzzy	0.65	0.52	0.44	0.36	0.33							
3		cohesive	0.422	2	unity	cohesive	joyful	contentment	human	peculiar	0.42	0.39	0.39	0.36	0.36							
5		itchy	0.460	8	bumpy	rough	uncomfortable	itchy	prickly	scaly	0.62	0.46	0.46	0.45	0.44							
3		familiar	0.507	3	basic	familiar	precise	human	interesting	dynamic	0.51	0.44	0.42	0.39	0.38							
5		jarring	0.501	3	repetitive	jarring	interrupting	chaotic	familiar	loud	0.50	0.43	0.41	0.40	0.40							
5		strange	0.394	1	scattered	strange	chaotic	trapped	peculiar	unusual	0.39	0.38	0.37	0.36	0.36							
3		cohesive	0.402	3	layered	cohesive	playful	organic	intriguing	fuzzy	0.40	0.38	0.38	0.37	0.36							
3		reliable	0.546	2	precise	reliable	dynamic	basic	unusual	trustworthy	0.55	0.46	0.44	0.41	0.40							
	3	cohesive	1.000	0	cohesive	dynamic	unity	satisfying	communicative	layered	0.45	0.42	0.42	0.41	0.40							
	5	jarring	0.480	1	chaotic	unsettling	jarring	strange	uneasy	disorderly	0.51	0.48	0.48	0.46	0.46							
	calm	0.483	4	fun		4	lively	pleasant	energetic	playful	joyful	inviting	0.63	0.62	0.60	0.55	0.55					
	calm	0.483	3	energetic	1.000	3	energetic	lively	playful	joyful	dynamic	calm	0.62	0.61	0.58	0.56	0.48					
	calm	0.613	5	calm	0.613	5	relaxing	soothing	pleasant	calm	comfortable	inviting	0.70	0.66	0.61	0.60	0.54					
	4	harsh	0.486	1	heavy	rough	harsh	loud	unusual	repetitive	0.49	0.49	0.40	0.39	0.38							
	2	anger	0.599	4	loud	angry	scared	weird	strange	harsh	0.60	0.51	0.50	0.49	0.49							
	happiness	0.594	3	happiness	0.594	6	joyful	happy	energetic	playful	contentment	lively	0.59	0.58	0.57	0.55	0.55					
	surprise	0.457	3	familiar	1.000	2	familiar	strange	interesting	curious	unusual	peculiar	0.63	0.59	0.59	0.57	0.55					
	3	sadness	0.501	1	nostalgic	sad	playful	joyful	unsettling	familiar		0.50	0.47	0.47	0.46	0.44						
	3	familiar		0	neutral	stable	comfortable	calm	harsh	natural	0.38	0.36	0.36	0.34	0.34							
	fear	0.650	3	fear	0.650	6	scared	scary	anxious	sad	uncomfortable	0.73	0.69	0.66	0.65	0.59						
	fear	0.467	3	x		2	trapped	scared	captured	strange	angry	living	0.48	0.43	0.43	0.42	0.42					
	4	intimidating		0	captured	trapped	surprise	scattered	strange	intriguing	0.43	0.36	0.33	0.32	0.32							
	fear	0.527	5	anxious	0.715	11	uneasy	anxious	uncomfortable	unsettling	strange	weary	0.71	0.71	0.68	0.58	0.57					
	5	jarring	0.480	0	disorderly	chaotic	intimidating	unfriendly	angry	loud	0.46	0.36	0.33	0.32	0.29							
	5	itchy	1.000	3	itchy	scaly	uncomfortable	prickly	bumpy	weird	0.65	0.51	0.47	0.46	0.40							
	3	energetic	0.456	1	bouncy	playful	energetic	bumpy	lively	joyful	0.51	0.46	0.43	0.42	0.42							
	calm	0.450	4	fun	0.559	2	playful	energetic	lively	joyful	fun	bouncy	0.61	0.60	0.57	0.56	0.51					
	surprise	0.479	4	intriguing	1.000	7	intriguing	interesting	unsettling	unusual	curious	strange	0.79	0.66	0.66	0.63	0.61					
	fear	0.453	4	harsh	1.000	4	harsh	rough	uncomfortable	unfriendly	inhospitable	loud	0.56	0.51	0.51	0.49	0.49					
	4	intimidating	0.531	0	inhospitable	unfriendly	harsh	cramped	bumpy	prickly	0.60	0.49	0.42	0.39	0.38							
	sadness	0.462	3	sadness	0.462	3	weary	anxious	uneasy	angry	sad	uncomfortable	0.63	0.57	0.49	0.48	0.47					
	3	upset	0.529	0	upset	bumpy	intimidating	uneasy	weird		0.38	0.37	0.36	0.34	0.33							
	5	itchy	0.474	2	prickly	scaly	itchy	bumpy	uncomfortable	harsh		0.52	0.47	0.45	0.40	0.39						
	fear	0.472	4	natural	0.509	1	human	natural	living	basic	trapped	peculiar	0.51	0.45	0.42	0.38	0.38					
	upset	0.529	3	upset	0.529	8	uncomfortable	uneasy	anxious	cramped	scared	weird	0.71	0.63	0.60	0.59	0.59					
	4	harsh	0.561	1	rough	bumpy	harsh	gritty	heavy	uncomfortable	0.62	0.56	0.49	0.49	0.43							
	4	intriguing	0.479	1	gritty	unsettling	rough	intriguing	harsh	nostalgic	0.51	0.49	0.48	0.46	0.44							
	calm	1.000	5	calm	1.000	2	calm	soothing	relaxing	pleasant	anxious	uneasy	0.64	0.61	0.60	0.59	0.50					
	surprise	0.493	3	surprise	0.493	9	weird	strange	scary	curious	interesting	sad	0.87	0.73	0.66	0.63	0.63					
	calm	0.636	5	calm	0.636	4	soothing	relaxing	calm	pleasant	exfoliating	natural	0.70	0.64	0.55	0.48	0.46					
	4	intriguing	0.499	0	satisfying	pleasant	intriguing	joyful	fun	relaxing	0.53	0.50	0.46	0.46	0.43							
	sadness	0.465	3	fear	0.618	5	unsettling	jarring	uneasy	intriguing	strange	scary	0.71	0.68	0.66	0.65	0.62					
	surprise	1.000	3	surprise	1.000	1	surprise	happy	unusual	strange	curious	interesting	0.60	0.58	0.56	0.55	0.52					
	5	jarring	1.000	1	jarring	unsettling	uncomfortable	repetitive	uneasy	strange	0.71	0.51	0.50	0.49	0.48							
	comfort	1.000	3	comfort	1.000	3	comfort	comfortable	pleasant	relaxing	safe	soothing	0.78	0.49	0.49	0.47	0.44					
	4	reliable	1.000	3	reliable	trustworthy	safe	precise	stable	friendly	0.76	0.56	0.55	0.52	0.50							
	surprise	0.479	4	fun	1.000	1	fun	happy	interesting	playful	scary	weird	0.63	0.60	0.56	0.53	0.53					
	surprise	0.596	3	happiness	1.000	1	happy	sad	fun	surprise	joyful	anxious	0.64	0.63	0.60	0.59	0.55					
	disgust	0.543	5	anxious	0.570	0	aroused	anxious	uneasy	uncomfortable	angry	receptive	0.57	0.53	0.47	0.46	0.46					
	happiness	0.773	3	happiness	0.773	1	contentment	joyful	calm	comfort	unity	weary	0.55	0.47	0.44	0.39	0.39					
	sadness	0.619	3	sadness	0.619	2	sad	scared	happy	weird	scary	angry	0.65	0.64	0.63	0.61	0.60					
	upset	0.595	5	anxious	1.000	2	anxious	uneasy	scared	angry	uncomfortable	weary	0.71	0.66	0.64	0.63	0.63					
	anger	0.684	2	anger	1.000	2	angry	scared	anxious	sad	loud	uneasy	0.69	0.64	0.60	0.60	0.51					
	sadness	0.502	5	anxious	0.379	0	indecision	uneasy	anxious	contentment	weary	unsettling	0.46	0.38	0.37	0.36	0.33					
	surprise	0.522	4	intriguing	0.795	2	interesting	intriguing	curious	unusual	strange	weird	0.79	0.71	0.65	0.64	0.63					
	surprise	0.548	3	surprise	0.548	1	curious	strange	interesting	weird	intriguing	unusual	0.72	0.71	0.66	0.63	0.61					
	5	strange	0.737	2	peculiar	strange	unusual	unsettling	weird	familiar		0.74	0.70	0.56	0.55	0.55						
	4	natural	1.000	1	natural	organic	human	soothing	safe	attractive		0.58	0.51	0.46	0.44	0.43						
	4	natural	0.579	1	organic	natural	layered	basic	friendly	soothing		0.58	0.38	0.37	0.36	0.36						
	4	reliable	0.520	1	stable	reliable	safe	dynamic	comfortable	attractive		0.52	0.50	0.44	0.43	0.41						
	comfort	0.778	3	comfort	0.778	3	comfortable	comfort	pleasant	relaxing	friendly	uncomfortable	0.78	0.62	0.60	0.58	0.58					
	comfort	0.472	3	comfort	0.548	1	safe	reliable	friendly	comfortable	stable	comfort	0.56	0.56	0.55	0.50	0.47					
	fear	0.522	3	fear	0.522	2	scary	weird	scared	strange	unsettling	sad	0.73	0.73	0.65	0.62	0.61					
	surprise	0.556	5	strange	1.000	2	strange	weird	peculiar	unusual	curious	scary	0.87	0.74	0.73	0.72	0.65					
	4	intimidating	1.000	0	intimidating	scary	unfriendly	uncomfortable	unsettling	angry		0.56	0.53	0.52	0.51	0.47</						

To create the final list of the 22 words that textures would be grouped into further intervention was required.

In Table 14 the process for the reduction of adjectives to a few distinct groups is exemplified. In each row the top five similar words from the semantic analysis are listed along with the numerical distances, and these are colour-coded either grey (meaning very distant) or from yellow to green (meaning more similar).

The top rated similar word in a row is copied into another cell as shows on the right hand side, and the semantic data is searched for the “top rated similar” word to this to find any other relationships; next semantic analysis data that was run on the original 12 emotional words tested in part two of the study is queried in order to find any relationship, and this is copied along with the numerical value if there is a relationship (a distance of greater than 0.45). Next the “top rated similar” word is copied and a query is run again to find the rating for the similarity of the original word to this “top rated similar” word. Finally out of all of these options, in the right-most column the top rated word from all of these values is copied.

All data is referenced using only spreadsheet formulas and cell references to the original data table, no data is manually copied and pasted.

		highlight word:		Run 2 - New words after intervention														unique words		44	32	9	32	34
		23		65	84													top rated similar	top rated similar to U	top rated original 12 >.45	distance from T to W	top rated overall		
top rated semantic >.45		count	NEW GROUP	C.	Unique words	Top Five Similar to column P, Intervened semantic output																		
		4	harsh	0.561	1	grippy	bumpy	crumbly	comfortable	prickly	comfort	0.44	0.36	0.34	0.31	0.30	grippy	bumpy	0.443	rough	0.622	rough	0.622	
		4	intimidating	0.531	6	unfriendly	inhospitable	intimidating	harsh	uncomfortable	friendly	0.60	0.53	0.51	0.49	0.49	unfriendly	inhospitable	0.596	unfriendly	0.596	unfriendly	1.000	
		3	upset	0.529	0	defensive	intimidating	surprise	shifty	neutral	anxious	0.62	0.34	0.34	0.30	0.28	defensive	intimidating	0.604	scary	0.559	scary	0.559	
		3	x	0.596	3	receptive	communicative	energetic	aroused	energetic	inviting	0.60	0.47	0.46	0.44	0.42	receptive	communicative	0.596	receptive	0.596	receptive	1.000	
		4	fun	0.424	1	communicative	receptive	energetic	cohesive	dynamic	dynamic	0.60	0.47	0.42	0.41	0.41	communicative	receptive	0.596	communicative	0.596	communicative	1.000	
		3	inviting		0	guiding	receptive	dynamic	precise	basic	human	0.39	0.36	0.36	0.34	0.34	guiding	receptive	0.386	communicative	0.596	communicative	0.596	
calm	0.595	5	calm	0.595	10	pleasant	relaxing	friendly	lively	comfortable	calm	0.66	0.63	0.63	0.62	0.60	pleasant	relaxing	0.560	soothing	0.705	calm	0.595	
surprise	0.461	3	inviting	1.000	3	inviting	pleasant	lively	attractive	relaxing	comfortable	0.59	0.55	0.55	0.54	0.50	inviting	pleasant	0.591	relaxing	0.560	surprise	0.461	
calm	0.452		6	friendly	pleasant	comfortable	safe	happy	attractive	0.63	0.58	0.56	0.54	0.52		friendly	pleasant	0.630	relaxing	0.560	calm	0.452		
		4	natural	0.509	2	living	human	comfortable	happy	trapped	safe	0.45	0.44	0.43	0.42	0.41	living	human	0.454	natural	0.509	natural	0.509	
		3	energetic	0.559	5	dynamic	energetic	precise	cohesive	stable	lively	0.56	0.48	0.45	0.44	0.43	dynamic	energetic	0.559	lively	0.623	lively	0.623	
		5	itchy	0.650	4	scaly	itchy	prickly	bumpy	exfoliating	fuzzy	0.65	0.52	0.44	0.36	0.33	scaly	itchy	0.650	scaly	0.650	scaly	0.650	
		3	cohesive	0.422	2	unity	cohesive	joyful	contentment	human	peculiar	0.42	0.38	0.39	0.36	0.36	unity	cohesive	0.422	dynamic	0.453	dynamic	0.453	
		5	itchy	0.460	8	bumpy	rough	uncomfortable	itchy	prickly	scaly	0.62	0.46	0.46	0.45	0.44	bumpy	rough	0.622	bumpy	0.622	bumpy	0.622	
		3	familiar	0.507	3	basic	familiar	precise	human	interesting	dynamic	0.51	0.44	0.42	0.39	0.38	basic	familiar	0.507	strange	0.622	strange	0.622	
		5	jarring	0.501	3	repetitive	jarring	interrupting	chaotic	familiar	loud	0.50	0.43	0.41	0.40	0.40	repetitive	jarring	0.501	unsettling	0.707	unsettling	0.707	
		5	strange	0.364	1	scattered	strange	chaotic	trapped	peculiar	unusual	0.39	0.38	0.37	0.36	0.36	scattered	strange	0.364	weird	0.867	weird	0.867	
		3	cohesive	0.402	3	layered	cohesive	playful	organic	intriguing	fuzzy	0.40	0.38	0.38	0.37	0.36	layered	cohesive	0.402	dynamic	0.453	dynamic	0.453	
		4	reliable	0.546	2	precise	reliable	dynamic	basic	unusual	trustworthy	0.55	0.46	0.44	0.41	0.40	precise	reliable	0.546	trustworthy	0.757	trustworthy	0.757	
		3	cohesive	1.000	0	cohesive	dynamic	unity	satisfying	communicative	layered	0.45	0.42	0.42	0.41	0.40	cohesive	dynamic	0.453	energetic	0.559	energetic	0.559	
		5	jarring	0.480	1	chaotic	unsettling	jarring	strange	uneasy	disorderly	0.51	0.48	0.48	0.45	0.45	chaotic	unsettling	0.514	jarring	0.707	jarring	0.480	

Table 15. Spacy semantic comparisons

For the word “grippy” in Table 15 (originally written as “grabby”) there are no similar words (rated at being a distance of greater than 0.45), as such the highest rated adjective is “rough”, which is selected as being most similar to “bumpy”; in the final list this word was changed to “harsh” to be more emotional rather than descriptive.

The final groups for emotional categories were determined from this comparison of words. The list of 32 words in the group was then run through the semantic analysis to find any clear comparisons, and manual adjustments were made where there was overlap that could justifiably be combined under a single grouping, such as combining the word “rough” into the group “harsh”; this process was done manually using dictionary and thesaurus definitions of the words. The final list of 22 words was once again run through the analytics to ensure that no one word was too similar to another

The final list of 22 groups was then typed into a spreadsheet seen in Table 16, where a note was taken for the justification for a manual change when necessary, and columns were made for the original word, changed word, second intervention of semantics, and at last the final group that this word would be associated with from now on.

reason for change	remove	count	original word	new word	new list of words	new group from other sheet
likely intent		4	grabby	grippy	grippy	harsh
		4	unfriendly		unfriendly	intimidating
		0	defensive		defensive	upset
		2	receptive		receptive	x
		2	communicative		communicative	fun
		1	guiding		guiding	inviting
		12	pleasant		pleasant	calm
		5	inviting		inviting	inviting
		8	friendly		friendly	x
likely intent		4	erectures	living	living	natural
as above	x	3	alive			x
		6	dynamic		dynamic	energetic
synonym		0	scates	scaly	scaly	itchy
likely interpretation		2	hills	unity	unity	cohesive
synonym		3	bumps	bumpy	bumpy	itchy
		6	basic		basic	familiar
intent		3	grid	repetitive	repetitive	jarring
		2	scattered		scattered	strange
synonym		3	stacked	layered	layered	cohesive
grouped as "precise formation"		5	precise		precise	reliable
summarise above		2	formation	cohesive	cohesive	cohesive
		1	chaotic		chaotic	jarring
likely intent		0	vibey	lively	lively	fun
		4	energetic		energetic	energetic
synonym		2	ehli	relaxing	relaxing	calm
		2	heavy		heavy	harsh
		5	loud		loud	anger
		7	joyful		joyful	happiness
		2	familiar		familiar	familiar
		2	nostalgic		nostalgic	sadness
		0	neutral		neutral	familiar
		7	scared		scared	fear
		0	trapped		trapped	x
synonym, made more negative		1	surrounded	captured	captured	intimidating
		10	uneasy		uneasy	anxious
		0	disorderly		disorderly	jarring
		3	itchy		itchy	itchy
		2	bouncy		bouncy	energetic
		3	playful		playful	fun
synonym		5	intigued	intriguing	intriguing	intriguing
		4	harsh		harsh	harsh
grouped with harsh and weary. synonym		2	oid	inhospitable	inhospitable	intimidating
		3	weary		weary	sadness
likely meant "elusive" as paired with giddy	x	0	illusive			x
most likely interpretation based on reading definitions of this and above		1	giddy	shifty	shifty	upset
		2	prickly		prickly	itchy
		1	human		human	natural
		9	uncomfortable		uncomfortable	upset
		4	rough		rough	harsh
		2	gritty		gritty	intriguing
		5	relaxing		relaxing	calm
		4	calm		calm	calm
		7	weird		weird	surprise
		5	soothing		soothing	calm
		0	satisfying		satisfying	intriguing
		5	unsettling		unsettling	fear
		9	surprising	surprise	surprise	surprise
		2	jarring		jarring	jarring
descriptive	x	1	order			x
		3	comfort		comfort	comfort
		3	surprise		surprise	surprise
		3	reliable		reliable	reliable
		1	fun		fun	fun
		3	happy		happy	happiness
		1	aroused		aroused	anxious
synonym		0	content	contentment	contentment	happiness
synonym		3	sad		sad	sadness
		4	anxious		anxious	anxious
		4	angry		angry	anger
		1	indecision		indecision	anxious
make verb		0	invitation	inviting	inviting	inviting
		4	interesting		interesting	intriguing
		3	curious		curious	surprise
		2	peculiar		peculiar	strange
		1	natural		natural	natural
		2	organic		organic	natural
likely synonym		0	uniform	stable	stable	reliable
		4	comfortable		comfortable	comfort
		1	safe		safe	comfort
abstract	x	0	different			x
		2	scary		scary	fear
		4	strange		strange	strange
		3	intriguing		intriguing	intriguing
		0	intimidating		intimidating	intimidating
		2	unusual		unusual	strange
descriptive	x	1	noneip			x
		0	interrupting		interrupting	jarring
		0	exfoliating		exfoliating	calm
		0	cramped		cramped	anxious
descriptive, grouped with fuzzy below	x	2	wavy			x
		1	fuzzy		fuzzy	strange
		1	attractive		attractive	inviting
abstract	x	0	visual			x
abstract	x	0	rectilinear			x
geometric	x	1	continuous			x
abstract	x	0	trustworthy		trustworthy	reliable
		1	crumbly		crumbly	itchy
descriptive	x	1	slippery			x
		1	anger	angry	angry	anger
		1	sadness	sad	sad	sadness
synonym		0	surprised	surprise	surprise	surprise

Table 16. Adjective changes

Facet Number	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
harsh	17.00%	0.00%	36.00%	0.00%	17.00%	28.00%	25.00%	0.00%	47.00%	15.00%	27.00%	27.00%	16.00%	0.00%	49.00%	19.00%	23.00%	0.00%	16.00%	0.00%	20.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	13.00%	
intimidating	0.00%	0.00%	10.00%	12.00%	44.00%	27.00%	55.00%	15.00%	50.00%	15.00%	12.00%	9.00%	0.00%	0.00%	0.00%	19.00%	0.00%	0.00%	45.00%	0.00%	20.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	16.00%	0.00%	0.00%
upset	0.00%	7.00%	18.00%	22.00%	28.00%	51.00%	0.00%	0.00%	18.00%	15.00%	17.00%	0.00%	0.00%	13.00%	20.00%	0.00%	30.00%	8.00%	36.00%	0.00%	16.00%	20.00%	0.00%	0.00%	0.00%	11.00%	4.00%	8.00%	0.00%	36.00%	
fun	5.00%	0.00%	0.00%	38.75%	46.25%	42.50%	0.00%	20.00%	0.00%	0.00%	0.00%	0.00%	33.75%	0.00%	0.00%	0.00%	0.00%	0.00%	81.25%	50.00%	17.50%	0.00%	3.75%	57.50%	23.75%	0.00%	15.00%	50.00%	23.75%	0.00%	0.00%
irritating	47.50%	0.00%	0.00%	0.00%	0.00%	21.25%	0.00%	20.00%	0.00%	17.50%	11.25%	0.00%	20.00%	0.00%	0.00%	0.00%	0.00%	0.00%	22.50%	0.00%	17.50%	0.00%	25.00%	35.00%	26.25%	0.00%	0.00%	25.00%	0.00%	0.00%	
calm	34.00%	8.64%	14.50%	5.91%	8.18%	7.73%	0.00%	23.64%	0.00%	0.00%	7.73%	11.36%	8.64%	11.82%	8.64%	17.27%	16.91%	30.91%	6.36%	6.36%	7.27%	25.45%	40.91%	6.82%	15.45%	23.64%	6.36%	0.00%	17.27%	8.18%	
natural	0.00%	8.75%	37.50%	0.00%	0.00%	0.00%	26.00%	23.75%	0.00%	0.00%	0.00%	0.00%	0.00%	16.25%	22.50%	21.25%	20.00%	0.00%	18.75%	0.00%	45.00%	25.00%	0.00%	0.00%	13.75%	0.00%	17.50%	0.00%	23.75%		
energetic	6.67%	0.00%	0.00%	21.67%	30.00%	28.33%	33.33%	58.33%	0.00%	0.00%	0.00%	0.00%	18.33%	0.00%	30.00%	28.33%	26.67%	0.00%	48.33%	33.33%	0.00%	5.00%	51.67%	0.00%	0.00%	20.00%	56.67%	31.67%	0.00%	0.00%	
itchy	0.00%	7.00%	0.00%	16.00%	36.00%	18.00%	0.00%	18.00%	0.00%	0.00%	0.00%	0.00%	13.00%	37.00%	0.00%	36.00%	0.00%	15.00%	0.00%	0.00%	20.00%	0.00%	14.00%	34.00%	17.00%	38.00%	0.00%	19.00%	0.00%	0.00%	
cohesive	31.67%	0.00%	26.67%	0.00%	0.00%	0.00%	33.33%	30.00%	33.33%	20.00%	28.33%	31.67%	0.00%	33.33%	0.00%	28.33%	0.00%	0.00%	0.00%	0.00%	31.67%	0.00%	0.00%	26.67%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
familiar	0.00%	18.00%	26.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	20.00%	3.00%	38.00%	0.00%	0.00%	0.00%	0.00%	53.00%	0.00%	17.00%	16.00%	3.00%	77.00%	0.00%	0.00%	6.00%	0.00%	18.00%	16.00%	0.00%	
jarring	0.00%	34.00%	0.00%	17.00%	17.00%	16.00%	20.00%	0.00%	35.00%	18.00%	15.00%	0.00%	31.00%	0.00%	0.00%	0.00%	18.00%	0.00%	19.00%	0.00%	20.00%	33.00%	0.00%	11.00%	0.00%	0.00%	19.00%	0.00%	37.00%	0.00%	
strange	23.71%	0.00%	11.43%	11.43%	22.86%	0.00%	25.71%	31.43%	55.71%	31.43%	12.14%	0.00%	0.00%	0.00%	0.00%	25.00%	0.00%	0.00%	21.43%	0.00%	13.57%	0.00%	4.29%	0.00%	11.43%	15.71%	0.00%	0.00%	0.00%	0.00%	
reluctant	0.00%	68.75%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	87.50%	20.00%	50.00%	16.25%	0.00%	21.25%	46.75%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	35.00%	0.00%	0.00%	0.00%	22.50%	
anger	40.00%	0.00%	5.00%	20.00%	30.00%	31.67%	43.33%	21.67%	28.33%	55.00%	31.67%	0.00%	0.00%	0.00%	30.00%	45.00%	30.00%	0.00%	25.00%	0.00%	43.33%	0.00%	0.00%	15.00%	31.67%	0.00%	18.33%	60.00%	0.00%	0.00%	
happiness	25.00%	0.00%	0.00%	22.50%	47.50%	0.00%	22.50%	15.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	21.25%	25.00%	23.75%	0.00%	21.25%	50.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	23.75%	0.00%	22.50%	0.00%	
sadness	0.00%	22.50%	42.50%	0.00%	0.00%	0.00%	0.00%	25.00%	0.00%	0.00%	38.75%	11.25%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	25.00%	23.75%	25.00%	0.00%	0.00%	0.00%	0.00%	25.00%	25.00%	0.00%	
fear	0.00%	0.00%	0.00%	8.33%	55.67%	23.33%	0.00%	0.00%	25.00%	31.67%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	28.33%	43.33%	0.00%	28.33%	0.00%	
amorous	0.00%	0.00%	15.00%	32.50%	44.17%	46.67%	15.83%	10.83%	40.83%	25.00%	14.17%	0.00%	0.00%	0.00%	12.50%	8.33%	34.17%	0.00%	39.17%	14.17%	19.17%	12.50%	0.00%	15.00%	27.50%	0.00%	15.83%	0.00%	0.00%	0.00%	
intriguing	22.00%	0.00%	20.00%	0.00%	0.00%	0.00%	20.00%	0.00%	17.00%	0.00%	15.00%	18.00%	27.00%	0.00%	32.00%	19.00%	4.00%	18.00%	0.00%	20.00%	0.00%	17.00%	22.00%	16.00%	0.00%	0.00%	0.00%	39.00%	0.00%	0.00%	
surprise	26.43%	0.00%	0.71%	0.00%	21.43%	8.57%	48.00%	6.00%	2.86%	13.57%	0.00%	0.00%	0.00%	0.00%	8.29%	26.43%	2.86%	0.00%	0.00%	13.57%	17.86%	0.00%	0.00%	12.86%	0.00%	12.14%	12.14%	27.14%	10.71%	0.00%	
comfort	22.50%	25.00%	0.00%	0.00%	0.00%	17.50%	0.00%	0.00%	0.00%	0.00%	0.00%	46.25%	20.00%	31.25%	0.00%	0.00%	0.00%	20.00%	0.00%	17.50%	0.00%	36.25%	13.75%	0.00%	0.00%	28.75%	20.00%	0.00%	22.50%	0.00%	0.00%

Table 17. Final list of groups

Spacy and NLTK comparison

Within the dataset from the user studies Spacy had more numerical variation of the distances of each word and was also able to model for a total of 75 of the words written in the original 101 word data set, NLTK's was only able to identify 47 words. Further NLTK had a smaller variation of numerical distances with many comparisons containing the same numerical value for each different word, this makes it harder for it to sort appropriately as everything has the same rank.

NLTK was also unable to identify the word "Vibey" from the questionnaire and this had to be manually changed to "lively" in order for this to work, however Spacy did not have this problem and seemed much more lenient towards grammatically incorrect words. NLTK provided more expected results in certain scenarios, rating words such as "surprising" identical to "surprised", however Spacy gave those same words a distance over 0.78, this is unusual as it also rated much more distinct words (such as "strange" and "weird") a distance of 0.87.

Primarily it was the variety of the numerical differences that Spacy detected that influenced the choice in that tool despite NLTK being more reliable in some semantic comparisons. Both tools still required significant intervention in order to complete the analysis, as it was necessary to find justifiable replacements for the 16 words that Spacy was unable to identify. These results identified any outliers such as the word "giddy" which Spacy had trouble with, which were later changed to a comparable synonym and re-run the analysis, as well as removing words like "rectilinear" which were not emotive enough for the data set.

This data enabled identification of the top five ranked comparisons for any one word, such as for the word receptive NLTK gave the results of *soothing, trapped, surrounded, aroused and surprised*; and spacy gave the results of *communicative, anxious, aroused, energetic and inviting*. Within Table 18 and Table 19 the results of the first run can be seen for each tool, the colour-coding makes it clear that spacy was able to find more similarities (green), while NLTK struggled to provide relevant results.

	101	33				
	All Unique words	Top Five Similar to column C, raw semantic output				
11	grabby	soothing	trapped	surrounded	aroused	surprised
10	unfriendly	guiding	scattered	surprising	intrigued	relaxing
10	defensive	grid	weird	fun	order	invitation
9	receptive	soothing	trapped	surrounded	aroused	surprised
9	communicative	guiding	scattered	surprising	intrigued	relaxing
20	guiding	unfriendly	communicative	alive	chaotic	loud
8	pleasant	soothing	trapped	surrounded	aroused	surprised
17	inviting	aroused	interesting	interesting	scared	scared
1	friendly	formation	scales	comfort	defensive	scales
10	creatures	neutral	natural	familiar	human	uniform
8	alive	guiding	scattered	surprising	intrigued	relaxing
5	dynamic	grid	fun	fun	weird	weird
1	scales	chill	formation	defensive	comfort	defensive
2	hills	neutral	creatures	uniform	uniform	familiar
7	bumps	cold	comfort	comfort	indecision	sadness
0	basic	invitation	content	formation	content	defensive
3	grid	defensive	weird	dynamic	order	invitation
19	scattered	unfriendly	communicative	alive	chaotic	loud
0	stacked	grabby	receptive	pleasant	precise	energetic
7	precise	soothing	trapped	surrounded	aroused	surprised
4	formation	content	content	friendly	defensive	vibe
7	chaotic	guiding	scattered	surprising	intrigued	relaxing
6	vibe	sadness	comfort	sadness	calm	anger
6	energetic	soothing	trapped	surrounded	aroused	surprised
1	chill	natural	scales	natural	familiar	sadness
3	heavy	neutral	neutral	familiar	human	uniform
4	loud	guiding	scattered	surprising	intrigued	relaxing
0	joyful	soothing	trapped	surrounded	aroused	surprised
4	familiar	creatures	neutral	heavy	human	human
0	nostalgic	guiding	scattered	surprising	intrigued	relaxing
7	neutral	creatures	natural	familiar	heavy	heavy
2	scared	intimidating	aroused	inviting	inviting	grabby
17	trapped	grabby	receptive	pleasant	precise	energetic
17	surrounded	grabby	receptive	pleasant	precise	energetic
0	uneasy	soothing	trapped	surrounded	aroused	surprised
0	disorderly	guiding	scattered	surprising	intrigued	relaxing
0	itchy	soothing	trapped	surrounded	aroused	surprised
0	bouncy	guiding	scattered	surprising	intrigued	relaxing
0	playful	soothing	trapped	surrounded	aroused	surprised
14	intrigued	intriguing	unfriendly	communicative	alive	chaotic
0	harsh	guiding	scattered	surprising	intrigued	relaxing
1	cold	bumps	comfort	indecision	sadness	sadness
0	weary	grabby	receptive	pleasant	precise	energetic
0	illusive	soothing	trapped	surrounded	aroused	surprised
0	giddy	guiding	scattered	surprising	intrigued	relaxing
0	prickly	soothing	trapped	surrounded	aroused	surprised
1	human	creatures	neutral	natural	familiar	familiar
0	uncomfortable	guiding	scattered	surprising	intrigued	relaxing
0	rough	hills	neutral	creatures	neutral	uniform
0	gritty	soothing	trapped	surrounded	aroused	surprised
0	relaxing	unfriendly	communicative	alive	chaotic	loud
0	calm	vibe	sadness	vibe	sadness	surprise
1	weird	defensive	grid	dynamic	dynamic	fun
11	soothing	grabby	receptive	pleasant	precise	energetic
0	satisfying	unfriendly	communicative	alive	chaotic	loud
3	unsettling	aroused	aroused	inviting	interesting	unfriendly
12	surprising	surprised	unfriendly	communicative	alive	chaotic
0	jarring	unfriendly	communicative	alive	chaotic	loud
1	order	invitation	defensive	grid	grid	formation
3	comfort	sadness	bumps	bumps	surprise	surprise
4	surprise	sadness	sadness	anger	comfort	comfort
0	reliable	trapped	surrounded	aroused	surprised	inviting
1	fun	invitation	defensive	dynamic	dynamic	weird
0	happy	soothing	guiding	scattered	surprising	intrigued
12	aroused	interesting	inviting	unsettling	scared	unsettling
0	content	formation	formation	defensive	vibe	sadness
0	sad	trapped	surrounded	aroused	surprised	inviting
0	anxious	soothing	guiding	scattered	surprising	intrigued
0	angry	trapped	surrounded	aroused	surprised	inviting
1	indecision	bumps	surprise	anger	cold	vibe
2	invitation	order	fun	uniform	safe	creatures
0	interesting	aroused	inviting	inviting	unsettling	grabby
1	curious	peculiar	soothing	guiding	scattered	surprising
0	peculiar	curious	trapped	surrounded	aroused	surprised
2	natural	creatures	neutral	human	uniform	chill
0	organic	neutral	formation	natural	hills	natural
1	uniform	safe	invitation	creatures	creatures	neutral
0	comfortable	soothing	guiding	scattered	surprising	intrigued
0	safe	uniform	invitation	creatures	neutral	familiar
0	different	trapped	surrounded	aroused	surprised	inviting
0	scary	soothing	guiding	scattered	surprising	intrigued
0	strange	trapped	surrounded	aroused	surprised	inviting
0	intriguing	intrigued	unfriendly	communicative	alive	chaotic
0	intimidating	scared	aroused	inviting	grabby	receptive
0	unusual	soothing	guiding	scattered	surprising	intrigued
0	nonslip	trapped	surrounded	aroused	surprised	inviting
0	interrupting	grabby	receptive	pleasant	precise	energetic
0	exfoliating	unfriendly	communicative	alive	chaotic	loud
0	cramped	grabby	receptive	pleasant	precise	energetic
0	wavy	soothing	guiding	scattered	surprising	intrigued
0	fuzzy	trapped	surrounded	aroused	surprised	inviting
0	attractive	soothing	guiding	scattered	surprising	intrigued
0	visual	trapped	surrounded	aroused	surprised	inviting
0	rectilinear	soothing	guiding	scattered	surprising	intrigued
0	continuous	trapped	surrounded	aroused	surprised	inviting
0	trustworthy	soothing	guiding	scattered	surprising	intrigued
0	crumbly	trapped	surrounded	aroused	surprised	inviting
0	slippery	soothing	guiding	scattered	surprising	intrigued
0	anger	surprise	indecision	bumps	bumps	vibe
0	sadness	surprise	surprise	comfort	vibe	bumps
0	surprised	surprising	grabby	receptive	pleasant	precise

Table 18. NLTK analysis

Run 1 - Original words before intervention						
75	101	57				
C. Unique words	Top Five Similar to column B, raw semantic output					
4	grabby	prickly	slippery	giddy	crumbly	vibey
4	unfriendly	intimidating	harsh	uncomfortable	friendly	uneasy
0	defensive	surprising	surprised	intimidating	surprise	neutral
2	receptive	communicative	anxious	aroused	energetic	inviting
1	communicative	receptive	energetic	playful	dynamic	joyful
1	guiding	receptive	dynamic	precise	basic	human
12	pleasant	relaxing	friendly	comfortable	calm	inviting
4	inviting	pleasant	attractive	invitation	relaxing	comfortable
7	friendly	pleasant	comfortable	safe	happy	attractive
4	creatures	strange	human	alive	scary	peculiar
2	alive	happy	sad	trapped	scared	creatures
6	dynamic	energetic	visual	different	continuous	precise
0	scales	different	precise	heavy	grid	basic
2	hills	surrounded	scattered	pleasant	rough	natural
3	bumps	itchy	rough	slippery	uncomfortable	jarring
6	basic	different	familiar	precise	human	visual
3	grid	dynamic	continuous	stacked	visual	rectilinear
2	scattered	surrounded	hills	stacked	strange	chaotic
1	stacked	scattered	surrounded	grid	attractive	different
5	precise	reliable	dynamic	basic	different	continuous
2	formation	continuous	guiding	human	uniform	peculiar
1	chaotic	unsettling	jarring	strange	uneasy	disorderly
0	vibey	grabby	gritty	energetic	nonslip	bouncy
3	energetic	playful	joyful	dynamic	calm	communicative
2	chill	cold	calm	relaxing	soothing	pleasant
2	heavy	cold	rough	harsh	loud	unusual
4	loud	angry	scared	weird	strange	harsh
7	joyful	happy	energetic	playful	giddy	pleasant
2	familiar	strange	interesting	curious	different	surprising
2	nostalgic	giddy	sad	playful	joyful	unsettling
0	neutral	comfortable	calm	harsh	natural	friendly
7	scared	scary	angry	anxious	sad	surprised
0	trapped	alive	scared	creatures	strange	surrounded
0	surrounded	hills	scattered	inviting	attractive	calm
10	uneasy	anxious	uncomfortable	unsettling	strange	weary
0	disorderly	chaotic	intimidating	unfriendly	angry	loud
3	itchy	bumps	uncomfortable	prickly	cold	weird
2	bouncy	playful	energetic	joyful	fun	giddy
2	playful	energetic	joyful	fun	bouncy	curious
5	intrigued	curious	surprised	intriguing	surprising	interesting
4	harsh	rough	uncomfortable	unfriendly	cold	loud
1	cold	chill	heavy	harsh	calm	uncomfortable
3	weary	anxious	uneasy	angry	sad	giddy
0	illusive	uneasy	unsettling	creatures	intriguing	peculiar
0	giddy	anxious	joyful	nostalgic	uneasy	intrigued
2	prickly	itchy	uncomfortable	grabby	slippery	harsh
1	human	creatures	natural	alive	different	basic
8	uncomfortable	uneasy	anxious	cramped	scared	weird
4	rough	harsh	slippery	gritty	heavy	bumps
1	gritty	unsettling	rough	intriguing	harsh	nostalgic
5	relaxing	soothing	pleasant	calm	comfortable	inviting
3	calm	soothing	relaxing	pleasant	anxious	chill
7	weird	strange	scary	curious	interesting	sad
4	soothing	relaxing	calm	pleasant	exfoliating	natural
0	satisfying	pleasant	surprising	intriguing	joyful	fun
5	unsettling	jarring	uneasy	intriguing	surprising	strange
7	surprising	intriguing	surprise	surprised	unusual	interesting
1	jarring	unsettling	uncomfortable	surprising	uneasy	strange
1	order	different	basic	safe	precise	unusual
3	comfort	comfortable	pleasant	relaxing	safe	soothing
3	surprise	surprised	surprising	happy	unusual	strange
3	reliable	trustworthy	safe	precise	friendly	attractive
1	fun	happy	interesting	playful	scary	weird
2	happy	sad	surprised	fun	surprise	joyful
1	aroused	anxious	uneasy	anger	intrigued	uncomfortable
0	content	different	interesting	dynamic	visual	organic
3	sad	scared	happy	weird	sadness	scary
4	anxious	uneasy	scared	angry	uncomfortable	weary
3	angry	scared	anger	anxious	sad	loud
1	indecision	sadness	anger	uneasy	anxious	weary
0	invitation	inviting	surprise	happy	unusual	surprised
4	interesting	intriguing	curious	surprising	unusual	strange
2	curious	intrigued	strange	interesting	surprised	weird
2	peculiar	strange	unusual	surprising	unsettling	weird
1	natural	organic	human	soothing	safe	attractive
1	organic	natural	basic	friendly	different	soothing
0	uniform	rough	basic	different	order	formation
4	comfortable	comfort	pleasant	relaxing	friendly	uncomfortable
1	safe	reliable	friendly	comfortable	comfort	calm
0	different	interesting	familiar	unusual	basic	strange
2	scary	weird	scared	strange	unsettling	sad
2	strange	weird	peculiar	unusual	curious	scary
3	intriguing	interesting	surprising	unsettling	unusual	intrigued
0	intimidating	scary	unfriendly	uncomfortable	unsettling	angry
1	unusual	strange	surprising	peculiar	intriguing	interesting
1	nonslip	grabby	slippery	comfort	comfortable	rectilinear
0	interrupting	loud	jarring	uncomfortable	continuous	angry
0	exfoliating	soothing	itchy	crumbly	organic	relaxing
0	cramped	uncomfortable	comfortable	unfriendly	uneasy	weary
2	wavy	rough	bouncy	rectilinear	fuzzy	crumbly
0	fuzzy	weird	strange	prickly	playful	itchy
1	attractive	pleasant	inviting	comfortable	friendly	intriguing
0	visual	dynamic	unusual	familiar	intriguing	precise
0	rectilinear	wavy	grid	continuous	stacked	nonslip
0	continuous	dynamic	precise	reliable	formation	grid
0	trustworthy	reliable	friendly	safe	precise	attractive
1	crumbly	slippery	grabby	gritty	prickly	wavy
0	slippery	rough	bumps	uncomfortable	cold	crumbly
1	anger	sadness	angry	anxious	aroused	calm
0	sadness	anger	sad	joyful	indecision	anxious
0	surprised	surprise	intrigued	surprising	curious	scared

Table 19. Spacy analysis

Surface Theory

Figure 82. 3D print from *Design experiments I*

Design experiment, exploration into 3D printable thin mesh shell

Design Experiments II

Exploration in form

A series of methods were experimented with in order to wrap the flat texture around a predefined form, the results of these tests were to understand the differing methods that could be utilised to manipulate form with the use of texture and to explore the limitations of the FDM printers available. Each texture model used was procedurally generated with the OpenSCAD-Powershell process defined in Design Experiments I.

This is the second of the three stages of design experimentation and uses the STL models and processes created in the previous stage for design experimentation with the goal of being able to create experimental forms using new computational processes and finding unique applications for the software tools available.

Production Methodology

Prior to every print on the UpBOX (Beijing Tiertime Technology, Beijing, China) a series of tests are printed in order to confirm that the material is set to the correct temperature, that the bed temperature is appropriate for the model, and that the printer is capable of printing a smooth form repeatedly without error. For this a single cube is printed as a Shell with no infill.

Figure 83 is representative of the starting settings (left) and finished print settings (right). This cube was printed at a Z resolution of 0.3 mm in a wood-PLA blend material without an initial layer of raft. In this case the extrusion temperature was set to 270 degrees Celsius, 80 degrees too hot, and the initial height of the nozzle from the bed was 0.2 mm too high. A total of five prints at different settings were repeated until the printer was able to accurately print the shape.

Figure 84 shows iterations on a cube at different heights. These cubes were printed at a Z resolution of 0.1mm in a white ABS with an initial layer of raft. In this case the height was moved by 0.1 to 0.2 mm closer to the bed until the print was an ideal distance. Starting top-left and going anti-clockwise, it is clear by looking at the structure of the horizontal raft lines that the nozzle is too high, and as it gets closer the tendency for the raft lines to ripple decreases. However as the nozzle moves closer to the printing bed, there also increases a tendency for the cube to form peaks on the corners as there is not enough space for excess material to be extruded; as can be seen in the rightmost image.

Figure 83. Printer Quality Settings Figure 84. Printer Height Settings

Height Displacement Wrapping

Heightmap or displacement mapping is the process of deforming a flat planar geometry with a black and white image, to the point where the image is extruded from the plane as a 3D form.

Height displacement involves first rendering a Heightmap from a generated STL; in order to aid this process a custom rendering material in Blender was scripted that assigns a black and white gradient to the vertical axis of a 3D model. This material enables the object to be rendered in only black and white where the most distant part of the object from the camera is rendered as pure black, the closest part of the object to the camera is pure white, and a smooth gradient is generated in the middle.

This rendering process outputs a jpg image of the simplified texture; as only the camera-facing parts of the texture can be rendered this converts a complex 3D texture into a simplified 2D pattern, often detail is lost such as any extremes in the heights or any undercuts or sheer angles of individual units in the texture. Additionally the resolution of the texture itself is dependent on the image resolution.

In order to aid this process a Blender script in Figure 86 was made that is able to sequentially render any number of STL files and export the final jpg to a specific folder for later use.

Figure 85. Heightmap

In order to use the rendered Heightmap, Blender's Displacement Modifier is applied to a flat surface or the face of a form that is to be textured; a process of increasing the triangle count of the geometry and unwrapping the geometry into an area that is representative of the jpg Heightmap enables the modifier to manipulate the underlying mesh structure; darker parts of the image push the face of the mesh towards the inside of the structure, and the lighter parts of the image push the face of the mesh away from the outside of the structure.

Figure 86. Heightmap Rendering

Figure 87. STL compared to Heightmap

Experiment 1

The form shown below is based on a cylindrical shape modelled in Fusion 360 (Autodesk, San Rafael, California, USA) and iterated on from hand drawn sketches. This model is designed to be simple to wrap a height-mapped texture around in a way that enables almost completely even distribution of each unit of the texture. Three different textures were used and applied to the three different external faces of the model. Once the model was completed in fusion360 it was exported as a lower resolution STL file which was then imported into Blender. This model was edited to split into the three primary parts; and the minimal resolution aided the separation of these parts into their most basic faces.

Once separated a part was then UV Unwrapped (Figure 88) in order to lay flat the curved object in order for it to be projected onto the Heightmap image; this unwrapping was started with the default UV Mapping settings and then further edited in order to make the shape consistent to the topography of the body. In this case as seen in figure below, the initial unwrap was curved along the curved edges of the form, and then stretched and moved by hand until it resembled a perfect rectangle.

Figure 88. UV Unwrapping

This process reduces the number of distortions that would be visible when the displacement modifier is added. The initial unwrap on the left shows parts of the texture being cut off and cells are split in half as the curve does not cover the full extent of the image. In the image to the right the columns of the texture can be seen to run parallel to the shape of the form and does not get cut off.

The printed output of experiment one was an FDM print in white ABS plastic at a Z resolution of 0.1 mm. This print showed that the Heightmap process is able to produce a successful and consistent output that is both structurally stable and offers a high resolution output. What's more, this process allows control over the rate of deformation of the form and it is possible to control the amount that the texture is pushed beyond the original shape of the centre in order to push the limits of the material.

Figure 89. Experiment one

Experiment 2

This form is created through a series of lofts made from sketches in Fusion 360. This model was designed to be complex to wrap a height-mapped texture around and to feature only a single texture type. The Heightmap process was similar to Experiment One in that the process of exporting a lower resolution model, separating exterior faces, unwrapping the form onto a texture image, and increasing the resolution of the form.

The unwrapping process in this case however was a “project from view” where the layers were flattened only along the Y axis and scaled to fit the size of the image. This unwrapping method is simpler than Experiment One but does not yield a consistent texture around the form of the body.

This method was chosen because of the complex topography of the form and the difficulty that would be incurred in trying to unwrap a form like this seamlessly. As can be seen in Figure 90 the results of this mean that when viewed from the front or back sides, the texture is more or less consistent and parallel, but when viewed from the left or the right, the texture is warped in scale in order to fit to the shape.

Figure 90. UV Unwrapping

The printed output of Experiment Two was an FDM print in white ABS plastic at a Z resolution of 0.1 mm. This print showed that the Heightmap process when projected is able to produce unique and complex forms from the texture. What is more, the form itself was able to successfully print onto a sheet of acrylic and printed in a structurally stable manner when starting from a cylindrical point of only 10 mm in diameter.

Figure 91. Experiment Two

Experiment 3

As with Experiment Two this form is created through a series of lofts hand made from sketches in Fusion 360. The texture wrapping process was the same as described in Experiment Two however the Project From View function was used top-to-bottom (Z axis) not front-to-back (Y axis). The design of this form was intended to further push the limits of the material by retaining a singular small point of contact with an acrylic base creating a severe overhang for the printer to navigate.

The printed output of Experiment Three was an FDM print in white ABS plastic at a Z resolution of 0.1 mm. This print showed further complex patterns with the projection mapping method. What is more, the form itself was able to again successfully print onto acrylic and remain structurally stable manner when starting from a cylindrical point of only 10 mm in diameter.

Figure 92. Experiment Three

Shrink Wrapping

The process for a Shrinkwrap texture involves using the generated output STL of the texture and manipulating the mesh through a series of modifiers that are able to fit the (usually rectangular) form to the shape of a complex model.

To aid this the Lattice tool within Blender is applied; this is a wireframe grid with a customisable number of rows and columns along any of the three axes. The Lattice is fitted to the shape of a mesh with the Shrinkwrap modifier, which projects the mesh along any axis or combination of axes onto the body of a mesh, finally the texture STL is fitted to the Lattice through the use of a Lattice modifier set to the lattice that has been made.

In Figure 93 the process of this wrapping can be seen, the original Lattice (right-most) is a rectangular grid, the mesh to the left of this becomes the basis for the Shrinkwrap (next left) and finally the texture is fitted to this grid.

Figure 93. Lattice Shrinkwrap

Experiment 4

This form is created through a series of lofts made from sketches in Fusion 360. This model was designed to be simple to Shrinkwrap a texture STL around and to feature a single gradient texture, and exported as a lower resolution STL. The texture wrapping proceeded as described above in order to fit the first half of the texture to the shape, and was cut in half in order to wrap the remaining part to the other side of the form.

Figure 94. Lattice on a mesh

The texture was made to fold around the sharp edge of the body by separating a small segment in the centre of the texture, and wrapping it to the shape of a circle with the Curve modifier to create a seamless continuation of the texture.

Figure 95. wrapping around a curve

The printed output of experiment four was an FDM print in white ABS plastic at a Z resolution of 0.1 mm. This print showed it is possible to create a complex 3D form by using manipulations of the rectangular texture STL, and that unlike with the Heightmap process there is no distortion of the underlying geometric shapes of the texture, and the resolution is accurate to the resolution of the STL file.

Figure 96. Experiment four

Experiment 5

This experiment built on the use of the Curve modifier used in Experiment Four. Rather than modelling a form from sketches, this experiment used manipulations of the geometries of the texture itself in order to create a complex 3D form. This process applied a curve modifier in the shape of a circle to the rectangular texture STL, as shown in Figure 97 and Figure 98, this causes the STL to wrap around the circle and creating a cylindrical shape. A second curve is also applied in order to warp the shape of the now-cylinder; in this case a Nurbs curve in the shape of a spiral, as can be seen below this creates the form of a twisting cylinder.

Figure 97. wrapping around a circle

Figure 98. wrapping around a spiral

The printed output of experiment five was an FDM print in white ABS plastic at a Z resolution of 0.15 mm. This print showed it is possible to create a complex 3D form by using just manipulations of the rectangular texture STL and with no initial preconceived plans for the output.

Figure 99. Experiment five

Experiment 6

This experiment built on the use of the Curve modifier used in Experiment Four. Rather than modelling a form from sketches, this experiment used manipulations of the geometries of the texture itself in order to create a complex 3D form. This process applied a curve modifier to the rectangular texture STL as shown in below, and then applied a second curve on a different axis in order to create a complete geometry in the shape of a flattened cylinder.

Figure 100. wrapping around a curve

Figure 101. wrapping around an oval

The printed output of Experiment Six was an FDM print in white ABS plastic at a Z resolution of 0.15 mm. This print showed it is possible to create a complex 3D form by using just manipulations of the rectangular texture STL and with no initial preconceived plans for the output, and that the printer is capable of printing geometries as a fine mesh pattern without support.

Figure 102. Experiment six

Printed Outputs

These last three experiments were made to highlight the opportunities available within using the processes described above and pursue more unique and interesting forms, and to understand the hard limits of this mode of production and of 3D printing.

Output 1

This form is made from a single “transition” texture that is heightmap displaced onto a flat plane. This plane is then wrapped around a series of curves and spirals as described in Experiments Four to Six, and the shape is mirrored so that the internal side of the plane has the same texture as the exterior.

Figure 103. Design Experiments output 1

ABS Plastic
UPBOX Printer
0.4 mm nozzle
0.15 mm layer height
18 hour print

Output 2

This form is made from a single “transition” texture that is heightmap-displaced onto two flat planes. Each plane is then wrapped around a modelled shape using the Shrinkwrap modifier, and the shape is further deformed using a lattice to indent the side.

Figure 104. Design Experiments output 2

ABS Plastic
UPBOX Printer
0.4 mm nozzle
0.15 mm layer height
16 hour print

Output 3

This form is made from a single “transition” texture STL. This STL is wrapped around a series of curves and spirals as described in Experiments Four to Six, and the shape is mirrored so that the internal side of the plane has the same texture as the exterior.

Figure 105. Design Experiments output 3

ABS Plastic
UPBOX Printer
0.4 mm nozzle
0.15 mm layer height
34 hour print

Figure 106. Design Experiments output 3

Surface Theory

Figure 107. 3D print from emotion study

Design experiment, exploration into 3D printable thin mesh shell

Emotional Design

Increasing Control

This is the final of the three stages of design experimentation and is the most technically complex and inter-disciplinary, utilising the skills and processes made in previous chapters in order to create unique and innovative designed forms that can also adhere to the user research completed.

In this section experimental analysis from the user studies was used to inform the design of a series of new textures that could exemplify a specific emotional quality.

Statistical Analysis

The data analysis on the user studies provided an insight into potential relationships between the parameters of the model and any emotional qualities that were tested for. A Design of Experiments model was run in Minitab (Minitab, State College, PA, USA) in order to find these correlations.

The Design of Experiments analysis provided an approach to investigate the effects of the parameters on the emotive qualities for each of the 22 groups identified, this experiment output charts of the most statistically relevant effects and suggested correlations of these.

The results from the analysis provided three charts for each quality explaining the effects of different inputs and outputs.

The first chart is a Pareto Effects Plot that indicates the most effectful parameters or combination of parameters; within this chart the absolute value of the effect is displayed at the bottom, while a reference line is placed marking the statistically significant level in the model. This plot enables the identification of the largest effects but not patterns.

Within Table 20 this mark is 13.72, with the largest effect being Density/XWave (BH), followed by XWave (H).

Figure 108. Texture samples from user studies

The second chart is a Main Effects Plot that indicates the main effect for a variable, where a horizontal line would mean no effect, and a gradient would mean there is a relationship. Within Table 21 the first plot, “fno” (facet number of the texture unit) shows the highest mean strength at 0, and the lowest at 150.

The Third chart is an Interaction Plot that shows the relationship between one variable and the response of a factor to this variable, this plot is tested at the minimum value for a parameter, and the maximum value. The first plot in Table 22 shows a “density” of zero is associated with the highest mean strength when “fno” is 150, and a “density” of 1000 is highest when “fno” is zero.

Table 20. “Happiness” statistically relevant effets

Table 21. “Happiness” statistically relevant effets

Table 22. “Happiness” statistically relevant effets

The charts in Figure 109 show how these results compared across four different qualities.

Within Table 23 the combined effects of each parameter is shown, this data is collated from the Main Effects plots for the different qualities and in this table each quality is listed along with: the highest rated texture for the quality, the parameters to increase in order to emphasise this quality, and the parameters to increase in order to emphasise this quality.

Figure 109. Effects plots, main effects plots, interaction plots

A * symbol denotes a significant change			
code	Texture #(percentage)	main effects to increase	main effects to decrease
inviting: IVT	10(47.5)	density*, xwave* and skew	fno, xyr, ywa
sadness: SAD	12(42.5)	cskew*	fno*, density*, height*, ywave*
fear: FER	14(51.67)	ywave	density*, xwave*
anxious: ANX	15(46.67)	density*, xwave*	facet number and ywave
upset: UPS	15(51)	fno, xyr, ywave,	xwave*, density*, skew, cskew
surprise: SPR	16(45)	density*, xwave*	fno, ywave
intimidating: ITM	16(58)	facet number, ywave	density*, xwave*
energetic: ENR	17(58.33)	fno, ywa	density*, xwave*
strange: STR	18(65.7)	ywave and fno	density* and xwave*
comfort: CMF	21(46.25)	density*, xwave*	fno, ywave
cohesive: COH	23(33.33)	ywave	density*, xwave*
reliable: RLA	23(65)	ywave	density* and xwave*
harsh: HRS	24(40)	fno, xyr, ywave,	density*, xwave*, skew, csk
fun: FUN	28(61.25)	facet number and ywave	density* and xwave*
happiness: HAP	29(50)	density*, xwave* and cskew*	fno
natural: NAT	30(40)	fno, ywa	density*, xwave*
anger: ANG	30(63.33)	density*, xwave*	facetnumber
familiar: FMR	32(77)	ywave	density*, xwave*
calm: CAM	32(40.91)	ywave	density*, xwave*, height
itchy: ITC	37(39)	fno, xyr, ywa*	density*, xwave*, cskew, skew
intriguing: ITR	38(39)	fno, xyr, ywave,	density*, xwave*, cskew, skew
jarring: JAR	39(37)	density*, xwave*, skew	fno, ywave

Table 23. List of emotions, highest rated texture, and main effects

Using this information it was then possible to find ways to modify textures used for the user testing stage in order to enhance or reduce certain qualities that were already identified.

For example, texture #29 was able to be more “happy” by using the workflow that follows.

Analysing the main effects plot provides the following suggestions:

- This texture can be made to appear more happy by increasing the density*, xwave* and cskew, and decreasing the fno
- This texture can be made to appear less fun by decreasing the density and xwave, and increasing the facet number and ywave
- This texture can be made to appear less anxious by increasing the facet number and ywave, and decreasing the density and xwave

Analysing the interactions plot provides the following suggestions:

- In regards to ivt: when ywave is low a bigger density increases ivt
- In regards to ivt: when xwave is high a bigger density increases ivt
- In regards to hap, when xwave is high a bigger density increases hap
- In regards to hap, when csk is high a bigger density increases hap
- In regards to hap, when density is high a smaller fno increases hap

Surface Number	29
Facet Number	100
Density	190
Z Rotation	0
XY Rotation	0
Skew	0
Height	5
Amplitude	28
X Wave	90
Y Wave	90
Centre Skew	100
harsh	0.00%
intimidating	0.00%
upset	0.00%
fun	50.00%
inviting	0.00%
calm	6.36%
natural	0.00%
energetic	33.33%
itchy	0.00%
cohesive	0.00%
familiar	17.00%
jarring	0.00%
strange	0.00%
reliable	0.00%
anger	0.00%
happiness	50.00%
sadness	0.00%
fear	0.00%
anxious	14.17%
intriguing	20.00%
surprise	13.57%
comfort	17.50%

Table 24. #29

Table 25. Charts for "Fun"

Table 26. Charts for "Happiness"

Table 27. Charts for "Anxious"

This information was then combined as shown in Figure 110 in order to take into account the customisations, in this figure the changes to the texture at each stage is shown in the render above, while the table below shows the original parameters on the left with the new altered parameters types on the right of the table when necessary.

Figure 110. Process of enhancing #29 "Happiness"

Latent Space Exploration

The goal for this experiment was to design an artefact that featured a smooth transition between two textures, for this experiment two textures were chosen that had similar values but visually distinct appearances. The value of fun was chosen; the two highest rated textures of this quality were textures number 28 (rated 61.25%) and texture number 33 (rated 57.5%). The intent of this process was to remove any negative values that were associated with these textures, such as intimidating or anxious.

For texture 28 the data analysis was used to increase fun, decrease intimidating (45%), and decrease anxious (39.17%). The minimum and maximum parameter values were adjusted from the min / max table in order to best suit the texture.

Figure 111. Process of enhancing #28 "Fun"

Figure 112. New "Fun" iteration

Figure 113. Process of enhancing #33 “Fun”

Figure 114. New Fun iteration

The next step of this experiment was to create a transitory texture that iterates within the median values of each new iteration, in order to create a cohesive form that transforms one into the other.

This experiment enables the exploration of the “latent space” between values in which many different textural aesthetics could be justifiably still considered as being “fun”.

Figure 115. Powershell Script to interpolate parameters

A Powershell script originally written during the first stage of design experiments was modified to create a smooth transition between the two textures; this script involved significant amount of coding in order to create a natural appearing transition texture.

This script, shown in Figure 115, divides a texture into a number of rows of individual units of a texture, each row rendered with an iteration on the parameters of the preceding row, this creates a series of up to several hundred separate STL files that will later need to be combined.

In order to achieve this the script first contains a list of the parameters to start and end at. With this information the number of iterations required are calculated from the “length” the texture is set to; for each parameter the differences between the start and end value is calculated, divided by the number of iterations required, and saved in a list. Additionally, for the parameters of XWave and YWave only the middle 50% of a texture is iterated on in order to create a smoother transition.

For each pair of start and end values, a check is made of every parameter and the difference remaining between the start and end value; if there is no difference the parameter is removed from the list, otherwise parameters are incremented or decremented according to the pre-calculated list, passed to an OpenSCAD file to be rendered, and finally the row is exported as a 3D model into a designated folder.

The rows, once exported, were combined within Blender using a python script that procedurally imported and placed each row next to each other.

For this experiment a total of 500 STL rows at a total of 1.85GB were exported through the scripting process in order to make the transition texture; the Blender screenshot in Figure 116 shows this python script at the bottom of the screen, and each row can be seen stacked horizontally with the last one highlighted in orange. From here the file could be exported as a single STL file.

Figure 116. Importing files in a row

Figure 117. Latent space between 33 (centre-left) and 28 (right)

Emotive Swatches

The list of 22 emotional qualities identified through the free grouping part of the user study were used as the basis of a new series of emotive textures.

For each quality the study dataset was searched for the texture that was rated with the highest strength percentage of this quality as can be seen in Table 28; building on the process from the preceding section a spreadsheet seen in Table 29 was made to record the parameters, original values, the value to be enhanced, and the next two strongest rated values to be reduced.

Table 29 shows the quality to be enhanced highlighted in green followed by the two qualities to be reduced, with the interventions in the parameters highlighted in bold black text. The mean number of these values were then automatically calculated in order to provide the values for the new enhanced texture, such as making texture #10 more inviting, less angry, and less strange.

Surface Number	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
Facet Number	100	40	25	62	90	38	50	70	100	20	20	100	100	24	50	100	24	24	45	100	27	100	0	150	85	100	150	60	130	24
Density	50	50	1000	90	85	60	80	80	102	290	80	60	20	77	100	50	70	77	50	190	567	58	0	85	75	100	50	145	500	30
Z Rotation	0	0	100	12.5	25	22.5	0	50	100	2	25	90	51	0	90	0	0	19	0	97	100	0	0	15	0	16	10	0	0	0
XY Rotation	0	0	0	7	4	5.5	50	2	5	0	8	0	0	0	0	7	0	5	0	39	2	0	0	4.5	8	0	6	0	5	0
Skew	0	15	0	70	55	45	20	50	30	10	50	120	0	0	0	0	0	50	70	0	98	0	0	0	25	50	40	125	0	0
Height	45	4	0	10	5	7.5	0	0	0	0	10	0	0	20	60	10	5	20	5	5	0	0	0	0	12.5	0	30	5	0	50
Amplitude	22	65	88	7.5	27.5	7.5	15	35	25	28	10	0	10	10	30	50	25	10	19	28	0	0	25	25	5	6	16.5	18	0	0
X Wave	65	0	0	4.5	7.5	17.5	60	45	10	95	125	0	80	0	28	40	0	1800	40	90	87	0	0	40	25	0	300	44.5	90	0
Y Wave	65	4.5	0	0	25	17.5	60	45	15	45	0	80	0	0	100	40	90	0	82.5	90	87	0	0	30	40	0	300	95	90	0
Centre Skew	100	100	30	95	72.5	100	200	100	72	0	50	100	100	100	72	100	100	100	82.5	100	100	130	0	90	100	85	92	106	100	100
harsh	17.00%	0.00%	35.00%	0.00%	17.00%	28.00%	25.00%	0.00%	47.00%	15.00%	27.00%	27.00%	16.00%	0.00%	40.00%	19.00%	23.00%	0.00%	16.00%	0.00%	20.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	13.00%
intimidating	0.00%	7.00%	18.00%	12.00%	44.00%	27.00%	58.00%	15.00%	50.00%	15.00%	12.00%	9.00%	0.00%	0.00%	19.00%	0.00%	30.00%	8.00%	36.00%	0.00%	16.00%	20.00%	0.00%	0.00%	0.00%	11.00%	4.00%	8.00%	0.00%	36.00%
upset	0.00%	0.00%	0.00%	38.75%	46.25%	42.50%	0.00%	20.00%	0.00%	0.00%	0.00%	0.00%	33.75%	0.00%	0.00%	0.00%	0.00%	0.00%	81.25%	58.00%	17.50%	0.00%	3.75%	57.50%	23.75%	0.00%	15.00%	59.00%	23.75%	0.00%
fun	5.00%	0.00%	0.00%	0.00%	21.25%	0.00%	20.00%	0.00%	17.50%	11.25%	0.00%	20.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	22.50%	0.00%	17.50%	0.00%	25.00%	35.00%	26.25%	0.00%	25.00%	0.00%	0.00%	0.00%
calm	34.55%	8.64%	14.55%	5.91%	8.18%	7.73%	0.00%	23.64%	0.00%	0.00%	7.73%	11.36%	8.64%	11.82%	8.64%	17.27%	15.91%	30.91%	6.36%	6.36%	7.27%	25.45%	40.91%	6.82%	15.45%	23.64%	6.36%	9.09%	17.27%	8.18%
natural	0.00%	8.75%	37.50%	0.00%	0.00%	0.00%	25.00%	0.00%	23.75%	0.00%	0.00%	0.00%	0.00%	16.25%	22.50%	21.25%	20.00%	0.00%	18.75%	0.00%	40.00%	25.00%	42.50%	0.00%	0.00%	13.75%	0.00%	0.00%	0.00%	23.75%
energetic	6.67%	0.00%	0.00%	21.67%	30.00%	28.33%	33.33%	58.33%	0.00%	0.00%	0.00%	0.00%	18.33%	0.00%	30.00%	28.33%	26.67%	0.00%	48.33%	33.33%	0.00%	0.00%	5.00%	51.67%	0.00%	0.00%	20.00%	56.67%	31.67%	0.00%
itchy	0.00%	7.00%	0.00%	16.00%	36.00%	18.00%	0.00%	0.00%	18.00%	0.00%	0.00%	0.00%	0.00%	13.00%	37.00%	0.00%	36.00%	0.00%	15.00%	0.00%	20.00%	0.00%	0.00%	14.00%	24.00%	17.00%	39.00%	0.00%	19.00%	
cohesive	31.67%	0.00%	26.67%	0.00%	0.00%	0.00%	33.33%	30.00%	33.33%	30.00%	26.33%	31.67%	0.00%	33.33%	0.00%	28.33%	0.00%	0.00%	0.00%	31.67%	0.00%	0.00%	26.67%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
familiar	0.00%	18.00%	26.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	20.00%	3.00%	38.00%	0.00%	0.00%	0.00%	0.00%	53.00%	0.00%	17.00%	16.00%	3.00%	77.00%	0.00%	0.00%	6.00%	0.00%	0.00%	19.00%	16.00%
jarring	0.00%	34.00%	0.00%	17.00%	17.00%	16.00%	20.00%	0.00%	35.00%	18.00%	15.00%	0.00%	31.00%	0.00%	0.00%	18.00%	0.00%	19.00%	0.00%	20.00%	33.00%	0.00%	0.00%	11.00%	0.00%	0.00%	19.00%	0.00%	37.00%	0.00%
strange	25.71%	0.00%	11.43%	0.00%	22.86%	0.00%	29.71%	31.43%	66.71%	31.43%	12.14%	0.00%	0.00%	0.00%	0.00%	25.00%	0.00%	0.00%	11.43%	0.00%	13.57%	0.00%	0.00%	4.29%	0.00%	11.43%	15.71%	0.00%	0.00%	0.00%
relatable	0.00%	48.75%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	47.50%	25.00%	0.00%	0.00%	16.25%	0.00%	21.25%	0.00%	48.75%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	22.50%	0.00%
larger	40.00%	0.00%	5.00%	20.00%	30.00%	31.67%	43.33%	21.67%	28.33%	55.00%	31.67%	0.00%	0.00%	0.00%	30.00%	45.00%	20.00%	0.00%	25.00%	0.00%	33.33%	0.00%	15.00%	31.67%	0.00%	18.33%	60.00%	0.00%	0.00%	0.00%
happiness	25.00%	0.00%	0.00%	22.50%	47.50%	0.00%	22.50%	15.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	21.25%	25.00%	23.75%	0.00%	21.25%	50.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	22.50%	0.00%
sadness	0.00%	22.50%	42.50%	0.00%	0.00%	0.00%	25.00%	0.00%	0.00%	38.75%	11.25%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	25.00%	23.75%	25.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	20.00%	0.00%
fear	0.00%	0.00%	0.00%	6.33%	51.67%	23.33%	0.00%	0.00%	25.00%	31.67%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	33.33%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	26.33%	43.33%	0.00%	28.33%	0.00%
anxious	0.00%	0.00%	15.00%	32.50%	46.17%	46.67%	15.83%	10.83%	40.83%	25.00%	14.17%	0.00%	0.00%	0.00%	12.80%	6.33%	24.17%	0.00%	39.17%	14.17%	12.50%	0.00%	15.00%	27.50%	0.00%	0.00%	15.83%	0.00%	15.83%	0.00%
intriguing	22.00%	0.00%	20.00%	0.00%	0.00%	0.00%	20.00%	0.00%	17.00%	0.00%	15.00%	18.00%	27.00%	0.00%	32.00%	19.00%	4.00%	18.00%	0.00%	20.00%	0.00%	17.00%	22.00%	16.00%	0.00%	0.00%	0.00%	39.00%	0.00%	0.00%
surprise	28.43%	0.00%	0.71%	0.00%	21.43%	8.57%	45.00%	5.00%	2.86%	13.57%	0.00%	0.00%	0.00%	0.00%	9.29%	26.43%	2.86%	0.00%	13.57%	17.86%	0.00%	0.00%	12.86%	0.00%	12.14%	12.14%	27.14%	0.00%	10.71%	0.00%
comfort	22.50%	25.00%	0.00%	0.00%	0.00%	17.50%	0.00%	0.00%	0.00%	0.00%	0.00%	46.25%	20.00%	31.25%	0.00%	0.00%	0.00%	20.00%	0.00%	17.50%	0.00%	36.25%	13.75%	0.00%	0.00%	28.75%	20.00%	0.00%	22.50%	0.00%

Table 28. Dataset analysis of 22 qualities and user ratings

Texture Number: 10	OG Values: 100,050,000,0	New Values: 65,73,0,0,17,4	Texture Number: 12	OG Values: 025,1000,100,4	New Values: 20,700,100,0,2
Parameter	value	ivt + ang - str - mean	Parameter	value	sad + har - nat - mean
Facet Number	100	25 120 50 65	Facet Number	025	20 20 20 20
Density	050	80 40 100 73	Density	1000	100 1000 1000 700
Z-Rotation	000	000 000 000 0	Z-Rotation	100	100 100 100 100
XY Rotation	000	000 000 000 0	XY Rotation	000	000 000 000 0
Skew	000	50 000 000 17	Skew	000	000 60 000 20
Height	045	045 045 045 45	Height	000	000 000 000 0
Amplitude	022	022 022 022 22	Amplitude	088	088 088 088 88
X Wave	065	90 100 150 113	X Wave	000	000 100 50 50
Y Wave	065	00 065 40 35	Y Wave	000	000 000 000 0
Centre Skew	100	100 100 100 100	Centre Skew	030	80 80 030 63

Table 29. Enhanced and reduced values

Figure 118. OpenSCAD preview of new “Happiness” texture

The rendered outputs for these new parameters were previewed within OpenSCAD as seen in Figure 118 in order for the best-quality enhanced and reduced values to be used to ensure that no texture would ultimately be too similar to any other, or not be printable.

This was a process of altering the value towards a corresponding value as seen in Figure 119, however this was only used as a guide. If a value was required to be reduced was lower than the guidelines, it would either be reduced still, or left unchanged; the same applied for increasing values.

The numerical changes ultimately made were aesthetic choices in order to find the most interesting enhanced texture with the given rules, and as such the final changes were not always consistent with this guide.

The graphs from the model use values in that are in the extreme of the parameters within the textures; for example when the *density* of the texture is ordinarily between 50 and 100, in some cases the density is equal to zero or 1000, for this reason the relationships inferred from these graphs are not taken as the literal interpretation of the numerical values, but rather the most likely minimum and maximum values for the parameters, these are as below:

code	description	Minimum value	Maximum value
fno	Facet Number: resolution of each texture unit	20	120
den	Density: scale of each texture unit	70	150
roz	Z-Rotation: z rotation of the texture unit	0	100
rx	XY Rotation: xy rotation of the texture unit	0	50
skw	Skew: skew of the texture unit along x axis	0	100
heo	Height: minimum height of the texture unit	0	50
amp	Amplitude: difference between low and high	0	50
wax	X Wave: wavelength on x axis	0	100
way	Y Wave: wavelength on y axis	0	100
csk	Centre Skew: scale of the centre of the shape	0	100

Figure 119. Minimum and Maximum Parameters

This process was repeated for all 22 qualities until the spreadsheet contained lists of all 66 new parameters to calculate the mean values for.

In order to render this new series of textures as STL files it was necessary to use Windows Powershell to automate the interactions with OpenSCAD to increase the speed and quality of the output files. A Powershell script seen in Figure 121 was made that contained a list of the new parameters and a list of the parameter abbreviations, and would procedurally iterate each item on the list to pass the values into the OpenSCAD script used to preview the changes; finally it was exported into a designated folder using OpenSCAD running as a background process and at a scale of 50 mm * 50 mm.

This process was necessary in order make sure that the large number of textures could be exported correctly and without error, and the process automated an otherwise manual task of exporting files.

```
Windows PowerShell ISE
File Edit View Tools Debug Add-ons Help

RENDERALL.ps1 X
1
2 $SeedWidth = 26
3 $SeedLength = 26
4
5 $FuncList = [System.Collections.Generic.List[System.String]]["fn", "density", "rot2", "rotXX", "skew", "ho", "skewk", "waves", "wavy", "cSkew"]
6
7 $Fval = [System.Collections.Generic.List[Double]] [100,050,000,000,000,041,022,061,065,100]#the starting coordinates; reset by mParams
8 $Fval = [System.Collections.Generic.List[Double]] [1046,120,043,020,040,030,000,000,030,100]#the goal coordinates
9
10 $tList = [System.Collections.Generic.List[System.String]][""]
11 $tAmount = [System.Collections.Generic.List[System.Double]][""]
12
13 $Script:Remove($tList)
14 $Script:Remove($tAmount)
15
16 $multiDimensional array for going between a set list #####
17 $mParams = [System.Collections.Generic.List[System.Double]] [60,73,0,0,17,45,122,113,19,100,
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
```

Figure 121. Powershell script with parameters to render

```
Windows PowerShell
PS C:\Users\askey\Dropbox\Thesis\August Experiments\literator> .\RENDERALL.ps1
rendering lvt: 65 73 0 0 17 45 22 113 35 100
rendering sad: 20 700 100 0 20 0 88 50 0 63
rendering fer: 90 77 25 4 55 5 28 24 33 68
rendering anxi: 22 110 23 4 57 8 8 83 2 100
rendering ups: 85 63 23 12 30 8 8 28 47 93
rendering spr: 35 80 0 50 20 0 15 87 17 200
rendering itm: 90 53 0 50 20 0 15 30 60 200
rendering enr: 97 117 50 2 50 17 35 48 67 92
rendering str: 80 87 100 3 50 0 25 47 35 78
```

Figure 120. Rendering & Exporting a Queue of textures

Figure 123. Enhancing “Inviting” on texture #10

Figure 122. Enhancing “Harsh” on texture #24

Figure 124. Enhancing “Intriguing” on texture #38

In Figure 122, Figure 123, and Figure 124 the results of the original texture parameters used for the user study are shown on the left hand side, and the new textures are shown on the right. On the following pages in Figure 125 to Figure 147 the full comparisons of the enhanced textures are shown, along with the numerical parameter values in Table 30. An additional two textures from part two of the study were included in these results in order to increase the range of emotional affects available, these textures did not enhance the parameters of the associated value, but rather reduced three others.

Figure 125. Inviting

Figure 126. Sad

Figure 127. Fear

Figure 128. Anxious

Figure 129. Upset

Figure 130. Surprise

Figure 131. Intimidating

Figure 132. Energetic

Figure 133. Strange

Figure 134. Comfort

Figure 135. Cohesive

Figure 136. Reliable

Figure 137. Harsh

Figure 138. Fun

Figure 139. Happiness

Figure 140. Natural

Figure 141. Calm

Figure 142. Familiar

Figure 143. Itchy

Figure 144. Intriguing

Figure 145. Jarring

Figure 146. Anger

Figure 147. Bliss

Texture Number: 10		OG Values: 100,050,000,0		New Values: 65,73,0,0,17,4	
Parameter	value	lvt +	ang -	str -	mean
Facet Number	100	25	120	50	65
Density	050	80	40	100	73
Z-Rotation	000	000	000	000	0
XY Rotation	000	000	000	000	0
Skew	000	50	000	000	17
Height	045	045	045	045	45
Amplitude	022	022	022	022	22
X Wave	065	90	100	150	113
Y Wave	065	00	065	40	35
Centre Skew	100	100	100	100	100

Texture Number: 15		OG Values: 035,060,22,5,5		New Values: 22,110,23,4,5	
Parameter	value	anx +	ups -	fun -	mean
Facet Number	038	25	20	20	22
Density	060	150	110	70	110
Z-Rotation	22.5	22.5	22.5	22.5	23
XY Rotation	5.5	5.5	2	5.5	4
Skew	045	045	80	045	57
Height	7.5	7.5	7.5	7.5	8
Amplitude	7.5	7.5	7.5	7.5	8
X Wave	17.5	100	50	100	83
Y Wave	17.5	0	0	5	2
Centre Skew	100	100	100	100	100

Texture Number: 16		OG Values: 050,080,000,0		New Values: 50,53,0,50,20	
Parameter	value	itm +	spr -	ang -	mean
Facet Number	050	120	100	50	90
Density	080	70	50	40	53
Z-Rotation	000	000	000	000	0
XY Rotation	050	050	050	050	50
Skew	020	020	020	020	20
Height	000	000	000	000	0
Amplitude	015	015	015	015	15
X Wave	060	30	0	060	30
Y Wave	060	100	70	10	60
Centre Skew	200	200	200	200	200

Texture Number: 21		OG Values: 100,060,090,0		New Values: 73,107,90,0,13	
Parameter	value	cmf +	rel -	har -	mean
Facet Number	100	60	100	60	73
Density	060	110	120	90	107
Z-Rotation	090	090	090	090	90
XY Rotation	000	000	000	000	0
Skew	120	120	120	120	120
Height	000	000	000	000	0
Amplitude	000	000	000	000	0
X Wave	000	90	100	60	83
Y Wave	000	000	000	000	0
Centre Skew	100	100	100	200	133

Texture Number: 24		OG Values: 050,100,090,0		New Values: 63,103,90,5,23	
Parameter	value	hrs +	itc -	itr -	mean
Facet Number	050	100	120	30	83
Density	100	60	100	150	103
Z-Rotation	090	090	090	090	90
XY Rotation	000	5	10	000	5
Skew	000	000	60	10	23
Height	060	060	060	060	60
Amplitude	030	030	030	030	30
X Wave	028	15	028	60	34
Y Wave	100	110	150	60	107
Centre Skew	072	60	100	90	83

Texture Number: 30		OG Values: 27,567,097,03		New Values: 126,356,97,39	
Parameter	value	nat +	ang -	coh -	mean
Facet Number	27	150	200	27	126
Density	567	300	200	567	356
Z-Rotation	097	097	097	097	97
XY Rotation	039	039	039	039	39
Skew	098	098	098	098	98
Height	000	000	000	000	0
Amplitude	000	000	000	000	0
X Wave	087	45	10	100	52
Y Wave	087	90	087	087	88
Centre Skew	100	100	100	100	100

Texture Number: 32		OG Values: 000,000,000,0		New Values: 40,40,0,0,0,0	
Parameter	value	cam +	fam -	nat -	mean
Facet Number	000	000	80	40	40
Density	000	000	80	40	40
Z-Rotation	000	000	000	000	0
XY Rotation	000	000	000	000	0
Skew	000	000	000	000	0
Height	000	000	000	000	0
Amplitude	000	000	000	000	0
X Wave	000	50	50	80	60
Y Wave	000	000	000	000	0
Centre Skew	000	000	000	000	0

Texture Number: 39		OG Values: 024,030,000,0		New Values: 21,93,0,3,7,50	
Parameter	value	jar +	ups -	fer -	mean
Facet Number	024	20	20	024	21
Density	030	90	90	100	93
Z-Rotation	000	000	000	000	0
XY Rotation	005	005	0	005	3
Skew	000	20	000	000	7
Height	050	050	050	050	50
Amplitude	000	000	000	000	0
X Wave	000	50	50	60	53
Y Wave	000	000	000	000	0
Centre Skew	100	100	110	100	103

Texture Number: 12		OG Values: 025,1000,100		New Values: 20,700,100,0,2	
Parameter	value	sad +	har -	nat -	mean
Facet Number	025	20	20	20	20
Density	1000	100	1000	1000	700
Z-Rotation	100	100	100	100	100
XY Rotation	000	000	000	000	0
Skew	000	000	60	000	20
Height	000	000	000	000	0
Amplitude	088	088	088	088	88
X Wave	000	000	100	50	50
Y Wave	000	000	000	000	0
Centre Skew	030	80	80	030	63

Texture Number: 15		OG Values: 38,60,22,5,5,5		New Values: 85,63,23,12,35	
Parameter	value	ups +	anx -	fun -	mean
Facet Number	38	150	80	25	85
Density	60	50	40	100	63
Z-Rotation	22.5	22.5	22.5	22.5	23
XY Rotation	5.5	25	5.5	5.5	12
Skew	45	0	45	45	30
Height	7.5	7.5	7.5	7.5	8
Amplitude	7.5	7.5	7.5	7.5	8
X Wave	17.5	5	0	80	28
Y Wave	17.5	60	80	2	47
Centre Skew	100	80	100	100	93

Texture Number: 17		OG Values: 70,80,50,2,50		New Values: 97,117,50,2,93	
Parameter	value	enr +	str -	sad -	mean
Facet Number	70	120	50	120	97
Density	80	150	100	100	117
Z-Rotation	50	50	50	50	50
XY Rotation	2	2	2	2	2
Skew	50	50	50	50	50
Height	0	0	0	50	17
Amplitude	35	35	35	35	35
X Wave	45	0	100	45	48
Y Wave	45	100	0	100	67
Centre Skew	100	100	100	75	92

Texture Number: 23		OG Values: 024,077,000,0		New Values: 53,73,0,0,0,20	
Parameter	value	coh +	rel -	fam -	mean
Facet Number	024	024	024	110	53
Density	077	60	100	60	73
Z-Rotation	000	000	000	000	0
XY Rotation	000	000	000	000	0
Skew	000	000	000	000	0
Height	020	020	020	020	20
Amplitude	010	010	010	010	10
X Wave	000	70	90	50	70
Y Wave	000	000	000	000	0
Centre Skew	100	100	100	100	100

Texture Number: 28		OG Values: 045,050,019,0		New Values: 58,90,19,5,70	
Parameter	value	fun +	enr -	itm -	mean
Facet Number	045	120	25	30	58
Density	050	050	70	150	90
Z-Rotation	019	019	019	019	19
XY Rotation	005	005	005	005	5
Skew	070	070	070	070	70
Height	005	005	005	005	5
Amplitude	019	019	019	019	19
X Wave	040	20	90	80	63
Y Wave	92.5	110	40	40	63
Centre Skew	82.5	82.5	82.5	82.5	83

Texture Number: 30		OG Values: 27,567,097,03		New Values: 22,578,97,39,8	
Parameter	value	ang +	nat -	coh -	mean
Facet Number	27	20	20	27	22
Density	567	600	567	567	578
Z-Rotation	097	097	097	097	97
XY Rotation	039	039	039	039	39
Skew	098	098	098	098	98
Height	000	000	000	000	0
Amplitude	000	000	000	000	0
X Wave	087	100	100	100	100
Y Wave	087	087	10	087	61
Centre Skew	100	100	100	100	100

Texture Number: 37		OG Values: 060,145,010,0		New Values: 78,120,10,9,13	
Parameter	value	itc +	ang -	enr -	mean
Facet Number	060	110	100	25	78
Density	145	90	70	200	120
Z-Rotation	010	010	010	010	10
XY Rotation	006	15	006	006	9
Skew	125	125	125	125	125
Height	005	005	005	005	5
Amplitude	16.5	16.5	16.5	16.5	17
X Wave	44.5	20	10	90	40
Y Wave	095	110	095	60	88
Centre Skew	106	90	106	106	101

Texture Number: 8		OG Values: 040,080,002,0		New Values: 67,77,2,0,30,1	
Parameter	value	hap-	cmf-	cam-	mean
Facet Number	040	60	100	040	67
Density	080	50	60	120	77
Z-Rotation	002	002	002	002	2
XY Rotation	000	000	000	000	0
Skew	075	075	075	075	75
Height	004	004	004	24	11
Amplitude	065	065	065	065	65
X Wave	000	000	000	90	30
Y Wave	4.5	4.5	85	0	30
Centre Skew	100	80	100	100	93

Texture Number: 14		OG Values: 090,085,025,0		New Values: 90,77,25,4,55	
Parameter	value	fer +	hap -	fun -	mean
Facet Number	090	090	120	60	90
Density	085	70	60	100	77
Z-Rotation	025	025	025	025	25
XY Rotation	004	004	004	004	4
Skew	055	055	055	055	55
Height	005	005	005	005	5
Amplitude	27.5	27.5	27.5	27.5	28
X Wave	7.5	2	0	70	24
Y Wave	025	75	025	0	33
Centre Skew	72.5	72.5	60	72.5	68

Texture Number: 16		OG Values: 050,060,000,0		New Values: 35,80,0,50,20	
Parameter	value	spr +	itm -	ang -	mean
Facet Number	050	30	25	50	35
Density	080	100	100	40	80
Z-Rotation	000	000	000	000	0
XY Rotation	050	050	050	050	50
Skew	020	020	020	020	20
Height	000	000	000	000	0
Amplitude	015	015	015	015	15
X Wave	060	100	100	060	87
Y Wave	060	30	10	10	17
Centre Skew	200	200	200	200	200

Increasing Tactility

This design stage utilised the STL models that were created for the user studies but applied these to a creative design context informed by the initial results of the study and by the discoveries made from the first two stages of design experimentation.

Translucency Experiments

Print tests were made using the J750 resin printer on four texture samples in order to assess the qualities of using a translucent material. Whilst other experiments were restricted to a black and white colour palette, for these tests a blue material was chosen over a clear material in order to make the textural qualities more visible.

Figure 150. Glossy translucent print

Figure 149. Four experiments

Figure 151. Translucent Front Face (above) and Reverse (below)

Further tests on translucency were done in samples of black and white. Figure 153 shows these prints when lit from the front, while Figure 152 shows that when lit from behind both colours are able to reveal further qualities of the texture.

Figure 153. Smoothed Heightmap samples

Figure 152. Translucency tests in white and black

Figure 155. Translucency tests in black

Figure 154. Samples in 3D printing software

Emotive Form in Resin Printing

Experimentation into the limits of J750 printing was undertaken in order to pursue new forms and details in printing that would not be possible with FDM methods. These experiments use some of the computational processes discovered in Blender through Design Experiments Two, but changed in the scale of the intended prints being much smaller.

The first of these experiments was the application of “Lattice” Modifier to transform planar textures exported from OpenSCAD, this process is show in Figure 156 and Figure 158, where a cube of 6 textures is constructed by arranging the original STL files around a cubic Lattice, to which each texture is applied.

This lattice is then “Cast” into the shape of a sphere which morphs the rectangular textures into the shape of 6 equal pieces of a sphere. Two sides of this sphere can be seen printed in black resin in Figure 157, where each part when placed next to the other forms a semi-spherical shape.

Figure 156. Lattice-morphing planar shapes

Figure 158. Lattice-morphed sphere Details

The negative effect of this process is that there is little control over the warping of the shape, and elements of the textures within Figure 157 compress at the corners in order to fit the shape. Additionally, this compression also occurs along the Z-axis height of the texture, resulting in the effect seen in the left of this image, where the backing of the print has become too thin to print and the pale support material underneath cannot be removed without breaking the part.

Figure 157. Lattice-morphed sphere sides

Figure 160. Lattice-morphed shape I

Figure 159. Resin-printed Lattice morph

Figure 161. Lattice-morphed shapes details

Further exploration of this method failed to resolve the issues of maintaining a printable thickness of the interior shell, as seen in Figure 161.

This print was attempted creating a multi-part print that would seamlessly fit together whilst still maintaining a “glossy” finish of the top surface of the model used to print the stimuli in the user studies. These prints revealed some interesting details regarding translucency but ultimately failed to be tactually interesting and once again the pale support material could not be removed without damaging the model.

Figure 162. Lattice-morphed shape II

The final experiment used the application of another body on the interior of the lattice to provide the necessary support, however the texture on this print was ultimately too dense in order to be visible once printed, as seen in Figure 163.

Figure 163. Lattice-morphed shapes

The final iteration designed to become Design Artefact Two was instead modelled through a simpler process within blender and without the use of the Lattice modifier.

Figure 146 shows how the use of the “Subdivision” modifier can iteratively smooth a faceted angular shape into a smooth form. In this figure the outline at the top shows the original shape, while the form at the bottom shows how this is drastically smoothed when the modifier is applied.

Figure 164. Subdivided form

Figure 165. Subdivided form

This form was modelled to be a familiar size and shape of a mobile device in the form of a speculative artefact, however two notable design decisions were made to reference design constraints of older technology in order to provide more contextual cues for the form and as inspiration.

The first being the addition of an antenna the extrudes from the body of the form itself, as a reference to early “PDA” design, and the second a “bulbous” curved display as inspired by CRT screens.

Figure 166. Details of Design Artefact Two

Figure 167. Separation of parts

The model was separated into three parts for the front face, middle rim, and the rear face. Textures were applied using both heightmap wrapping for resin-printed parts and as raw STLs for FDM printed parts.

Figure 168. Rendering of textures

The front face texture was reduced to a smooth pattern by applying a “Blur” filter to the exported heightmap. This had the effect of reducing the quality (and accuracy) of the texture, but also made it more suitable for a seamless resin print and the smoother finish helped to not distract too much from the concept of being a display.

The rear face of the form was created by using a “Shrinkwrap” to deform an STL file to the shape of the body, this texture was then Boolean-cut to shape.

The final form was to be printed in two parts, the rear part on an FDM printer in order to print the steep angles of the STL, and the middle and front face to be resin printed as a multi-colour print.

Figure 170. variations of texture displacement

Figure 169. smoothed corners of front face

Figure 171. variations of rear texture

Figure 172. Final modelled form for Artefact Two

Increasing Variation

This design stage utilised the stl models that were created for the user studies but applied these to a creative design context informed by the initial results of the study and by the discoveries made from the first two stages of design experimentation.

Computational Design

The modifiers and tools within Blender that were applied to create 3D shapes within Design Experiments One were expanded through further experimentation in order to make more varied and complex forms.

The intent for this method was to find new ways to create these forms without unnecessarily distorting the texture itself, other methods such as height displacement and lattice meshing had the effect of sometimes dramatically warping elements or the scale of a texture in places in order to make it fit to a form, as seen in Figure 174.

Figure 130 shows how using subtle wrapping techniques a rectilinear texture file can be moulded to a smooth “barrell” shape using only the shapes of an oval to create a curved edge, and a circle to connect the two most distant sides into a whole.

Whilst this method does still have the risk of dramatically warping a texture, the benefit comes in being able to know beforehand whether or not this will occur and to be able to alter the process in order to avoid such issues.

Figure 173. Blender Curve Modifier texture wrapping

Figure 174. Using a Lattice to deform a flat rectangle

Using these computational processes enabled the creation of organic forms and curvilinear shapes whilst building from the geometry of the texture itself, rather than focusing on how best to apply the texture to an unrelated shape.

This is a mode of computational design that relies more on the ability to understand how the software being used (Blender) wants to create forms, rather than starting with an end form in mind that the software is then programmed to make.

This method is more akin to working with the forms the software wants to make already, and understanding how to push these processes to their limits, using the software is the co-designer rather than just the tool.

Figure 175. Forms made from a single texture using only curves

Figure 177. Exploring forms I

Forms were first prototyped using texture-less rectilinear forms that were the size and shape of textures that could be rendered out through a process of experimenting with different circular and spiral curves through the “Curve Modifier”, as shown in Figure 130.

These initial prototypes were used as the basis informing how textures could be applied as a method for identifying the most interesting of these shapes.

Figure 176. Exploring forms II

All textures were first turned into a circular or oval-shaped pillars, which were found to be the most useful forms for creating interesting 3D objects. Various methods were used in order to achieve this with the Curve modifier.

Figure 178 shows two of these methods where a tubular shape is made from two parts, one smooth and one textured, with the form on the left being wrapped linearly top to bottom, and the form on the right being wrapped at an angle creating a helical shape.

Figure 178. Linear wrapping and helical wrapping

Figure 179. Applying texture

Figure 180. Self Intersections

Applications of texture onto forms required intervention in the OpenSCAD rendering process that was used to create them; as shown in Figure 136 the left-most image has significant issues trying to wrap the texture around a curve, whereas the right-most image successfully does so.

This error was due to the concatenation of equiplanar faces on an exported STL file, when exporting STL files in the OpenSCAD process these faces would be combined into single geometry if the face was on the same plane, reducing the total number of triangles in the file.

In order to create a texture that could be wrapped without issue the texture had to be exported row by row in order to divide the individual units of the texture further and increase the number of triangles in the form, additionally, a process in the original script that would Boolean (cut) the shape of the texture to remove any elements that would extend beyond the boundaries was changed to Boolean each individual unit, to stop this operation from combining adjacent geometries.

Another common error is present in Figure 180, where the geometry of the texture would intersect with itself if the curve it was being wrapped to had an angle that was too complex for the geometry to smoothly wrap to.

Any point where the texture was either intersecting, or was made too dense, was not able to be 3D printed due to the limitations of 3D slicer software to be able to remove a part of the geometry that had these intersections, resulting in a print where the nozzle of the printer would try to print material repeatedly in an area too small for the amount of material being extruded.

Figure 181. Prototyping form and texture

Figure 182. Assorted forms within Blender

Emotive Form in FDM

Experiments into this stage of design had the criteria that forms must be able to be printed without the need for printer support material to print the form, and that the form must be a “Shell” print having no printer infill in order to speed up the process of printing.

Figure 183 shows some of the limitations of the FDM printer under these conditions when attempting to print complex details such as textures.

The form on the left has a texture that geometry self-intersects on the interior side, and as such the material is too dense causing the printer to continually extrude material in the same small area, creating burn marks and lumps of material.

The centre image of Figure 183 shows an overhand that is too severe to be printed without support material, as a result the printer’s attempts to create this form yields a model that is not able to stick together and any material on the underside of this print disconnects from the body of the form.

The right-most image is able to print somewhat successfully, but this time the printer is unable to print the top-facing side without support and instead leaves separated strings of material on the form. Additionally there are burn marks on the interior of this print and the printer nozzle was set too close to the bed resulting in a lumpy exterior.

Figure 183. Failures in FDM printing

Four prototypes were printed in White ABS plastic and can be seen in Figure 184 to Figure 144, with a final prototype printed in Black and White ABS plastic in Figure 145.

Each model in Figure 184 to Figure 144 was printed on an UPBOX printer in white ABS plastic, with a nozzle diameter of 0.4 mm and layer height of 0.15 mm. Prototype one required a time of 36 hours to print, prototype two 24 hours, prototype three 28 hours, and prototype four 36 hours.

Prototype five in Figure 188 was printed in two parts, one of which was Figure 144, printed on an UPBOX printer in white ABS plastic, with a nozzle diameter of 0.4 mm and layer height of 0.15 mm, and one part in black ABS plastic with a nozzle diameter of 0.4 mm and a layer height of 0.20 mm; these parts required a total of 36 hours and 16 hours respectively to print.

Figure 184. Prototype one

Figure 185. Prototype Two

Figure 186. Prototype Three

Figure 187. Prototype four

Figure 188. Prototype Five printed in black and white ABS

These prototypes informed the decisions on how the final model should be made as there were three key issues that needed to be overcome; speed, consistency, and continuity.

The first issue was with the speed of the printer whilst printing at high resolution (0.15 mm), the majority of these models were printed on the UPBOX printer despite the first stage of design experimentation showing that this machine has a lower level of definition than the Ultimaker when printed at the same settings. Prototype four, which took over 35 hours to print on an UPBOX, would have taken ten hours longer on the Ultimaker.

The black ABS part of prototype five that was done on the Ultimaker did show a slight increase in definition up close as compared to the white part, despite being printed with the same settings, but this was only largely noticeable at very close range, these details were justifiably not noticable at a distance of 30cm, from which the form was expected to be regularly viewed.

The second issue was with the consistency of the slicer software of the printers to seamlessly connect parts for a full printed form. The models were tested with a complex mesh that had both connected and disconnected meshes which made up the individual units of the texture.

The complexity of this mesh caused the slicer used for the Ultimaker, Cura, as seen in Figure 189, to occasionally miss part of the print where there was a slight error in the model, as shown in the right image, or otherwise not recognise parts of the model where the mesh was too thin, as seen in the left photo.

The slicer used for the UPBOX, Tiertime, was more consistent both in how it interpreted a model if it contained errors, and was more forgiving for thin geometries and could print these regardless of the thickness.

Figure 189. Cura Slicer software

The third issue found in these prototypes was to do with the continuity of the 3D print to the original STL model, this was primarily a issue where details were too fine in a section of the model and the printer would try to print in one place repeatedly, and within creating a 3D printed form that appeared as visually striking and similar to the 3D model as possible.

Figure 191 shows how the high density of the geometry of the 3D model causes the printer to burn parts of the print on the interior of the spiral shape, leaving brown marks that are visible near the base of the form, which would have increased in occurrence if the model was scaled to fit the size of the printer. The narrow point of the form was also unable to be printed with a texture due to this issue, and for this prototype the texture ends before the peak of the form.

Figure 190. Prototype Five modelled in Blender

Figure 191. Prototypes for Design Artefact Three

Figure 192. Iteration One

Informed by the five prototypes an iteration of a form to be used for Design Artefact Three was created, this used an iteration on the method used to create prototype five, with slightly different and more varied curves used to generate the form.

Figure 192 shows the first iteration of this model, where an attempt was made to resolve the form at the top where the texture would be too dense to print, and the model was shortened to reduce print time and remove any complex overhangs the machine was unable to print.

Whilst this model was able to print with moderate success the top of the form was only partially successful and was unable to print cleanly, the way this model was resolved was through the use of a lattice modifier that had the negative effect of increasing the density of the mesh too much for the printer to be able to print, and required part of the model to be Booleaned through the centre.

This model was printed in black ABS plastic at a resolution of 0.15 mm on an UPBOX printer, and took a total of 26 hours to print.

Figure 193. Iteration Two

Iteration two shown in Figure 193 resolved the peak of this model with a lattice modifier that rather than tried to maneuver the top edge of the model towards the centre, created a loop for the texture to follow that allowed the form to double-back on itself and continued down the centre of the model. This model also had a rough texture applied to one side, dramatically increasing the print time

This was the most successful form so far but had unresolved issues with the thickness of the interior walls causing self intersections, the quality of the printer causing layers to shift horizontally, and the density of the rough texture showing visible pattern lines.

This model was printed in white ABS plastic at a resolution of 0.15mm on an UPBOX printer, and took a total of 38 hours to print.

Figure 194. Creation of design artefact three

Figure 195. Modifiers for artefact three

The final process for the creation of design artefact three is shown in Figure 194, and Figure 195, with each image showing the addition of one more modifier to the two planar texture STLs used for the form. These modifiers have the following effects:

The first modifier is a lattice that bends the STL backwards, over a loop shape. The second modifier is a curve that wraps the STL around an oval, creating a tube. The third modifier is a curve, wrapping the STL around a helical spiral. The fourth modifier is a curve, wrapping the object backwards around a circle. The fifth modifier is a curve, wrapping the object upwards around a circle. The sixth modifier is a lattice, stretching the object upwards making it taller.

Figure 197. Printer settings for Iteration Three

Figure 196. Design iterations for Design Artefact Three (right)

Surface Theory

Figure 198. 3D print from emotion study

Design experiment, exploration into 3D printable thin mesh shell

Design Artefacts

Speculative Artefacts

Three Design artefacts exemplifying
the research undertaken for this thesis.

Emotion Palette

Design One: Knowable

This artefact was the exploration of how to identify the most emotive textures used for testing, and how to enhance these in order to create a swatchbook of emotive surfaces. By using experience design and statistical analysis a series of textures emblematic of emotive qualities can be printed.

The design intent of this artefact is to present a series of 3D models that each exemplify a specific quality, presented in a familiar form as samples whose purpose would be to explain each texture.

This artefact is designed as a book, whose contents would be read using only visual and tactile perception, but would also be able to describe each item in detail.

Figure 199. Design Artefact One

This artefact is designed as a product that could be manufactured with existing production methods; whilst 3D printed the forms do not have any shear angles or draft angles which would make methods such as CNC machining or injection moulding unsuitable.

This artefact is designed as a swatchbook of emotive textures, created by modifying textures used in user studies with information gathered through data analysis and statistical analysis. Textures have been modified to exemplify one of the 22 emotional groups identified through the open-ended user studies, and the two strongest qualities identified in the closed-ended part of the survey.

This artefact is presented as a swatchbook as a tool for design communication and as a method of the communication of guidelines to influence how these textures might influence the perception of a product

Figure 200. Design Artefact One, details

Figure 201. Design Artefact One, 3D Printing

Fun

Surprise

Happiness

Intriguing

Security

Anxious

Energetic

Itchy

Fear

Strange

Harsh

Calm

Figure 202. Design Artefact One, Studio Photos

Sad

Anger

Natural

Cohesive

Comfort

Familiar

Jarring

Reliable

Inviting

Bliss

Upset

Intimidating

Tangible Future

Design Three: Holdable

This artefact was the exploration of how to apply a series of relevant emotive qualities identified through user testing to a familiar but speculative form.

The design intent of this artefact is to present a form that at first appears familiar but is radical in its means of production and in the application of textural elements, whose purpose would be exemplify the concept of a device being utilised for “touch”.

The design intent of this artefact is to present a mobile device that features a number of textured elements in order to suggest how textures might be applied to such a form in the near future.

Figure 203. Design Artefact Two

This artefact is designed as a product that could be manufactured with a union of existing production methods and 3D printing; whilst the front face does not have any shear angles or draft angles which would make methods such as CNC machining or injection moulding unsuitable, the rear could only be produced with machines that can create complex angles and geometries.

This artefact is designed as a mobile device and features three different textures. The white front panel is a smoothed Heightmap of a transition texture between two variations on “fun” identified through user studies. The texture applied to the side is a rough “neutral texture”. the texture applied to the back panel is a transition texture between the qualities of “inviting” and “happiness”.

The textures applied to this artefact were chosen from adjectives identified within user study part one that could be seen as being applicable to a consumer electronics product, these original adjectives were

Figure 205. Modified “fun” values

Figure 204. Design Artefact Two, Details

Figure 207. Modified inviting (left) and happiness (right)

Figure 206. Design Artefact Two, support material on rear

Figure 208. Design Artefact Two, Studio Photos

Coherent Intent

Design Three: Audible

This artefact was the exploration of using only two textures, one “neutral” and one “prominent”, and a smooth transition between the two. By using computational design and parametric modelling flat meshes can be manipulated into complex curvilinear forms.

The design intent of this artefact is to present a form that exemplifies a shape and means of production that is completely unfamiliar and to the viewer, whose purpose would not be knowable if not for the prominent texture on the form.

This artefact is designed as a speaker, whose texture of “energetic” was chosen for the original word associations to music, such as “loud” and “vibey”.

Figure 209. Design Artefact Three

This artefact is designed as a product that could only be manufactured with 3D printing; every part of the form contains shear angles and draft angles which would make existing manufacturing methods such as CNC machining or injection moulding unsuitable.

This artefact is designed as a speaker using computational transformations to the original flat surfaces in order to create a fluid form. Two textures are designed for this form, with a smooth parametric transition connecting each distinct surface; a “neutral” rough texture that was identified most as “sadness: 42.5%, natural: 37.5%, and harsh: 36%” and a “prominent” designed texture that was identified as “anger: 60%, energetic: 56.76%, fun: 50%”.

The prominent texture applied to this artefact was chosen from adjectives identified within user study part one that could be seen as having a music-adjacent interpretation, these original adjectives were Vibey, Energetic, and Loud; which correspond through the language analysis as fun, energetic and anger respectively.

The most strong associations perceived with this texture were anger, energetic, fun, and fear. In order to maintain consistency with the designed intent, energetic and fun needs to increase, while fear and anger needs to be reduced. As such the following parameters can be changed:

This texture can be made to appear more energetic by increasing the facet number, density and ywave, and decreasing the xwave

This texture can be made to appear less angry by increasing facetnumber and ywave, and decreasing density

This Texture can be made to appear less fearful by decreasing density and xwave, and increasing ywave

Surface Number	12	37
Facet Number	25	60
Density	1000	145
Z Rotation	100	10
XY Rotation	0	6
Skew	0	125
Height	0	5
Amplitude	88	16.5
X Wave	0	44.5
Y Wave	0	95
Centre Skew	30	106
harsh	36.00%	0.00%
intimidating	16.00%	18.00%
upset	18.00%	8.00%
fun	0.00%	50.00%
inviting	0.00%	25.00%
calm	14.55%	9.09%
natural	37.50%	17.50%
energetic	0.00%	56.67%
itchy	0.00%	39.00%
cohesive	26.67%	0.00%
familiar	26.00%	0.00%
jarring	0.00%	19.00%
strange	11.43%	15.71%
reliable	0.00%	0.00%
anger	5.00%	60.00%
happiness	0.00%	0.00%
sadness	42.50%	0.00%
fear	0.00%	43.33%
anxious	15.00%	15.83%
intriguing	20.00%	0.00%
surprise	0.71%	27.14%
comfort	0.00%	0.00%

Table 31. Original Values

Figure 210. 3D Design Artefact Three, details

Figure 211. Design Artefact Three, 3D Printing

Figure 212. Design Artefact Three, Studio Photos

Surface Theory

Figure 213. 3D print from emotion study

Design experiment, exploration into 3D printable mesh

Discussion

How might a new machine aesthetic of additive manufacturing catalyse emotive product experiences with richly textured designs?

This research aims to address four central questions, being that of how might manufacturing change in the near future, what new aesthetic possibilities could be possible in this new environment, how might an emotional experience be part of this aesthetic, and how might designers use new systems to design these experiences.

How might manufacturing change

The Literature review conducted for this research shows evidence for changes in economic systems (evidenced by the Long Wave theory), technological cycles (evidenced by the Fourth Industrial Revolution), aesthetic trends (evidenced by the protracted life of Postmodernism) and environmental systems (evidenced by climate change).

The underlying basis within the systems described above is that there exists a cyclical pattern that influences these and that a change now can be assumed based on changes in recent history. Manufacturing can be expected to change because the systems described above have a direct impact on the consumer, who is influencing business to become more sustainable (Benoit, 2019), expecting more personalised products (Danziger, 2018), receiving more emotive experiences (Chapman, 2012) and becoming more aware of their own impact on the climate (Cook, 2019).

The way that manufacturing will change will be to embrace the principles of the Fourth IR, becoming more “green” (Rifkin, 2016) using materials science and additive manufacturing to reduce waste, with technologies developing “exponentially” (Schwab, 2016) utilising networking systems to vastly increase decision making processes.

This research addresses how manufacturing might change through a literature review that concludes the decade ending 2020 is one that will see the end of the economic systems that supported the Third IR as the negative impacts of this revolution becomes clear through human-triggered climate change events; the last two Industrial Revolutions saw the increase of a global mean temperature by 0.85 degrees Celsius (United Nations, 2020), and the next will need to develop systems to actively reduce the global mean temperature just to maintain temperatures at the current level.

Whilst existing research on the Fourth IR addresses some of the issues highlighted above, very few mention the challenges of climate change in a business context and specifically the impact on traditional and additive manufacturing. Further, little research has explored the theory of a Long Wave Cycle in the context of how this relates to technological revolutions and how it might suggest which technologies will be the foundations for the next stages of economic growth. Existing research has also not addressed the influence of a new mode of manufacturing and how the machines in these systems might contribute to a new type of “machine aesthetic”.

What new aesthetics could be possible

The design exploration conducted for this research shows how additive manufacturing methods can be utilised to create unique and complex forms that are unable to be created with the technologies of the Third IR (such as injection moulding) due to the complexities of the parts' details and overhanging geometries.

The basis of this exploration is within understanding how the machines of the next stage of manufacturing could influence a new type of machine aesthetic. This concept is defined within this research as "the concept of the machine being a source of beauty and of the ability of new machinery to influence artistic styles and aesthetics" (amended from Guy Wilson [2003]), which is to say as new modes of production introduce new technologies, these technologies enable styles that were never before possible.

The way aesthetics are to change is linked to the stage of the technological revolution (Jameson, 1992), and whilst the last machine aesthetic was related to the art deco period and the streamline style of sleek machinery (Guy Wilson, 2003), the next might be more informed by variability of production lines that methods such as 3D printing can offer (Da Silva, 2018).

This research addresses such aesthetics by understanding the limitations of both standard FDM printers (UPBOX) and more advanced multi-material printers (Stratasys J750). Creative exploration into form enables the finding of forms that these printers are best suited to printing; this is used to inform the opportunities available within printers such as being able to create dramatic overhanging forms, complex surface details, and unique parts.

Whilst existing exploration into 3D printing has been focussed on the feasibility of its use in manufacturing (Renishaw, 2017; GE Additive, 2018), the opportunities of the unique aesthetic qualities it may offer may still yet be unexplored, and whilst it has been recognised that additive manufacturing is as yet uncompetitive with existing methods for high volume production its limit for experimentation and prototyping has not yet been reached (BBC World Service, 2019).

How might emotion play a part

The user studies conducted for this research shows how emotional research can be applied within a design context in order to inform the creation and design of emotive products, and this research shows evidence for a correlation between an emotional affect and the surface geometry of a texture.

The primary method of exploration for this user study was the free grouping method first described by Holliins et al. (1993) and the use of Likert scales to record emotional responses. Several studies were referenced in the design of these user studies and the final study was able to also include contemporary research on emotion that does not restrict an emotional perception to a predetermined word (Feldman Barrett et al., 2015).

The design of the survey was split into two parts with different stimuli used for each; one was design following precedents for Likert scales and “bipolar-opposite” adjectives for a participant to mark the perception of a texture, as first seen in Ravishankar Rao & Lohse (1996), on nine stimuli in a split visual-only and visuo-tactile test. This was designed as a confirmatory-based study tested against six “universal” emotions. The second design followed precedents for “free grouping” methods for a participant to group any number of stimuli based on an individual’s “emotive” perception; this was designed as an exploratory-based study whose aim was to understand the variety of qualities that could be used to describe a surface.

The results from this study that were most evident to having an emotional effect was in fact the free grouping part of the testing, which was more successful both at eliciting strong responses from participants and was able to gather a much larger amount of data through the study as compared to the Likert-based section.

Surface 6			Surface 6			Change	Visual		Visual & Touch		Parameter	value
	Result	Strength	AVG	Result	Strength	AVG		Hypothesis	rank	Hypothesis	rank		
	Excitement	84.8%	1.5	Excitement	63.6%	2.1	-0.64	1		2		Facet Number	20
	Dominant	81.8%	1.5	Dominant	72.7%	1.8	-0.27	2		1		Density	190
	Unpleasant	15.2%	4.5	Unpleasant	30.3%	4.9	-0.45	3		3		Z Rotation	2
	Fear	9.1%	3.7	Fear	30.3%	3.1	0.64	4		2.5		XY Rotation	10
	Disgust	6.1%	3.8	Disgust	6.1%	3.8		5.5		5.5		Skew	200
	Surprise	21.2%	3.4	Surprise	30.3%	3.1	0.27	1		2.5		Height	0
	Happiness	6.1%	3.8	Upset	6.1%	4.2	-0.36	5.5		5.5		Amplitude	18
	Bliss	15.2%	4.5	Sadness	15.2%	3.5	0.91	3		4		X Wave	80
	Anger	18.2%	3.5	Anger	36.4%	2.9	0.55	Anger	2	Anger	1	Y Wave	190
												Centre Skew	120
	Unclean	24.2%	4.7	Unclean	30.3%	4.9	-0.18	3		2.5			
	Uncomfortable	54.5%	5.6	Uncomfortable	39.4%	5.2	0.45	1		1			
	Fast	39.4%	2.8	Fast	30.3%	3.1	-0.27	2		2.5			
	Fragile	18.2%	3.5	Fragile	24.2%	3.3	0.18			4			
	Electronic	3.0%	3.9	Analogue	12.1%	4.4	-0.45	6		6			
	Familiar	6.1%	4.2	Futuristic	18.2%	3.5	0.73	5		5			
	Strong Like	21.2%	3.4	Strong Like	6.1%	3.8	-0.45						

Figure 214. Anger hypothesis, data analysis

The results from the Likert section were tested against a hypothesised strongest emotional quality that the texture was modelled after (highlighted in blue below), however whilst this emotional quality was identified within eight of the nine stimuli tested against, it was only noted as the highest-rated affect for “Dominant”.

The results from the free grouping section showed that despite having a prompt that suggested not every texture needs to be assigned to a group, the minimum number of different adjectives that were used to describe a texture was nine, whilst the maximum number for any one surface was 24.

Existing research into emotions often utilises the concept of a universal set of emotions, which is a problematic method of testing as it forces a confirmatory-based approach to research, and as stated by Lisa Feldman-Barrett (2020) (as cited in Hammond, 2020) “variability is the norm when it comes to emotion”. This research uses best practice for emotions research and find the results of this provides for more variability and pattern than methods for confirmatory-based approaches, and could suggest that future emotion studies could forgo the need for a confirmatory-based study.

Surface: 14		VISUAL & TOUCH
Description		Strength
	grabby		85.00%
	unfriendly		85.00%
	defensive		85.00%
	scales		95.00%
	fun		95.00%
	happy		95.00%
	intimidating		85.00%
	Vibey		90.00%
	energetic		90.00%
	chill		90.00%
	uneasy		85.00%
	"Disgust-Surprise Synthesis"		
	disorderly		85.00%
	itchy		85.00%
	aroused		95.00%
Parameter	value	surprise	50.00%
Facet Number	90	strange	80.00%
Density	85	unusual	80.00%
Z Rotation	25	intimidating	50.00%
XY Rotation	4	anger	90.00%
Skew	55	Joyful	95.00%
Height	5	unsettling	100.00%
Amplitude	27.5	surprising	100.00%
X Wave	7.5	uneasy	85.00%
Y Wave	25	uncomfortable	55.00%
Centre Skew	72.5	scary	55.00%

Figure 215. Free grouping adjective descriptions

How might designers create new systems

The design artefacts created to exemplify this research shows how best practice contemporary knowledge of emotion research can be applied within the context of a designed product in order to elicit a desired affect. Three artefacts were created to embody, respectively, a guideline for how emotional design might be communicated, how emotive textures might be applied to a speculative but familiar form using new production processes, and how emotive textures might be combined with computational design to create an innovative form only possible with additive manufacturing.

The designs of the artefacts were informed by the results of the emotion study conducted for this research in order to enhance the qualities that could be exemplified using the textures. Qualities in the free grouping part of the survey were run against a Natural Language Processing system in order to identify similar words and to aid the forming of generalised groups of the 30 textures that were tested against.

The outputs of these artefacts each represent a speculative stage of the next evolution of manufacturing. The first artefact is 3D printed in many parts but without severe overhangs and could be reproduced (at high cost) with existing manufacturing methods. The second artefact is 3D printed in two parts, one using FDM with complex overhangs and one using resin printing without severe overhangs, only half of this artefact could be produced with existing manufacturing methods. The third artefact is 3D printed in one part using FDM with very complex details, meshes, and overhangs, and could not be reproduced in any way with existing manufacturing methods.

These artefacts each exemplify three different modes of production. The first artefact is generated from a mathematical model of coded parameters. The second artefact uses the coded parametric models to create a unique but manually modelled form with a limited amount of computational design. The third artefact uses only computational processes to create a complex form from a coded parametric model without any manual modelling.

Surface Theory

Figure 216. 3D print from emotion study

Design experiment, exploration into 3D printable thin mesh shell

Conclusion

Surreal Design

Texture is a direct challenge to postmodernism in that it is explicit in its emotional qualities, it imbues evidence of time rather than trying to feign 'new-ness', and it does not try to reinvent but instead to pursue radical new aesthetics. This research pursues a new "Machine Aesthetic" for the next industrial revolution by applying the genre of surrealism within the context of design.

The justification for this comes from the evident opposing qualities that the Surrealist movement tried to exemplify; a "positive expression", a critique of rationalism, and by applying new knowledge of human perception to a visual field. (Encyclopedia Britannica, 2020).

"The utopian vocation of surrealism lies in its attempt to endow the object world of a damaged and broken industrial society with the mystery and the depth, the 'magical qualities' of an unconscious that seems to speak and vibrate through those things" Fredric Jameson P173

A "Glossophilia" of postmodernism within technology devices projects newness that encourages a designed obsolescence and reinforces a public to buy anew, despite the fact that every device is an identical carbon copy of every other. The gloss a person sees is arguably not the device itself, but their own reflection, what Jameson (1992) called "distorted images of everything that surrounds it" whilst obscuring the nature of the product itself. In an era where privacy appears most often a last minute thought for technology devices, it seems especially poetic that these devices built to record almost every aspect of our lives cannot be viewed themselves; these devices are depthless by design.

American Postmodern design has dominated the Third Industrial Revolution and the aesthetics of this have trained consumers to perceive beautiful design as that which is impersonal, suppressed and rigid, and the ugly as that which is inconsistent, emotional, and temporal; beauty becomes authority and the ugly means serendipity.

Textural elements are explored here as a response to this and as a reaction to what Jameson speaks of as emotional degradation through a reduction in style, "in the sense of the unique and the personal end of the distinctive individual brush stroke", or a loss of the mark of the maker and of beholder; absent from form as a result of the "primacy of mechanical reproduction" as a method of reproduction.

Conclusion

This new Machine Aesthetic is explored here as a Machine Surrealism, a means by which the tools of the production of a form play a part in designing the output, and in which ever more complex data analytics can be applied for the use of more creative and more empathetic forms.

Postmodernism says that for a thing to exist, it must exist across many mediums; such a subjective interpretation necessitates an obfuscation of purpose and personality. On photography, Batchen (1997) spoke of photography within this movement as having no fixed identity or history. Without identity, photographs “can’t speak for themselves”; this reflection might be equally applicable to the field of industrial design where a crises of anonymity of form and of personality goes unnoticed within a field that thrives on aesthetics intentionally severed from people.

Jameson (1992, p. 10) calls this a “waning of affect in Postmodern culture” that followed a rapid commodification both of objects and of people; “First of stars, then of public figures, now of the individual”; not a repression but a form of bodily dissociation that transcends the ability the individual “to locate itself, to organise its immediate surroundings perceptually, and cognitively map its position in a mappable external world”; what replaced this external world is an individualism Postmodern feigns, an obfuscation that uses a ‘simulacrum’; the “identical copy for which no original has ever existed” where in lieu of the individual there must be infinite versions of a single ground truth, each one a copy and transmutable with one another. Postmodernism has created an “eclipse of subjectivity in a new anonymity”, a superhuman “hyperspace” that the human is incapable of navigating.

It’s likely the most individuality that is evident, and the strongest emotions that people hold towards their handheld devices, aren’t in what they display or what model they are, but the cracks in the reflective screen. These are signs of usage, personality, experience, and individuality; these are premeditated failures designed to promote feelings of inadequacy when compared to glossy new devices and to encourage people to buy anew, a textural designed failure that almost hints at another possibility breaking through.

The opportunity is to provide an identity for forms that can speak for themselves.

Figure 217. 3D print from Design Experiments I

Surface Theory

Figure 218. 3D print from emotion Study

Parametric 3D printed texture

References

- Ackerman, J. M., Nocera, C. C., & Bargh, J. A. (2010). Incidental Haptic Sensations Influence Social Judgments and Decisions. *Science (New York, N.Y.)*, 328(5986), 1712–1715. <https://doi.org/10.1126/science.1189993>
- Alexander, N. (2003). Hermeneutics. In *Grove Art Online*. Oxford University Press. <https://www.oxfordartonline.com/groveart/view/10.1093/gao/9781884446054.001.0001/oao-9781884446054-e-7000037782>
- Allianz. (2010). *The sixth Kondratieff – long waves of prosperity*. Allianz Global Investors. https://www.allianz.com/content/dam/onemarketing/azcom/Allianz_com/migration/media/press/document/other/kondratieff_en.pdf
- AMFG. (2020, June 1). 3D Printing and Mass Customisation: Where Are We Today? *AMFG*. <https://amfg.ai/2020/06/01/3d-printing-and-mass-customisation-where-are-we-today/>
- Apple. (n.d.). *Buy iPhone 11 Pro and iPhone 11 Pro Max*. Apple (NZ). Retrieved 27 November 2019, from <https://www.apple.com/nz/shop/buy-iphone/iphone-11-pro>
- Apple. (2010, June 7). *Apple Presents iPhone 4*. Apple Newsroom. <https://www.apple.com/nz/newsroom/2010/06/07Apple-Presents-iPhone-4/>
- Apple. (2020, June 22). *Apple introduces macOS Big Sur with a beautiful new design*. Apple Newsroom. <https://www.apple.com/newsroom/2020/06/apple-introduces-macos-big-sur-with-a-beautiful-new-design/>
- Arthur, R. (2017, December 28). Fashion brands are tooling up to create custom clothing in minutes. *Wired UK*. <https://www.wired.co.uk/article/custom-made-luxury-clothing-fashion-design>
- Ashby, M. F., & Johnson, K. (2010). *Materials and Design: The Art and Science of Material Selection in Product Design*. Butterworth-Heinemann.
- Barnes, C. J., Childs, T. H. C., Henson, B., & Southee, C. H. (2004). Surface finish and touch—A case study in a new human factors tribology. *Wear*, 257(7), 740–750. <https://doi.org/10.1016/j.wear.2004.03.018>
- Barrett, L. (2018, January 23). *You aren't at the mercy of your emotions—Your brain creates them*. <https://www.youtube.com/watch?v=0qks6ceq4eQ>
- Barrett, L. F., & Kensinger, E. A. (2010). Context Is Routinely Encoded During Emotion Perception. *Psychological Science*, 21(4), 595–599. <https://doi.org/10.1177/0956797610363547>
- Basiliere, P. (2019, January 3). *3D Printing Accelerates, 4D Printing Gets Started*. Gartner. <https://blogs.gartner.com/pete-basiliere/2019/01/03/3d-printing-accelerates-4d-printing-gets-started/>
- Batchen, G. (1997). *Burning with Desire: The Conception of Photography*. MIT Press.
- BBC. (2019, August). BBC World Service—Business Daily, Has 3D printing met the hype? In *BBC*. <https://www.bbc.co.uk/programmes/w3csy780>
- Belk, R. W. (1988). Possessions and the Extended Self. *Journal of Consumer Research*, 15(2), 139–168. <https://doi.org/10.1086/209154>
- Benoit, D. (2019, August 19). Move Over, Shareholders: Top CEOs Say Companies Have Obligations to Society. *Wall Street Journal*. <https://www.wsj.com/articles/business-roundtable-steps-back-from-milton-friedman-theory-11566205200>
- Blijlevens, J., Creusen, M. E. H., & Schoormans, J. P. L. (2009). How Consumers Perceive Product Appearance: The Identification of Three Product Appearance Attributes. *International Journal of Design*, 3(3). <http://128.199.168.50/index.php/IJDesign/article/view/535>
- Bloch, P. H. (2011). Product Design and Marketing: Reflections After Fifteen Years. *Journal of Product Innovation Management*, 28(3), 378–380. <https://doi.org/10.1111/j.1540-5885.2011.00805.x>
- Bolanowski, S. J., Verrillo, R. T., & McGlone, F. (2004). Passive, active and intra-active (self) touch. *Behavioural Brain Research*, 148(1), 41–45. [https://doi.org/10.1016/S0166-4328\(03\)00157-8](https://doi.org/10.1016/S0166-4328(03)00157-8)
- Britannica. (2020). *Personal computer | technology | Britannica*. <https://www.britannica.com/technology/personal-computer>
- Business Roundtable. (2020). *Sustainability Policy*. <https://www.businessroundtable.org/policy-perspectives/energy-environment/sustainability>
- Carlson, N. (2014, October 20). *The Untold Story Of How Steve Jobs Re-Introduced His Signature Design Style To Apple*. Business Insider Australia. <https://www.businessinsider.com.au/steve-jobs-signature-design-style-2014-10>
- Chalcraft, E. (2013). *UNStudio to relaunch as 'open source' architecture studio*. Dezeen. <https://www.dezeen.com/2013/04/09/unstudio-prepares-relaunch-as-open-source-architecture-studio/>
- Chapman, J. (2012). *Emotionally Durable Design: Objects, Experiences and Empathy*. Earthscan.
- Cook, C. (2019, June 20). *Wellington declares climate emergency*. RNZ. <https://www.rnz.co.nz/news/national/392502/wellington-declares-climate-emergency>

- Credo Reference. (n.d.). *Long Wave Theory*. Retrieved 17 June 2020, from https://search.credoreference.com/content/title/collinssoc?institutionId=5378&tab=entry_view&heading=long_wave_theory&sequence=0
- Creusen, M. E. H., & Schoormans, J. P. L. (2005). The Different Roles of Product Appearance in Consumer Choice*. *Journal of Product Innovation Management*, 22(1), 63–81. <https://doi.org/10.1111/j.0737-6782.2005.00103.x>
- Cronin, I. (2020). *The Impact of COVID-19 on the Future of Advanced Manufacturing and Production: Insights from the World Economic Forum's Global Network of Advanced Manufacturing Hubs*. <https://www.weforum.org/reports/the-impact-of-covid-19-on-the-future-of-advanced-manufacturing-and-production-insights-from-the-world-economic-forum-s-global-network-of-advanced-manufacturing-hubs/>
- Da Silva, H. (2018, November 16). *4 ways 3D printing can revolutionize manufacturing*. World Economic Forum. <https://www.weforum.org/agenda/2018/11/4-ways-3d-printing-can-revolutionize-manufacturing/>
- Danziger, P. N. (2018, December 1). *Nike's New Consumer Experience Distribution Strategy Hits The Ground Running*. Forbes. <https://www.forbes.com/sites/pamdanziger/2018/12/01/nikes-new-consumer-experience-distribution-strategy-hits-the-ground-running/>
- Davies, N. (2016, January 1). *What is the fourth industrial revolution?* World Economic Forum. <https://www.weforum.org/agenda/2016/01/what-is-the-fourth-industrial-revolution/>
- Davos at 50: A timeline of highlights. (n.d.). World Economic Forum. Retrieved 10 June 2020, from <https://www.weforum.org/agenda/2019/12/world-economic-forum-davos-at-50-history-a-timeline-of-highlights/>
- Desmet, P. M. A. (2012). Faces of product pleasure: 25 positive emotions in human-product interactions. *International Journal of Design*, 6 (2), 2012, 2, urn:issn:1991–3761.
- Dreyfuss, H. (1967). *The Measure of Man: Human Factors in Design*. Whitney Library of Design. <https://www.wiley.com/en-us/The+Measure+of+Man+and+Woman%3A+Human+Factors+in+Design%2C+Revised+Edition-p-9780471099550>
- Dti-consumer-industries-white-paper.pdf. (n.d.). Retrieved 9 June 2020, from <http://reports.weforum.org/digital-transformation/wp-content/blogs.dir/94/mp/files/pages/files/dti-consumer-industries-white-paper.pdf>
- Dubois, J., & Adolphs, R. (2015). Neuropsychology: How Many Emotions Are There? *Current Biology*, 25(15), R669–R672. <https://doi.org/10.1016/j.cub.2015.06.037>
- Duncan, P. (2014). Taking the Smooth with the Rough: Texture, Emotion, and the Other Postmodernism. *PMLA*, 129(2), 204–222. <https://doi.org/10.1632/pmla.2014.129.2.204>
- Duncan, P. (2015). *The Emotional Life of Postmodern Film: Affect Theory's Other*. Routledge. <https://doi.org/10.4324/9781315666617>
- Dzawu, M. M. (2019, September 13). Mobile Phones Are Replacing Bank Accounts in Africa. *Bloomberg.Com*. <https://www.bloomberg.com/news/articles/2019-08-13/mobile-phones-are-replacing-bank-accounts-in-africa>
- Efer, O. O.-F. (2017). Industrial Design and Contextualism: The Applied Arts Constituent/ Curriculum Imperatives in Design Practice and Education. *Review of Artistic Education*, 14(1), 249–261. <https://doi.org/10.1515/rae-2017-0031>
- Eggink, W., & Snippert, J. (2017). Future Aesthetics of Technology; context specific theories from design and philosophy of technology. *The Design Journal*, 20(sup1), S196–S208. <https://doi.org/10.1080/14606925.2017.1352748>
- Eha, B. P. (2012, August 2). *Samsung phones, before and after the iPhone*. CNNMoney. <https://money.cnn.com/gallery/technology/2012/08/02/samsung-apple-phones/>
- Ekman, P. (1992). *An argument for basic emotions*. <https://doi.org/10.1080/02699939208411068>
- Ekman, P. (2020a). *What is Contempt?* | *Feeling Contempt*. Paul Ekman Group. <https://www.paulekman.com/universal-emotions/what-is-contempt/>
- Ekman, P. (2020b). *What is Enjoyment?* | *What Makes Us Happy?* Paul Ekman Group. <https://www.paulekman.com/universal-emotions/what-is-enjoyment/>
- Elkharraz, G., Thumfart, S., Akay, D., Eitzinger, C., & Henson, B. (2013). Making Tactile Textures with Predefined Affective Properties. *IEEE Transactions on Affective Computing*, 5(1), 57–70. <https://doi.org/10.1109/T-AFFC.2013.21>
- Encyclopedia Britannica. (2020a). Industrial Revolution. In *Encyclopedia Britannica*. <http://academic.eb.com/levels/collegiate/article/42370>
- Encyclopedia Britannica. (2020b). Surrealism | Definition, Artists, & Facts. In *Encyclopedia Britannica*. <https://www.britannica.com/art/Surrealism>
- Evans, J. (2016). 3D Printing Makes Material Advances. *Plastics Engineering*, 72(9), 32–34. <https://doi.org/10.1002/j.1941-9635.2016.tb01603.x>
- Feldman Barrett, L., Roberson, D., & Gendron, M. (2015). *Cultural Variation in Emotion Perception Is Real: A Response to Sauter, Eisner, Ekman, and Scott (2015)—Maria Gendron, Debi Roberson, Lisa Feldman Barrett, 2015*. <https://journals.sagepub.com/doi/10.1177/0956797614566659#articleCitationDownloadContainer>

- Folkmann, M. N. (2018). Exploring aesthetics in design. *Human Technology*, 14(1), 6–26.
<https://doi.org/10.17011/ht/urn.201805242750>
- Ford, H., & Crowther, S. (1922). *My Life and Work*. Doubleday, Page.
- Frog Design. (2020). *Empowering Communities with Design-thinking*. Frog Design.
<https://www.frogdesign.com/designmind/collective-action-toolkit/>
- Gartner. (2020). *Hype Cycle Research Methodology*. Gartner. <https://www.gartner.com/en/research/methodologies/gartner-hype-cycle>
- GE Additive. (2018). *New manufacturing milestone: 30,000 additive fuel nozzles*. GE Additive.
<https://www.ge.com/additive/stories/new-manufacturing-milestone-30000-additive-fuel-nozzles>
- Grace, R. (2017). HP unveils world's first 3D printing materials lab. *Plastics Engineering*, 73(4), 56–66.
<https://doi.org/10.1002/j.1941-9635.2017.tb01699.x>
- Greenspan, J. D., & LaMotte, R. H. (1993). Cutaneous Mechanoreceptors of the Hand: Experimental Studies and Their Implications for Clinical Testing of Tactile Sensation. *Journal of Hand Therapy*, 6(2), 75–82. [https://doi.org/10.1016/S0894-1130\(12\)80287-0](https://doi.org/10.1016/S0894-1130(12)80287-0)
- Gregory, D., Johnston, R., Pratt, G., Watts, M., & Whatmore, S. (2009). *The Dictionary of Human Geography*. John Wiley & Sons, Incorporated. <http://ebookcentral.proquest.com/lib/vuw/detail.action?docID=437431>
- Gruber, J. (2011). *Daring Fireball: 'Needs More Texture'*. <https://daringfireball.net/linked/2011/10/26/more-texture>
- Gruber, J. (2013, June 1). *Daring Fireball: 'This Is Our Signature': IOS 7*. https://daringfireball.net/2013/06/ios_7_signature
- Gruber, J. (2020, October 6). *Instagram Brings Back Classic Icons With 10th Anniversary Easter Egg*. Daring Fireball.
<https://daringfireball.net/linked/2020/10/06/instagram-retro-icons>
- GSM Arena. (n.d.). *Apple iPhone 5c—Full phone specifications*. Retrieved 27 November 2019, from
https://www.gsmaarena.com/apple_iphone_5c-5690.php
- Gu, D. (2016). Materials creation adds new dimensions to 3D printing. *Science Bulletin*, 61(22), 1718–1722.
<https://doi.org/10.1007/s11434-016-1191-y>
- Guimapang, K. (2019, May 6). *A Conversation With Julia Koerner, Architecture's Queen of 3D Fabrication*. Archinect.
<https://archinect.com/features/article/150132998/a-conversation-with-julia-koerner-architecture-s-queen-of-3d-fabrication>
- Gunes, S. (2012). Economics Education in Industrial Design. *Procedia - Social and Behavioral Sciences*, 47, 1353–1357.
<https://doi.org/10.1016/j.sbspro.2012.06.825>
- Guy Wilson, R. (2003). Machine aesthetic. In *Grove Art Online*.
<https://www.oxfordartonline.com/groveart/view/10.1093/gao/9781884446054.001.0001/oao-9781884446054-e-7000052832>
- Hammond, C. (2020, February 19). *Health Check—Why is Covid spreading so quickly on cruise ships? - BBC Sounds*.
<https://www.bbc.co.uk/sounds/play/w3csy9l5>
- Hashimzade, N., Myles, G., & Black, J. (2017a). Business cycle. In *A Dictionary of Economics*. Oxford University Press.
<https://www.oxfordreference.com/view/10.1093/acref/9780198759430.001.0001/acref-9780198759430-e-301>
- Hashimzade, N., Myles, G., & Black, J. (2017b). Mass production. In *A Dictionary of Economics*. Oxford University Press.
<https://www.oxfordreference.com/view/10.1093/acref/9780198759430.001.0001/acref-9780198759430-e-1944>
- Holliins, M., Faldowski, R., Rao, S., & Young, F. (1993). Perceptual dimensions of tactile surface texture: A multidimensional scaling analysis. *Perception & Psychophysics*, 54(6), 697–705. <https://doi.org/10.3758/BF03211795>
- IDEO (Ed.). (2015). *The field guide to human-centered design: Design kit* (1st. ed). IDEO.
- industrial design—Britannica Academic*. (2020). <https://academic.eb.com/levels/collegiate/article/industrial-design/42362>
- Jameson, F. (1992). *Postmodernism, Or, The Cultural Logic of Late Capitalism*. Duke University Press.
- Johansson, R., & Westling, G. (1991). *Afferent Signals During Manipulative Tasks in Humans* (pp. 25–48).
https://doi.org/10.1007/978-1-349-11597-6_3
- Karana, E., Pedgley, O., & Rognoli, V. (2013). *Materials Experience: Fundamentals of Materials and Design*. Elsevier Science.
<http://ebookcentral.proquest.com/lib/vuw/detail.action?docID=1534948>
- Kastrenakes, J. (2018, June 27). *Apple and Samsung settle seven-year-long patent fight over copying the iPhone*.
<https://www.theverge.com/2018/6/27/17510908/apple-samsung-settle-patent-battle-over-copying-iphone>
- Klaus, S. (2016, January 14). *The Fourth Industrial Revolution: What it means and how to respond*. World Economic Forum.
<https://www.weforum.org/agenda/2016/01/the-fourth-industrial-revolution-what-it-means-and-how-to-respond/>
- Koloskus, J. (2020, June 25). *Apple, Big Sur, and the rise of Neumorphism*. Input. <https://www.inputmag.com/design/apple-macos-big-sur-the-rise-of-neumorphism>
- Kraus, P. (2011). The South. In *Monty Don's Italian Gardens*. BBC.
- Lesot, M. J., Bouchard, C., Detyniecki, M., & Omhover, J.-F. (2010, January 1). *Product shape and emotional design: An application to perfume bottles*.

- Leurent, H., Betti, F., Narayan, J., Pelaez Gomez, E., George, K., Marya, V., de Boer, E., Kelly, R., & Miremadi, M. (2018). *The Next Economic Growth Engine: Scaling Fourth Industrial Revolution Technologies in Production* [White Paper].
<https://www.weforum.org/whitepapers/the-next-economic-growth-engine-scaling-fourth-industrial-revolution-technologies-in-production/>
- Liu, J., Dong, J., Cai, X., Qi, L., & Chantler, M. (2015). Visual Perception of Procedural Textures: Identifying Perceptual Dimensions and Predicting Generation Models. *PLOS ONE*, 10(6), e0130335. <https://doi.org/10.1371/journal.pone.0130335>
- Loranger, H. (2014). *UX Without Users Is Not UX*. Nielsen Norman Group. <https://www.nngroup.com/articles/ux-without-user-research/>
- Lovegrove, R. (2016). *Super-Natural*.
- Lowden, T. (2014, July 7). *User Experience (UX) vs. Customer Experience (CX): What's the Dif?* Digital.Gov.
[https://digital.gov/2014/07/07/user-experience-ux-vs-customer-experience-cx-whats-the-dif/#:~:text=User%20Experience%20\(UX\)%20deals%20with,they%20receive%20from%20that%20interaction.&text=Customer%20Experience%20\(CX\)%2C%20in,person%20has%20with%20your%20brand.](https://digital.gov/2014/07/07/user-experience-ux-vs-customer-experience-cx-whats-the-dif/#:~:text=User%20Experience%20(UX)%20deals%20with,they%20receive%20from%20that%20interaction.&text=Customer%20Experience%20(CX)%2C%20in,person%20has%20with%20your%20brand.)
- Maeda, J. (2019, April 3). *John Maeda says there are three kinds of design—But one is most important*. Quartz.
<https://qz.com/1585165/john-maeda-on-the-importance-of-computational-design/>
- Mason, P. (2015). *PostCapitalism: A Guide to Our Future*. Penguin UK.
- Mata, M. P., Ahmed-Kristensen, S., Brockhoff, P. B., & Yanagisawa, H. (2017). Investigating the influence of product perception and geometric features. *Research in Engineering Design*, 28(3), 357–379. <https://doi.org/10.1007/s00163-016-0244-1>
- McDonagh, D., Hekkert, P., Erp, J. van, & Gyi, D. (Eds.). (2004). *Design and Emotion*. Taylor & Francis.
- Mehrabian, A. (1995). Framework for a comprehensive description and measurement of emotional states. *Genetic, Social, and General Psychology Monographs*, 121(3), 339–361.
- Melles, G., & Kuys, B. (2010). Legitimizing industrial design as an academic discipline in the context of an Australian Cooperative Centre. *Procedia - Social and Behavioral Sciences*, 2(2), 5228–5232. <https://doi.org/10.1016/j.sbspro.2010.03.850>
- Metz, R. (2011). Do Kondratieff waves exist? How time series techniques can help to solve the problem. *Cliometrica*, 5(3), 205–238.
<https://doi.org/10.1007/s11698-010-0057-9>
- MOMA. (2020). *Industrial design*. <https://www.moma.org/collection/terms/163>
- Mothersill, P. (Philippa J. (2014). *The form of emotive design* [Thesis, Massachusetts Institute of Technology].
<http://dspace.mit.edu/handle/1721.1/95611>
- Nacken, D. (2010, February 8). *Allianz | Global economy on the eve of a new long cycle of prosperity?* Allianz.Com.
<https://www.allianz.com/en/press/news/studies/news-2010-02-08.html>
- Nagamachi, M. (1995). Kansei Engineering: A new ergonomic consumer-oriented technology for product development. *International Journal of Industrial Ergonomics*, 15(1), 3–11. [https://doi.org/10.1016/0169-8141\(94\)00052-5](https://doi.org/10.1016/0169-8141(94)00052-5)
- Newton, D. E. (2014). *Industrial Revolution* (pp. 2335–2337).
- Ng, M., & Hort, J. (2015). *Rapid Sensory Profiling Techniques*. Elsevier. <https://doi.org/10.1016/C2013-0-16502-6>
- Ok, J., & Scudder, D. (2016, June 22). Emotive qualities of parametrically designed and 3D printed surfaces. *Libro de Actas - Systems & Design: Beyond Processes and Thinking (IFDP - SD2016)*. Systems & Design: Beyond Processes and Thinking.
<https://doi.org/10.4995/IFDP.2016.3281>
- Orr, A. (2018, August 6). *How Did Tim Cook Fix the Apple Supply Chain?* The Mac Observer. <https://www.macobserver.com/news/tim-cook-fix-supply-chain/>
- Paama-Pengelly, J. (2010). *Māori art and design: Weaving, painting, carving and architecture*. New Holland.
- Peters, J. (2020, March 17). *Volunteers produce 3D-printed valves for life-saving coronavirus treatments*. The Verge.
<https://www.theverge.com/2020/3/17/21184308/coronavirus-italy-medical-3d-print-valves-treatments>
- Pine, I., B. Joseph, & Gilmore, J. H. (1998). Welcome to the Experience Economy. *Harvard Business Review*, 76(4), 97–105.
- Piqueras-Fiszman, B., & Spence, C. (2012). The influence of the feel of product packaging on the perception of the oral-somatosensory texture of food. *Food Quality and Preference*, 26(1), 67–73. <https://doi.org/10.1016/j.foodqual.2012.04.002>
- Posner, J., Russell, J. A., & Peterson, B. S. (2005). The circumplex model of affect: An integrative approach to affective neuroscience, cognitive development, and psychopathology. *Development and Psychopathology*, 17(3), 715–734.
<https://doi.org/10.1017/S0954579405050340>
- Ravishankar Rao, A., & Lohse, G. L. (1996). Towards a texture naming system: Identifying relevant dimensions of texture. *Vision Research*, 36(11), 1649–1669. [https://doi.org/10.1016/0042-6989\(95\)00202-2](https://doi.org/10.1016/0042-6989(95)00202-2)
- Re-FREAM. (2020, January 20). *Digital Vogue – 3D Printing on Textiles: Customized, sustainable, and ready-to-wear –*.
<https://www.re-fream.eu/2020/01/20/3d-printing-on-textiles-customized-sustainable-and-ready-to-wear/>

- Renishaw. (2017). 3D printing growth in New Zealand. *Metal Powder Report*, 72(3), 212–213.
<https://doi.org/10.1016/j.mprp.2017.04.005>
- Rifkin, J. (2016). How the Third Industrial Revolution Will Create a Green Economy. *New Perspectives Quarterly*, 33(1), 6–10.
<https://doi.org/10.1111/npqu.12017>
- Schifferstein, H. N. J. (2009). The drinking experience: Cup or content? *Food Quality and Preference*, 20(3), 268–276.
<https://doi.org/10.1016/j.foodqual.2008.11.003>
- Schifferstein, H. N. J. (2010). From salad to bowl: The role of sensory analysis in product experience research. *Food Quality and Preference*, 21(8), 1059–1067. <https://doi.org/10.1016/j.foodqual.2010.07.007>
- Schindler, I., Hosoya, G., Menninghaus, W., Beermann, U., Wagner, V., Eid, M., & Scherer, K. R. (2017). Measuring aesthetic emotions: A review of the literature and a new assessment tool. *PLOS ONE*, 12(6), e0178899.
<https://doi.org/10.1371/journal.pone.0178899>
- Schwab, K. (2016, January 14). *The Fourth Industrial Revolution: What it means and how to respond*. World Economic Forum.
<https://www.weforum.org/agenda/2016/01/the-fourth-industrial-revolution-what-it-means-and-how-to-respond/>
- Schwab, K. (2018, November 12). Grappling with globalisation 4.0. *Gulf Times*.
<http://global.factiva.com/redir/default.aspx?P=sa&an=GUTIME0020181112eebc000qy&cat=a&ep=ASE>
- Science Direct Topics. (2020). *Sensory Evaluation—An overview* | ScienceDirect Topics.
<https://www.sciencedirect.com/topics/agricultural-and-biological-sciences/sensory-evaluation>
- Sedgwick, E. K., Barale, M. A., Moon, M., & Goldberg, J. (1997). *Novel Gazing: Queer Readings in Fiction*. Duke University Press.
- Siegel, E. H., Wormwood, J. B., Quigley, K. S., & Barrett, L. F. (2018). Seeing What You Feel: Affect Drives Visual Perception of Structurally Neutral Faces. *Psychological Science*, 29(4), 496–503. <https://doi.org/10.1177/0956797617741718>
- Skedung, L., Arvidsson, M., Chung, J. Y., Stafford, C. M., Berglund, B., & Rutland, M. W. (2013). Feeling Small: Exploring the Tactile Perception Limits. *Scientific Reports*, 3(1), 1–6. <https://doi.org/10.1038/srep02617>
- Stats NZ. (2017, June 30). *New Zealand internet is going mobile*.
http://archive.stats.govt.nz/browse_for_stats/industry_sectors/information_technology_and_communications/isp-2017-mobile-connections-story.aspx
- Stats NZ. (2018, October 8). *Internet service provider survey: 2018*. <https://www.stats.govt.nz/information-releases/internet-service-provider-survey-2018>
- Stearns, P. N. (2007). *The industrial revolution in world history* (3rd ed.). Westview Press.
- Steenhuis, H.-J., & Pretorius, L. (2016). Consumer additive manufacturing or 3D printing adoption: An exploratory study. *Journal of Manufacturing Technology Management*, 27(7), 990–1012. <https://doi.org/10.1108/JMTM-01-2016-0002>
- Tate. (n.d.). *Warhol: Room guide: Room 6: Fields*. Tate. Retrieved 17 January 2020, from <https://www.tate.org.uk/whats-on/tate-modern/exhibition/warhol/warhol-room-guide/warhol-room-guide-room-6-fields>
- Taylor, C. (2020, May 5). *How New Zealand's 'eliminate' strategy brought new coronavirus cases down to zero*. CNBC.
<https://www.cnn.com/2020/05/05/how-new-zealand-brought-new-coronavirus-cases-down-to-zero.html>
- Thunberg, G. (2019a, May 31). Greta Thunberg: 'Act as if your life depended on it, because it does'. *Green Left Weekly*, 1223.
<https://search.informit.org/documentSummary;dn=432719196345765;res=IELHSS>
- Thunberg, G. (2019b, September 23). *Transcript: Greta Thunberg's Speech At The U.N. Climate Action Summit*.
<https://www.npr.org/2019/09/23/763452863/transcript-greta-thunbergs-speech-at-the-u-n-climate-action-summit>
- Tilley, A. R. (1993). *The Measure of Man and Woman: Human Factors in Design*. Wiley.
- Tuan, Y.-F. (1977). *Space and Place: The Perspective of Experience*. University of Minnesota Press.
- UN IOM. (2020, April 21). *Digital space for migrants supplies 3D-printed face shields to hospitals treating COVID-19 cases in Djibouti*. Africa Renewal. <https://www.un.org/africarenewal/news/coronavirus/digital-space-migrants-supplies-3d-printed-face-shields-hospitals-treating-covid-19-cases>
- United Nations. (2019, December 3). *Decade ending 2019 likely to be hottest on record*. UN News.
<https://news.un.org/en/story/2019/12/1052661>
- United Nations. (2020). *Climate Change*. <https://www.un.org/en/sections/issues-depth/climate-change/>
- van Rompay, T. J. L., Finger, F., Saakes, D., & Fenko, A. (2017). "See me, feel me": Effects of 3D-printed surface patterns on beverage evaluation. *Food Quality and Preference*, 62, 332–339. <https://doi.org/10.1016/j.foodqual.2016.12.002>
- Van Rompay, T. J. L., Kramer, L.-M., & Saakes, D. (2018). The sweetest punch: Effects of 3D-printed surface textures and graphic design on ice-cream evaluation. *Food Quality and Preference*, 68, 198–204. <https://doi.org/10.1016/j.foodqual.2018.02.015>
- Vialva, T. (2019, May 29). *Callaghan Innovation debuts micro 3D printing technology, seeks commercialization*. 3D Printing Industry.
<https://3dprintingindustry.com/news/callaghan-innovation-debuts-micro-3d-printing-technology-seeks-commercialization-156255/>

- Wang, Y., Hai-Shu, M., Link to external site, this link will open in a new window, Jing-Hui, Y., & Ke-Sheng, W. (2017). Industry 4.0: A way from mass customization to mass personalization production. *Advances in Manufacturing; Shanghai*, 5(4), 311–320. <http://dx.doi.org/10.1007/s40436-017-0204-7>
- WEF. (n.d.). *Globalization 4.0: Shaping a New Global Architecture in the Age of the Fourth Industrial Revolution*. World Economic Forum. Retrieved 26 September 2019, from <https://www.weforum.org/whitepapers/globalization-4-0-shaping-a-new-global-architecture-in-the-age-of-the-fourth-industrial-revolution/>
- WEF. (2018). *Industrial Internet of Things: Safety and Security Protocol* [White Paper]. <https://www.weforum.org/whitepapers/industrial-internet-of-things-safety-and-security-protocol/>
- WEF. (2020). *3D Printing COVID-19 Rapid Response Initiative*. World Economic Forum. <https://www.weforum.org/covid-action-platform/projects/3d-printing-covid-19-rapid-response-initiative/>
- WEF_Globalization_4.0_Call_for_Engagement.pdf. (n.d.). Retrieved 26 September 2019, from http://www3.weforum.org/docs/WEF_Globalization_4.0_Call_for_Engagement.pdf
- What is Meant by Calling Emotions Basic—Paul Ekman, Daniel Cordaro, 2011. (n.d.). Retrieved 11 February 2020, from <https://journals.sagepub.com/doi/full/10.1177/1754073911410740>
- Wilkes, A., Bhattacharya, S., Black, A., Grant, R. G., Kay, A., Wilkinson, P., Zaczek, I., Smithsonian Institution, & DK Publishing, I. (2015). *Design: The definitive visual history* (First American edition.). DK Publishing.
- Wong, K. V., & Hernandez, A. (2012). A Review of Additive Manufacturing. *ISRN Mechanical Engineering*, 2012, 1–10. <https://doi.org/10.5402/2012/208760>
- World Economic Forum. (n.d.). *Onward and upward? The transformative power of technology*. Retrieved 9 June 2020, from <http://wef.ch/2icrrXA>
- World Economic Forum. (2016). *Keeping up with 'digital consumers'* [White Paper]. <http://wef.ch/2iaQ7wo>
- World Economic forum. (2020). *Wild Wide Web Global Risks Report 2020*. <https://wef.ch/2uQFqLz>
- Zarzalejos, A., & Moynihan, R. (2020, March 18). *A startup in Italy used 3D printing to make valves for COVID-19 patients*. World Economic Forum. <https://www.weforum.org/agenda/2020/03/3d-printed-emergency-breathing-valves-covid-19/>
- Zijderveld, G. (2019, February 4). *Our Evolution from Emotion AI to Human Perception AI*. Affectiva. <https://blog.affectiva.com/our-evolution-from-emotion-ai-to-human-perception-ai>
- Zobel, J. (2016, June 3). *The computer revolution: How it's changed our world over 60 years*. World Economic Forum. <https://www.weforum.org/agenda/2016/06/the-computer-revolution-how-its-changed-our-world-over-60-years/>

Figures

Figure 6. "Circumplex Model of Affect". Russell, J. A. (1980). A circumplex model of affect. *Journal of Personality and Social Psychology*, 39(6), 1161–1178. <https://doi.org/10.1037/h0077714>

Figure 7. "VAD (Valence-Arousal-Dominance) model" Bălan, O., Moise, G., Petrescu, L., Moldoveanu, A., Leordeanu, M., & Moldoveanu, F. (2020). Emotion Classification Based on Biophysical Signals and Machine Learning Techniques. *Symmetry*, 12(1), 21. <https://doi.org/10.3390/sym12010021>

Glen Askey

Surface Theory

Figure 219. 3D print from emotion Study

Parametric 3D printed texture

Appendix

List of Figures

Figure 1. Design experiments I 3D Print	6
Figure 2. Interior of 3D print form	9
Figure 3. Economic Timelines	12
Figure 4. Design Movements	14
Figure 5. Macro of 3D print shell interior	25
Figure 6. (Russell, 1980) Circumplex Model of Affect	35
Figure 7. (Balan et al., 2020) Valence-Arousal-Dominance model	35
Figure 8. Macro of 3D print shell	37
Figure 9. Macro of 3D printed Mesh surface	47
Figure 10. 3D print from User Study	48
Figure 11. 3D print from Design Experiments I	53
Figure 12. Mixed materials printed textures	54
Figure 13. Selection of heightmaps used for experimenting	57
Figure 14. analysis of results from prior study by Jeongbin Ok	58
Figure 15. analysis of Mothersill (2014) and (Ok & Scudder, 2016)	58
Figure 16. Sketches of emotive research shapes	59
Figure 17. Mock User Study	60
Figure 18. OpenSCAD Scripting environment	61
Figure 19. software comparison	61
Figure 20. OpenSCAD texture code	62
Figure 21. OpenSCAD-Powershell environment	63
Figure 22. OpenSCAD-Powershell exporting	63
Figure 23. Powershell Transition script running	64
Figure 24. Powershell Transition Script	65
Figure 25. Powershell Transition texture in Blender	65
Figure 26. Experimentation with Heightmapping Textures	66
Figure 27. Ultimaker Printer bed	68
Figure 28. Print definitions on Ultimaker	68
Figure 29. Printer Z-hopping on (left) and off (right)	69
Figure 30. Scales of texture units	69
Figure 31. Cracking of texture	69
Figure 33. Print in-fill in Cura	70
Figure 32. Print layers in Cura	70
Figure 34. Lifting off print bed	71
Figure 35. Finished print	71
Figure 36. J750 Printer bed	72
Figure 37. J750 Resin Print with support material	72
Figure 39. ABS and Glossy resin	73
Figure 38. J750 Glossy Print & mattified print	73
Figure 40. ABS and Mattified resin	73
Figure 41. PLA .25mm ultimaker failure	74
Figure 42. PLA .25mm ultimaker	74
Figure 43. PLA White, .25mm	75
Figure 44. PLA White, .40mm	75
Figure 47. ABS .25 ultimaker	76
Figure 45. J750, Gloss black	76
Figure 48. ABS .4 Ultimaker	76
Figure 46. J750, Matte black	76
Figure 49. ABS, .40mm, upbox	76
Figure 53. Upbox ABS	77
Figure 50. Upbox ABS	77
Figure 55. Ultimaker ABS	77
Figure 52. Ultimaker ABS	77
Figure 54. J750 Gloss	77
Figure 51. J750 Gloss	77
Figure 56. ABS FDM (left) and J750 (right) print	78

Figure 57. FDM (left) and J750 (right)	79
Figure 58. FDM (left) and J750 (right)	79
Figure 59. Stimuli for user studies being 3D printed	80
Figure 60. Stimuli for user studies being removed from 3D printer	81
Figure 61. 3D print from Design experiments I	82
Figure 62. Selection of textures used for user study	85
Figure 63. Scale of texture units	89
Figure 64. openscad Render of "Arousal" texture.	90
Figure 65. Comparing 3D print with and without matte finish	90
Figure 66. Stimuli used for participatory testing	91
Figure 67. Typical Study scenario	92
Figure 68. Luxmeter Levels	92
Figure 69. Survey format for part one	93
Figure 70. Survey format for part two	93
Figure 71. Interactions during part one	94
Figure 72. Assessment of textures for part one	94
Figure 73. Arrangements of textures after part one	95
Figure 74. Filled questionnaire for part one	95
Figure 75. Setup for the visual study	96
Figure 76. Interactions for the multimodal study	96
Figure 77. Filled questionnaire for part Two	97
Figure 78. Natural Language Processing Analysis	99
Figure 79. Questionnaire 9 part one	100
Figure 80. questionnaire 1 part two	104
Figure 81. Google Colab notebook	108
Figure 82. 3D print from Design experiments I	116
Figure 83. Printer Quality Settings	120
Figure 84. Printer Height Settings	120
Figure 85. Heightmap	121
Figure 86. Heightmap Rendering	122
Figure 87. STL compared to Heightmap	123
Figure 88. UV Unwrapping	124
Figure 89. Experiment one	125
Figure 90. UV Unwrapping	126
Figure 91. Experiment Two	127
Figure 92. Experiment Three	128
Figure 93. Lattice Shrinkwrap	129
Figure 94. Lattice on a mesh	130
Figure 95. wrapping around a curve	130
Figure 96. Experiment four	131
Figure 97. wrapping around a circle	132
Figure 98. wrapping around a spiral	132
Figure 99. Experiment five	133
Figure 100. wrapping around a curve	134
Figure 101. wrapping around an oval	134
Figure 102. Experiment six	135
Figure 103. Design Experiments output 1	138
Figure 104. Design Experiments output 2	140
Figure 105. Design Experiments output 3	142
Figure 106. Design Experiments output 3	143
Figure 107. 3D print from emotion study	144
Figure 108. Texture samples from user studies	148
Figure 109. Effects plots, main effects plots, interaction plots	150
Figure 110. Process of enhancing #29 "Happiness"	153
Figure 111. Process of enhancing #28 "Fun"	154
Figure 112. New "Fun" iteration	154
Figure 113. Process of enhancing #33 "Fun"	155
Figure 114. New Fun iteration	155
Figure 115. Powershell Script to interpolate parameters	156
Figure 116. Importing files in a row	157
Figure 117. Latent space between 33 (centre-left) and 28 (right)	157

Figure 118. OpenSCAD preview of new “Happiness” texture	159
Figure 119. Minimum and Maximum Parameters	159
Figure 121. Powershell script with parameters to render	160
Figure 120. Rendering & Exporting a Queue of textures	160
Figure 123. Enhancing “Inviting” on texture #10	161
Figure 122. Enhancing “Harsh” on texture #24	161
Figure 124. Enhancing “Intriguing” on texture #38	161
Figure 125. Inviting	162
Figure 128. Anxious	162
Figure 131. Intimidating	162
Figure 134. Comfort	162
Figure 137. Harsh	162
Figure 146. Anger	162
Figure 142. Familiar	162
Figure 145. Jarring	162
Figure 126. Sad	162
Figure 129. Upset	162
Figure 132. Energetic	162
Figure 135. Cohesive	162
Figure 138. Fun	162
Figure 140. Natural	162
Figure 143. Itchy	162
Figure 148. Security	162
Figure 127. Fear	162
Figure 130. Surprise	162
Figure 133. Strange	162
Figure 136. Reliable	162
Figure 139. Happiness	162
Figure 141. Calm	162
Figure 144. Intriguing	162
Figure 147. Bliss	162
Figure 150. Glossy translucent print	166
Figure 149. Four experiments	166
Figure 151. Translucent Front Face (above) and Reverse (below)	167
Figure 152. Translucency tests in white and black	168
Figure 153. Smoothed Heightmap samples	168
Figure 155. Translucency tests in black	169
Figure 154. Samples in 3D printing software	169
Figure 156. Lattice-morphing planar shapes	170
Figure 158. Lattice-morphed sphere Details	171
Figure 157. Lattice-morphed sphere sides	171
Figure 160. Lattice-morphed shape I	172
Figure 159. Resin-printed Lattice morph	172
Figure 161. Lattice-morphed shapes details	173
Figure 162. Lattice-morphed shape II	174
Figure 163. Lattice-morphed shapes	174
Figure 164. Subdivided form	175
Figure 165. Subdivided form	175
Figure 166. Details of Design Artefact Two	176
Figure 167. Separation of parts	177
Figure 168. Rendering of textures	177
Figure 170. variations of texture displacement	178
Figure 169. smoothed corners of front face	178
Figure 171. variations of rear texture	179
Figure 172. Final modelled form for Artefact Two	179
Figure 173. Blender Curve Modifier texture wrapping	182
Figure 174. Using a Lattice to deform a flat rectangle	183
Figure 175. Forms made from a single texture using only curves	183
Figure 177. Exploring forms I	184
Figure 176. Exploring forms II	184
Figure 178. Linear wrapping and helical wrapping	185
Figure 179. Applying texture	186

Figure 180. Self Intersections	186
Figure 181. Prototyping form and texture	187
Figure 182. Assorted forms within Blender	187
Figure 183. Failures in FDM printing	188
Figure 184. Prototype one	189
Figure 185. Prototype Two	190
Figure 186. Prototype Three	190
Figure 187. Prototype four	191
Figure 188. Prototype Five printed in black and white ABS	191
Figure 189. Cura Slicer software	192
Figure 190. Prototype Five modelled in Blender	193
Figure 191. Prototypes for Design Artefact Three	193
Figure 192. Iteration One	194
Figure 193. Iteration Two	195
Figure 194. Creation of design artefact three	196
Figure 195. Modifiers for artefact three	196
Figure 197. Printer settings for Iteration Three	197
Figure 196. Design iterations for Design Artefact Three (right)	197
Figure 198. 3D print from emotion study	198
Figure 199. Design Artefact One	205
Figure 200. Design Artefact One, details	206
Figure 201. Design Artefact One, 3D Printing	207
Figure 202. Design Artefact One, Studio Photos	208
Figure 203. Design Artefact Two	213
Figure 205. Modified “fun” values	214
Figure 204. Design Artefact Two, Details	214
Figure 207. Modified inviting (left) and happiness (right)	215
Figure 206. Design Artefact Two, support material on rear	215
Figure 208. Design Artefact Two, Studio Photos	216
Figure 209. Design Artefact Three	221
Figure 210. 3D Design Artefact Three, details	222
Figure 211. Design Artefact Three, 3D Printing	223
Figure 212. Design Artefact Three, Studio Photos	224
Figure 213. 3D print from emotion study	226
Figure 214. Anger hypothesis, data analysis	231
Figure 215. Free grouping adjective descriptions	232
Figure 216. 3D print from emotion study	234
Figure 217. 3D print from Design Experiments I	239
Figure 218. 3D print from emotion Study	240
Figure 219. 3D print from emotion Study	248

List of Tables

Table 1. Section of survey review matrix	86
Table 2. List of textures to be printed for the user study	87
Table 4. Section of texture Review Matrix	88
Table 3. Description and effects of each parameter	88
Table 5. Parameters used for the first ten textures	89
Table 6. User Survey Metadata	92
Table 7. Transcribed questionnaire 9 part one	100
Table 8. Word clouds from part one	101
Table 9. Data references for part one	103
Table 10. Transcribed questionnaire 1 part two	104
Table 11. Data references for part two	107
Table 12. Spacy semantic similarity, unfiltered descriptors	109
Table 13. Spacy semantic similarity, filtered descriptors	109
Table 14. Spacy semantic similarity, filtered descriptors	110
Table 15. Spacy semantic comparisons	111
Table 16. Adjective changes	112
Table 17. Final list of groups	113
Table 18. NLTK analysis	115
Table 19. Spacy analysis	115
Table 20. "Happiness" statistically relevant effects	149
Table 21. "Happiness" statistically relevant effects	149
Table 22. "Happiness" statistically relevant effects	149
Table 23. List of emotions, highest rated texture, and main effects	151
Table 24. #29	152
Table 25. Charts for "Fun"	152
Table 26. Charts for "Happiness"	152
Table 27. Charts for "Anxious"	152
Table 28. Dataset analysis of 22 qualities and user ratings	158
Table 29. Enhanced and reduced values	158
Table 30. Parameter changes to exemplify emotions	163
Table 31. Original Values	222

Surface Number	1	Surface Number	2	Surface Number	3	Surface Number	4	Surface Number	5	Surface Number	6	Surface Number	7	Surface Number	8	Surface Number	9
Facet Number	100	Facet Number	100	Facet Number	110	Facet Number	24	Facet Number	70	Facet Number	20	Facet Number	24	Facet Number	40	Facet Number	130
Density	70	Density	100	Density	90	Density	80	Density	80	Density	190	Density	50	Density	80	Density	500
Z Rotation	20	Z Rotation	0	Z Rotation	40	Z Rotation	25	Z Rotation	10	Z Rotation	2	Z Rotation	0	Z Rotation	2	Z Rotation	0
XY Rotation	1	XY Rotation	2	XY Rotation	0	XY Rotation	12	XY Rotation	8	XY Rotation	10	XY Rotation	8	XY Rotation	0	XY Rotation	0
Skew	0	Skew	50	Skew	60	Skew	90	Skew	50	Skew	200	Skew	0	Skew	75	Skew	0
Height	25	Height	10	Height	10	Height	10	Height	0	Height	0	Height	30	Height	4	Height	0
Amplitude	15	Amplitude	15	Amplitude	20	Amplitude	0	Amplitude	35	Amplitude	18	Amplitude	15	Amplitude	65	Amplitude	18
X Wave	35	X Wave	9	X Wave	0	X Wave	0	X Wave	15	X Wave	80	X Wave	1800	X Wave	0	X Wave	90
Y Wave	35	Y Wave	0	Y Wave	5	Y Wave	0	Y Wave	45	Y Wave	190	Y Wave	0	Y Wave	4.5	Y Wave	90
Centre Skew	100	Centre Skew	92	Centre Skew	45	Centre Skew	100	Centre Skew	100	Centre Skew	120	Centre Skew	100	Centre Skew	100	Centre Skew	100
Excitement	36.4%	Disinterest	6.1%	Excitement	18.2%	Excitement	42.4%	Excitement	57.6%	Excitement	63.6%	Excitement	42.4%	Excitement	15.2%	Excitement	12.1%
Passive	27.3%	Passive	21.2%	Dominant	30.3%	Dominant	30.3%	Dominant	24.2%	Dominant	72.7%	Dominant	48.5%	Passive	54.5%	Passive	69.7%
Pleasant	33.3%	Pleasant	9.1%	Unpleasant	18.2%	Unpleasant	12.1%	Pleasant	9.1%	Unpleasant	30.3%	Pleasant/Unpleasant	Pleasant	57.6%	Pleasant	48.5%	
Security	12.1%	Security	6.1%	Fear	18.2%	Fear	3.0%	Fear	3.0%	Fear	30.3%	Fear	3.0%	Security	72.7%	Security	60.6%
Comfort	45.5%	Comfort	12.1%	Disgust	6.1%	Disgust/Comfort	6.1%	Disgust	3.0%	Disgust	6.1%	Disgust	9.1%	Comfort	75.8%	Comfort	51.5%
Surprise	12.1%	Anticipation	18.2%	Surprise	12.1%	Surprise	33.3%	Surprise	33.3%	Surprise	30.3%	Surprise	42.4%	Anticipation	3.0%	Surprise	15.2%
Happiness	3.0%	Happiness	3.0%	Upset	18.2%	Happiness	6.1%	Happiness	9.1%	Upset	6.1%	Upset	3.0%	Happiness	30.3%	Happiness	21.2%
Sadness	3.0%	Bliss	18.2%	Sadness/Bliss	3.0%	Bliss	9.1%	Bliss	12.1%	Sadness	15.2%	Sadness	3.0%	Bliss	45.5%	Bliss	42.4%
Calm	36.4%	Calm	15.2%	Calm	3.0%	Anger	18.2%	Anger	12.1%	Anger	36.4%	Anger	24.2%	Calm	69.7%	Calm	51.5%
Safe	9.1%	Unclean	12.1%	Unclean	54.5%	Unclean	36.4%	Unclean	9.1%	Unclean	30.3%	Unclean	3.0%	Safe	69.7%	Safe	57.6%
Approachable	18.2%	Approachable	9.1%	Uncomfortable	30.3%	Uncomfortable	42.4%	Uncomfortable	27.3%	Uncomfortable	39.4%	Uncomfortable	15.2%	Approachable	63.6%	Approachable	69.7%
Slow	30.3%	Fast	12.1%	Slow	9.1%	Fast	21.2%	Fast	15.2%	Fast	30.3%	Fast	36.4%	Slow	57.6%	Slow	42.4%
Robust	24.2%	Robust	15.2%	Robust	3.0%	Robust	9.1%	Robust	18.2%	Fragile	24.2%	Robust	15.2%	Robust	48.5%	Robust	24.2%
Electronic	9.1%	Analogue	3.0%	Analogue	24.2%	Electronic/Analogue	9.1%	Analogue	9.1%	Analogue	12.1%	Electronic	18.2%	Electronic	3.0%	Electronic/Analogue	39.4%
Futuristic	9.1%	Familiar	12.1%	Familiar	12.1%	Futuristic	24.2%	Futuristic	36.4%	Futuristic	18.2%	Familiar	3.0%	Familiar	21.2%	Familiar	39.4%
Strong Like	30.3%	Strong Like	6.1%	Strong Dislike	9.1%	Strong Like	30.3%	Strong Like	9.1%	Strong Like	6.1%	Strong Like	3.0%	Strong Like	48.5%	Strong Like	33.3%

	Surface Number	Surface Number	1	2	3	4	5	6	7	8	9
	Facet Number	Facet Number	100	100	110	24	70	20	24	40	130
	Density	Density	70	100	90	80	80	190	50	80	500
	Z Rotation	Z Rotation	20	0	40	25	10	2	0	2	0
	XY Rotation	XY Rotation	1	2	0	12	8	10	8	0	0
	Skew	Skew	0	50	60	90	50	200	0	75	0
	Height	Height	25	10	10	10	0	0	30	4	0
	Amplitude	Amplitude	15	15	20	0	35	18	15	65	18
	X Wave	X Wave	35	9	0	0	15	80	1800	0	90
	Y Wave	Y Wave	35	0	5	0	45	190	0	4.5	90
	Centre Skew	Centre Skew	100	92	45	100	100	120	100	100	100
	Excitement	Excitement	36.36%	0.00%	18.18%	42.42%	57.58%	63.64%	42.42%	15.15%	12.12%
	Dominant	Dominant	0.00%	0.00%	30.30%	30.30%	24.24%	72.73%	48.48%	0.00%	0.00%
	Pleasant	Pleasant	33.33%	9.09%	0.00%	0.00%	9.09%	0.00%	0.00%	57.58%	48.48%
	Fear	Fear	0.00%	0.00%	18.18%	3.03%	3.03%	30.30%	3.03%	0.00%	0.00%
	Disgust	Disgust	0.00%	0.00%	6.06%	0.00%	3.03%	6.06%	9.09%	0.00%	0.00%
	Surprise	Surprise	12.12%	0.00%	12.12%	33.33%	33.33%	30.30%	42.42%	0.00%	15.15%
	Happiness	Happiness	3.03%	3.03%	0.00%	6.06%	9.09%	0.00%	0.00%	30.30%	21.21%
	Sadness	Sadness	3.03%	0.00%	0.00%	0.00%	0.00%	15.15%	3.03%	0.00%	0.00%
	Anger	Anger	0.00%	0.00%	0.00%	18.18%	12.12%	36.36%	24.24%	0.00%	0.00%
	Disinterest	Disinterest	0.00%	6.06%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
	Passive	Passive	27.27%	21.21%	0.00%	0.00%	0.00%	0.00%	0.00%	54.55%	69.70%
	Unpleasant	Unpleasant	0.00%	0.00%	18.18%	12.12%	0.00%	30.30%	0.00%	0.00%	0.00%
	Security	Security	12.12%	6.06%	0.00%	0.00%	0.00%	0.00%	0.00%	72.73%	60.61%
	Comfort	Comfort	45.45%	12.12%	0.00%	0.00%	0.00%	0.00%	0.00%	75.76%	51.52%
	Anticipation	Anticipation	0.00%	18.18%	0.00%	0.00%	0.00%	0.00%	0.00%	3.03%	0.00%
	Upset	Upset	0.00%	0.00%	18.18%	0.00%	0.00%	6.06%	3.03%	0.00%	0.00%
	Bliss	Bliss	0.00%	18.18%	0.00%	9.09%	12.12%	0.00%	0.00%	45.45%	42.42%
	Calm	Calm	36.36%	15.15%	3.03%	0.00%	0.00%	0.00%	0.00%	69.70%	51.52%
	Safe	Safe	9.09%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	69.70%	57.58%
	Approachable	Approachable	18.18%	9.09%	0.00%	0.00%	0.00%	0.00%	0.00%	63.64%	69.70%
	Fast	Fast	0.00%	12.12%	0.00%	21.21%	15.15%	30.30%	36.36%	0.00%	0.00%
	Fragile	Fragile	0.00%	0.00%	0.00%	0.00%	0.00%	24.24%	0.00%	0.00%	0.00%
	Electronic	Electronic	9.09%	0.00%	0.00%	0.00%	0.00%	0.00%	18.18%	3.03%	0.00%
	Futuristic	Futuristic	9.09%	0.00%	0.00%	24.24%	36.36%	18.18%	0.00%	0.00%	0.00%
	Unclean	Unclean	0.00%	12.12%	54.55%	36.36%	9.09%	30.30%	3.03%	0.00%	0.00%
	Uncomfortable	Uncomfortable	0.00%	0.00%	30.30%	42.42%	27.27%	39.39%	15.15%	0.00%	0.00%
	Slow	Slow	30.30%	0.00%	9.09%	0.00%	0.00%	0.00%	0.00%	57.58%	42.42%
	Robust	Robust	24.24%	15.15%	3.03%	9.09%	18.18%	0.00%	15.15%	48.48%	24.24%
	Analogue	Analogue	0.00%	3.03%	24.24%	0.00%	9.09%	12.12%	0.00%	0.00%	0.00%
	Familiar	Familiar	0.00%	12.12%	12.12%	0.00%	0.00%	0.00%	3.03%	21.21%	39.39%
	Strong Like	Strong Like	30.30%	6.06%	0.00%	30.30%	9.09%	6.06%	3.03%	48.48%	33.33%
	Strong Dislike	Strong Dislike	0.00%	0.00%	9.09%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%