Voicing Landscape Experience

Designing Infrastructural Adjacencies from a Grounded Perspective

C. Drayton

BY

CASSANDRA DRAYTON

A 120 point thesis
submitted to the Victoria University of Wellington
in partial fulfillment of the requirements for the degree of
Master of Landscape Architecture

Victoria University of Wellington
School of Architecture
March, 2021

Acknowledgements:

The changing times of this year have made the support I have received all the more important. Without these people, this document would not be here today.

To Aden, my partner, for your constant reassurance when I needed it most. Your support has been the stability for me in an unstable year.

To Peter, my supervisor, for his unwavering enthusiasm. Without your guidance and continuing encouragement, this project would not have been possible.

To the rest of the landscape staff, Carles, Bruno, Hannah, Shaun and Maria, for inspiring me to strive further. Your dedication and passion have impacted us all.

To the rest of my cohort, for their support and commitment. The last few years would not have been the same without you.

To my family, for getting me to where I am today.

Contents

PREFACE	vi
Motivation	vii
INTRODUCTION	1
Research Proposition	2
Disciplinary Context	4
<i>Place</i>	5
<i>The question of Place within Landscape Architecture</i>	6
<i>The question of place Through scale</i>	9
<i>The question of airports</i>	11
AIRPORT POSITION	14
Aviation Landscapes	16
<i>Tempelhof</i>	18
<i>Hellenikon</i>	20
<i>Schiphol</i>	22
<i>Auckland</i>	26
SITE SITUATION	28
The Site	30
The Story	36
The Edge	42
APPROACH	50
Research Approach	52
Methodology	54
BRIDGE STREET	58
LYALL BAY	90
CALABAR ROAD	140
GOLF COURSE	180
CONCLUSIONS	218
Bibliography	224
Image Sources	229

PREFACE

00

Although a ubiquitous part of modern life, airports are often defined by a level of otherness that sets them apart from the landscape. From their role in bringing unprecedented global connection, airports have become a symbol of the generic landscape, often reduced to a non-place.

In the richness of experience surrounding the airport, simplifying these edges to an infrastructural waste seems almost criminal. Strange and intriguing moments appear through the juxtaposition of human experience with mega-infrastructure. Highlighting these moments offers the opportunity for reframing the ideas of the airport as a generic landscape.

Airport landscapes often seem to become the victim of their own aerial perspective and design for the visual theatre of the airport. The design tendencies of the airport serve to alienate it from the local context. In changing the design paradigm to an on-the-ground approach, does this offer the airport a way to become a driver of locality rather than a homogenising force?

"Can we design them humanely? Can we have a bikeable, walkable, airport city? Can we find a way to reconcile the scale of a person with the scale of an A380 or 777?"

- Greg Lindsay, New Cities Foundation

Motivation:

It could have been any number of things. It could have been the sense of not really-meant-to-be-there. Maybe it was the crushed branches, worn tracks, hints of rubbish that shed the light that others who had not really-meant-to-be-there had been there too. It could have been that the background hum of the passing cars only seemed to make the noise of the water lapping on the rocks all the louder. Probably it was all of these.

The nature of infrastructure is to bisect the environment it traverses, leaving behind an adjacent vacuum of space. Before this thesis I was interested in motorways. Motorways provide a continuous stream of edges, their scope and effect spanning beyond the reach of any single locality, pasting the same homogenous solution down upon the landscape as they go. Surely there could be more than this. Walking along these edges, they seemed to be brimming with the potential to be something more, to contribute back to place.

With these thoughts simmering, another infrastructure imposed itself upon me. Major airports are often seen as the ultimate statement of the global generic. Their relationship to location presents different, and possibly stranger, effects than the linearity of motorways. They are always immensely global in nature yet definitively tied to a specific location.

Within the urban fabric, a vacuum is produced around their edges. Each had connotations of a generic landscape, of non-places, or infrastructural wastes. However, my fieldwork into both conditions led to the discovery of unexpected moments of intimacy that were produced by the intersection of these massive hyper-functional entities with their location.

What began as dissatisfaction with genericisation within the landscape became an investigation into the uniqueness of location and the land's power.

INTRODUCTION

01

Research Proposition

Research Questions

Literature Review

Disciplinary Context

Research Proposition:

The master-plan released by Wellington Airport calls for growth. The passenger numbers will grow, the airport will grow, the revenue will grow, the local economy will grow, Wellington will grow. However, Wellington International Airport faces the same need as many other airports before it has; more land.

The airport suggests expanding the eastern and western apron, a new international terminal, and a 300m extension to the runway stretching south, further into Lyall Bay. At the time of this work, Wellington Airport has withdrawn its proposal to revise to meet new international aviation guidelines but has made clear it will reapply.

A common consensus is that the airport landscape is a generic typology, repeated across the globe, with little regard for the pre-existing conditions. Although this disregard to the on-the-ground is not a phenomenon unique to airports, the vast operational configurations of airports elevates these occurrences' impacts. My fieldwork shows that whilst the imposed infrastructure itself may be generic when it is located in a specific location it produces rich variations of local conditions, experiences and behaviours, which are obscured by the greater imposition and have almost entirely been ignored.

Wellington Airport, tied in so closely with the city's urban fabric, is a complex problem. Concerns around the expansion, as they always do, focus on then negative impact on the surrounding context. So as Wellington International Airport looks to become that bit more international, how can these expansions be used for the airport to become that bit more local?

Instead of making the airport itself more local, perhaps it is more useful to ask, how can the airport become a contributor to locality? The strangeness and oddity of the infrastructural landscape seem to offer something that can highlight the uniqueness of the locality around the airport edge.

To explore this, the edge conditions of Wellington Airport offer a unique opportunity. Its urban location and tight physical constraints provide an obscure yet rich set of edge conditions and the suggested expansions to consider; how could these new edges change?

Airport landscapes can often become exaggerated and oversized, partly for the benefit of aerial perspective. This investigation narrows attention to the periphery around the airport. This opens up the ability to test designs at the human scale. These spaces are often considered leftover spaces or industrial wasteland, a by-product of the non-place entity that is the airport.

However, to describe these places as leftover seems reductivist and a gross oversimplification of the nuanced experienced that they can offer. Exploring these contrasts provides a useful lens to consider the airport as a possible driver of locality.

(more specific question)

How can urban airports contribute to locality?

(more abstract question)

How can large-scaled infrastructure contribute to adjacent locality?

Literature Review/ Disciplinary Context

Understanding the airport is as much about deciphering the strangeness or otherness of its identity as anything else. There is the 'internal' logic of the airport itself, the hyper-functional landscape and the could-be-anywhere experience of departing and arriving. These are strange enough. Then there is the focus of this research, the immediately adjacent edges around the airport. Traditional landscape architecture practices have overlooked and engage superficially with these conditions, unable to reconcile with the landscape's strangeness.

Landscape architecture is far from the only discipline concerned with the physical, spatial, and bodily relations that form the basis of our experience throughout the world. Landscape architecture sits amongst the fields of architects, ecologists, urban designers, engineers, social scientists, etc. This position allows the discipline the ability to draw on the discourse within these disciplines.

PLACE

The critical material that a landscape architect operates with is that of place. It is the medium through which our work emerges. We do not create place, as an artist creates their painting. Place does not sit passively waiting for an external force to move it into being. Place, (and landscape) exists prior to the designer,¹ with all the intricacies that this entails. Much has been said around engaging with place, yet defining what is place is has not been an easy question to answer. Philosophers have debated the nature of place for centuries, and their philosophies provide a narrative that reflects the wider evolving ideas about place. For landscape architects, understanding place, (and by extension, lack of place) is central to beginning to understand methods to honour what is unique to locality.

At least in our lack of certainty around place we are in good company. For Plato, place is

an ambiguous being. To him, the essential property of place is its connectivity, and its power to link up diverse entities and events.² Place can be understood as the way in which being *occurs* and *relates* to other beings. Additionally, the Aristotelian notion of place is not a material thing, yet can be understood to have 'magnitude'.³

The emphasis on magnitude implies a level of tangibility for something that is not a material thing. Aristotle's place has an emphatic connection to the body. The dimensions of place, what we might see as the spatial relations of above, below, left, right, 'come to be in relation to our position, according as we turn ourselves about.'⁴ Place, through individual relations, becomes distinct and separate.

Our discussion of Plato's and Aristotle's notion of place is limited by the language that we use. Where we use '*place*' and '*space*', they use '*topos*' and '*chōra*'. As with many translations, the distinction is not as clear-cut. Castello discusses the implication of this changing distinction of our version of place within the urban environment, suggesting that the notion of *chōra* and *topos* are part of a continuum that 'oscillates between identity and difference'.⁵ For Heidegger, he notes that for *chōra*, it is part of the place (*topos*) that belongs to the thing itself,⁶ suggesting that *chōra* bears a resemblance to the notion

¹ Elizabeth K Meyer, 'The Expanded Field of Landscape Architecture', in *Ecological Design and Planning*, 1997, 45–79.

² Edward S. Casey, 'Giving a Face to Place in the Present: Bachelard, Foucault, Deleuze and Guattari, Derrida, Irigaray', in *The Fate of Place: A Philosophical History* (University of California Press, 1997), 285–330.

³ Emma Jones, 'The Nature of Place and the Place of Nature in Plato's *Timaeus* and Aristotle's *Physics*', *Epoché* 16, no. 2 (2012): 247–68.

⁴ (Aristotle, *Physics*, 208b15)" (Casey, 1993).

⁵ Lineu. Castello, *Rethinking the Meaning of Place : Conceiving Place in Architecture-Urbanism* (Farnham, England; Ashgate Pub. Company, 2010).

⁶ Martin Heidegger, *An Introduction to Metaphysics*. (Yale University Press, 1959).

of territory.⁷ The distinction between these two words is an important one to recognise, as place as that of a *specific locality*, vs. the place that is created by the *spatial arrangement* of objects.

Place as a set of physical relationships implied something else entirely after the modern Cartesian system provided an abstract space for relationships, without the connection to the uniqueness of bodily experience.⁸ The Cartesian system represents the shift away from the notion of *specific* place to an *extensive* space. Descartes does at least provide the distinction between space and place, through his assertion of a distinction between the individual and generic space in that we are able to perceive these as separate.⁹

An aesthetic exploration of place was conducted through the notions of the picturesque, the sublime, and *genius loci*. These notions reflected the dominant philosophy of empiricism, and discovery through sense and feeling. *Genius loci* in particular highlights the intangible elements of place, but for Kant the 'local presence' is a 'condition of [...] spatially, sensible things'.¹⁰ To Kant, the sensible object is a body, which is emplaced in a particular somewhere. It is the body that is the connection between space

and place, providing the orientation and dimensions of space.

Bodily-orientation is critical to understanding the lived-place. The body becomes the central way of understanding place.¹¹ For recent philosopher Gilles Deleuze, the notion of the body is interwoven with the world. Separation of the body from the world is impossible,¹² and they cannot be considered in isolation. The Deleuzian body can only be understood in terms of 'assemblage[s],... thresholds,... and territories',¹³ much as the Greek philosophy understood 'the places (*topoi*) of the region (*chōra*)' to be understood through 'magnitude'.

THE QUESTION OF PLACE WITHIN LANDSCAPE ARCHITECTURE

If we have established that place is created by spatial relations of bodily experience, then perhaps it would not be unfair to say that the technical developments of the post-war industry have had the single largest impact upon place. A new, unprecedented scale of infrastructure entered the physical world of the every day.

⁷ Lineu. Castello, *Rethinking the Meaning of Place : Conceiving Place in Architecture-Urbanism* (Farnham, England; Ashgate Pub. Company, 2010).

⁸ Edward S. Casey, *Getting Back into Place: Toward a Renewed Understanding of the Place-World* (Indiana University Press, 1993).

⁹ Edward S. Casey, 'Modern Space as Extensive: Descartes', in *The Fate of Place: A Philosophical History* (University of California Press, 1997), 151–61.

¹⁰ Edward S. Casey, 'By Way of Body: Kant, Whitehead, Husserl, Merleau-Ponty', in *The Fate of Place: A Philosophical History* (University of California Press, 1997), 202–42.

¹¹ Casey, *Getting Back into Place: Toward a Renewed Understanding of the Place-World*.

¹² Stephan Günzel, 'Deleuze and Phenomenology', *Metodo. International Studies in Phenomenology and Philosophy* 2, no. 2 (2014): 31–45.

¹³ (Deleuze, BwO 160)

In this changing relationship, place became landscape, and to a large degree landscape became infrastructural.¹⁴ Land was commodified into a resource to be exploited. Moore sums up the damaging impacts that the global form of landscape has had, 'Anonymous, monotonous, even banal, so anodyne and bereft of meaning it (landscape) is often regarded as nothing more than the space left between the highways, buildings, towns and cities, something just waiting to be taken advantage of, used up or titivated.'¹⁵ Landscape design as a practice had been lost in the modernist era, reduced to 'the vegetal buffer between buildings'.¹⁶

Landscapes of scale shifted away from the private estates of the past, and into the ever-increasing network of infrastructural projects, and the shifting separation of engineer and designer is best exemplified through the metric-based approaches of regional and transport planning. Metrics and scientific understandings of ecology provided a way of critiquing the expanding city growth through quantitative values, such as McHarg's influential schema for impact absorption capacities.¹⁷

For McHarg, his own methodologies in understanding the ecological processes of the site were part of a wider search for the understanding of the identity and workings of both city and nature.¹⁸ But infrastructural urbanism, and wider concern around the growing urban sprawl has created a dialogue that pays less attention to the question of 'what is place', but poses the questions of 'what is left of place?'.

Often this involves a 'loss of connection',¹⁹ or the removal of intimacy between humans and their environment.²⁰ The shift into the global has created a standardised landscape of 'inauthenticity', forming the roots of 'placelessness'.²¹ Relph refers to this as the 'casual eradication of distinctive places [...] and the weakening of the identity of place'.²²

Placelessness is by-product of the modern globalised form, non-places are a by-product of super-modernity.²³ Non-places are understood to be fundamentally lacking in any connection towards a broader physical, cultural or emotional context than could be place. Where Relph's placelessness is focused on the generic homogeneity of experience, Augé's non-place is perhaps more related to the transient nature and staunchly devoid

¹⁴ P. Belanger, 'Landscape As Infrastructure', *Landscape Journal* 28, no. 1 (2009): 79–95.

¹⁵ Kathryn Moore, 'Is Landscape Philosophy?', in *Is Landscape ... ?* (Routledge, 2016), 285–301.

¹⁶ Marc Treib, 'Nature Recalled', in *Recovering Landscape : Essays in Contemporary Landscape Architecture* (New York: Princeton Architectural Press, 1999), 28–43.

¹⁷ Michael Neuman, 'Regional Design: Recovering a Great Landscape Architecture and Urban Planning Tradition', *Landscape and Urban Planning* 47, no. 3 (2000): 115–28.

¹⁸ Ian L. McHarg, *Design with Nature* (New York: J. Wiley, 1992).

¹⁹ Martin Heidegger, *Basic Writings from Being and Time (1927) to The Task of Thinking (1964)*, 1st ed., *His Works* (New York: Harper & Row, 1977).

²⁰ James Corner and Alison Bick Hirsch, *Landscape Imagination : Collected Essays of James Corner 1990-2010* (New York, UNITED STATES: Princeton Architectural Press, 2014).

²¹ Arefi, 'Non-Place and Placelessness as Narratives of Loss: Rethinking the Notion of Place'.

²² Edward Relph, 'Overview of Non-Place/Placelessness Ideas', PLACENESS, PLACE, PLACELESSNESS (blog), 2016, <https://www.placeness.com/overview-of-anti-place-terms-and-processes-placelessness-non-place-rootshock-etc/>.

²³ Marc Augé, *Non-Places : Introduction to an Anthropology of Supermodernity* (London ; Verso, 1995).

sociality of the typical non-places as airports, shopping malls, or supermarkets.²⁴

The transient nature of the airport has allowed for it to become known as an 'archetype of non-place'.²⁵ This discussion primarily addresses the architectural interior of the airport, focusing on the experience of the terminal. The role of the landscape pushed away, and is 'only once you are well and truly away from the airport that you begin to have a sense of light or a sense of what constitutes landscape'.²⁶ The structure of the airport seems to further exaggerate its separation from the landscape.

In recent years, placelessness and the inauthenticity that defines it has taken on a new stage within the design paradigm. The desire to restore a sense of place has led to the conscious manufacturing of meaning.²⁷ Place-making has been a ubiquitous set of tools within the designer's repertoire. Often seen as an opposition to placelessness, Relph warns that place-making is in itself a 'process of creative place destruction, replacing an existing place with one that is thought to be an improvement'.²⁸ The nature of place-making has its basis in moral judgements of a place, which can produce disastrous

consequences. The 'unmaking of place' is a danger which Kalven discusses explicitly as 'anti-urban' and an 'assault on the identities' of the neighbourhoods.²⁹

Where place-making concerns itself about the social aspects of place,³⁰ non-places are defined by their propensity towards the solitary. The version of place-making that occurs within non-places is imbued with an exaggerated version of place, with 'no room for history unless it has been transformed into an element of spectacle'.³¹ Here airports manage to truly excel. Their nature, driven through their global relations comes with a preoccupation with the local.³² Despite the global standardisation of airport requirements, it is also necessary to impart the local branding upon it. It is not enough to be in a place, the place must strongly communicate its local identity at you, exaggerated into spectacle.

Place-making within the airport landscape presents a unique set of problems. As an object, the landscape is controlled within an inch of its life, its topography flattened, ecologies shifted and deterred. Logical imperatives of the airport seem to conspire so as to remove all possibilities of design.³³ The

²⁴ Dylan Trigg, 'Place and Non-Place: A Phenomenological Perspective', in *Place, Space and Hermeneutics*, ed. Bruce B. Janz (Cham: Springer International Publishing, 2017), 127–39, https://doi.org/10.1007/978-3-319-52214-2_10.

²⁵ Arefi, 'Non-Place and Placelessness as Narratives of Loss: Rethinking the Notion of Place'.

²⁶ Moshen Mostafavi, "Airport Landscape: Urban Ecologies in the Aerial Age" - *Introductions and Keynotes* (Airport Landscape: Urban ecologies in the Aerial Age, Harvard Graduate School of Design, 2013).

²⁷ Arefi, 'Non-Place and Placelessness as Narratives of Loss: Rethinking the Notion of Place'.

²⁸ Edward Relph, 'Placemaking (and the Production of Places): Origins', PLACENESS, PLACE, PLACELESSNESS (blog), 2016, <https://www.placeness.com/placemaking-and-the-production-of-places-origins-and-early-development/>.

²⁹ Jamie Kalven, 'The Unmaking of Place' (The Accidental Preservationist: Artists, Artisans, Outliers and the Future of Historic Preservation, New York, 2014), <https://invisible.institute/news/2014/unmaking-of-place>.

³⁰ 'What Is Placemaking?', Projects for Public Spaces (blog), 2007, <https://www.pps.org/article/what-is-placemaking>.

³¹ Augé, *Non-Places : Introduction to an Anthropology of Supermodernity*.

³² Sonja Duempelmann, "Airport Landscape: Urban Ecologies in the Aerial Age" - *Keynote Introduction* (Airport Landscape: Urban ecologies in the Aerial Age, Harvard Graduate School of Design, 2014).

³³ Adriaan Gueze and Maarten Buijs, 'West 8 Airport Landscape: Schiphol', *Scenario Journal*, Spring 2014,

challenges are best exemplified through West 8's work on Schiphol Airport. The landscape approach was centred around expressing the vernacular landscape of Amsterdam. The visual complexity of the airport was hidden beneath a landscape that was as much about highlighting its locality as it was softening the appearance of the airport.³⁴

THE QUESTION OF PLACE THROUGH SCALE

Airport landscapes seem to exemplify all the difficulties that come with dealing with designing with scale. The advent of the airport not only coincided, but *created*, a new age and methodology of design within landscape architecture.³⁵ Access to the aerial perspective allowed for a new element of design to be fore fronted. Landscape features began to be designed for the enjoyment of those at the nearby airfields.³⁶

Aerial representation created a removal from the on-the-ground experience. Previous landscape of scale had been designed with the guiding principles of the Sublime and Picturesque, based around the experience

of the body. Yet it was the lack of the Picturesque that saw its promotion as the rational method for urban planning.³⁷ To Le Corbusier, the aerial perspective was '*the new standard of measurement: it is the basis of a new sensation*'.³⁸

As approaches to landscapes of scale, the Picturesque and the Sublime have an undeniable basis within the visual.³⁹ Often these approaches have been reduced to the scenographic, discounting the physical experience of place.⁴⁰ Yet even in the height of the Picturesque scenography of Humphry Repton's famous Red Books, the before and after images are accompanied with eloquent descriptions to create an immersive sense of the feeling within the changed landscape.⁴¹

The Picturesque and the Sublime can both be understood through phenomenological relations.⁴² The Sublime forms part of Kant's discussion on bodily experience, separated into the mathematical and dynamic sublime. The mathematical Sublime relates to the more commonly understood version of the Sublime, with the seeming impossibility of understanding the magnitude, scale, or immensity in relation to our own bodies.

<https://scenariojournal.com/article/airport-landscape/>.

³⁴ Gueze and Buijs.

³⁵ Duempelmann, '*Airport Landscape: Urban Ecologies in the Aerial Age*' - Keynote Introduction'.

³⁶ Charles Waldheim, '*Aerial Representation and the Recovery of Landscape*', in *Recovering Landscape : Essays in Contemporary Landscape Architecture* (New York: Princeton Architectural Press, 1999), 120–39.

³⁷ Sylvia Lavin and Claude-Henri Watelet, '*Sacrifice and the Garden: Watelet's "Essai Sur Les Jardins" and the Space of the Picturesque*', *Assemblage*, no. 28 (1995): 17–33, <https://doi.org/10.2307/3171447>.

³⁸ Le Corbusier, *Aircraft* (New York: Universe Books, 1988).

³⁹ Waldheim, '*Aerial Representation and the Recovery of Landscape*'.

⁴⁰ Peter Connolly, *An Affirmative Open Systems Conception of How to Design Landscape* (RMIT, 2012).

⁴¹ Brian Davis and Thomas Oles, 'From Architecture to Landscape', Academic Blog, Places Journal (blog), 2014, <https://placesjournal.org/article/from-architecture-to-landscape/?cn-reloaded=1>.

⁴² Rosier, '*Operationalising the Sublime: Remediation of the Horokiwi Quarry*'. (Victoria University of Wellington, 2021).

More recent thoughts have labelled the sublime as an encounter with intensity.⁴³ Intensity is the felt potential produced through relations between bodies and their environment. Intensity allows us to sense the everyday nature and potential of the world around us. Intensity can also, in less normalised situations, present a shock to the habits of the body, and it is this deviation from the norm that can be considered a sublime experience. Crucially, this distinction asserts that the Sublime is no longer an abstract concept within nature, but produced through the interaction of the body and physical relationships that can be experienced, reproduced through drawings and hence potentially changed, and designed.

Methods of dealing with landscapes of scale have been heavily critiqued in recent decades, with large amounts of this critique centering on methods of representation and approaches towards design. James Corner has been explicit in criticising the failings of what Deleuze and Guattari refer to as 'tracings'.

'What distinguishes the map from the tracing is that it is entirely orientated towards an experimentation in contact with the real.' To Corner, the big map is already a project in the making.⁴⁴

Corner's envisaged role of the big map rejects the reductivism of the previous planning movement. The strength of Corner's map is the openness it allows for in connection to the grounded conditions. The strength of the

big map lies in its ability to provide a synopsis, here also exposing the limitations of the perspective to offer only a generalisation of the true conditions.

To reconcile the relationship between bigness and the on-the-ground experience can seem immensely daunting. The magnitude of scale appears to preclude it from a grounded approach, but to do this separates the design from the bodily perspective. For some, the question of bigness is one that can only be addressed through the on-the-ground approach, using feeling and sensation as the key point of access.⁴⁵ In this relationship between bigness and smallness, of maps and being-on-the-ground each one can heighten the other.⁴⁶

For others, bigness can seem to negate any suggestion of place. Koolhaas asserts that 'bigness creates its own context'.⁴⁷ Perhaps what this demonstrates best is not the lack of place, but the inadequacies of an architectural (or at least Koolhaasian) version of context that overlooks the role of what pre-existed the big imposition. *Milieu* has been seen as more accurate, the French term for middle, or environment.⁴⁸ Within *milieu*, the emphasis is placed on connections, and relationships.

Milieu embodies the social in a way beyond the comparative fixation with the human. To contest *milieu*, we have Auge's non-place, or the '*non-lieu*'. Where *milieu* resides in the middle, *non-lieu* exists outside of place,

⁴³ Rosier, 'Operationalising the Sublime: Remediation of the Horokiwi Quarry'. (Victoria University of Wellington, 2021).

⁴⁴ Corner and Hirsch, *Landscape Imagination : Collected Essays of James Corner 1990-2010*.

⁴⁵ Penelope Allan, '*Feeling Indeterminate: The Experience and Design of Big Landscapes*' (RMIT, 2017).

⁴⁶ Rosier.

⁴⁷ Rem Koolhaas and Bruce Mau, *S, M, L, XL*. (New York, N.Y. : Monacelli Press, 1995).

⁴⁸ Corner and Hirsch, *Landscape Imagination : Collected Essays of James Corner 1990-2010*.

suggesting that perhaps the non-place is the loss of *context* rather than anything to do with place. However, whilst non-lieu might not resemble place it still involves milieu, produced through bodily relations with an environment and that relations. This invites attention to body-environment relations beyond romantic clichés of place.

THE QUESTION OF AIRPORTS

Explorations of the airport and its relationship to the landscape have largely been explored in terms of economic and geographical impacts.⁴⁹ Perhaps most pervasive are the attempts to categorise the airports impacts

on regional development. Airport city, Aerotropolis, Airport Corridor, and Airport Region, are all models of categorising the impacts of the airport of growth models. In these, the emphasis is placed on urban centres *created by* the airport through its continued economic growth.

In these growth models, the distinction is not made between the growth of the city or the airport. Cipriani's discussion of the growth phasing expands on these models to categorise the wider impacts on the city, and region.⁵⁰ Yet continual growth cannot be possible. Previous events of food crises, and public health concerns have previously been responsible to the closure of airports.⁵¹ The impacts of Covid-19 have yet to be fully seen,

Airport Growth Models

Airport Growth Phasing

Fig 1.01: Airport growth models, based on diagrams from Laura Cipriani

⁴⁹ Laura Cipriani, *'Ecological Airport Urbanism. Airports and Landscapes in the Italian North East'* (Università degli Studi di Trento, 2012).
⁵⁰ Cipriani.

⁵¹ Sonja Dumpelmann and Charles Waldheim, *Airport Landscape. Urban Ecologies in the Aerial Age* (Harvard University Press, 2016).

but the permanent closure of more airports appears inevitable.

Across the world, around 2000 airports are lying dormant, decommissioned, or under-utilised.⁵² These abandoned landscapes have proved to be a point of fascination; how to design with the scars left by the behemoth of infrastructure?

The fascination with the airport marks a deeper recognition of the compelling strangeness of the airport landscape. The closure of an airport does not remove this, if anything it possibly serves to highlight the oddity and strangeness of the infrastructure with its silence. Numerous projects suggest afterlives for the defunct airport,⁵³ and through them there is a collective realisation that there is something inherently inviting about the airport. Is it part of the nature of their use? Or is it a wider similarity of landscape conditions that once made these places eminently suitable for an airport before the demands of space grew too great? Or is it a wider history, a shared collective memory older than the airport?

Despite this abundance of design, literature, and discussion around defunct airports, the same vigour has yet to be applied to the operational airports. Urban airports are closed and shifted beyond the city limits, for a variety of reasons, noise levels, aviation innovations, and their ever-present need for space makes them a neighbour that no one particularly wants. A wealth of investment occurs in each airport for how to appeal to travellers passing through, how to announce their presence, or represent the local or regional experience,

but most do not attempt to integrate themselves with or within the surrounding fabric or actively investigate the potential of edge-relations to produce social life and experience.

⁵² Sara Favargiotti and Jessy Yang, *Airfield Manual: Field Guide to the Transformation of Abandoned Airports* (Harvard University Graduate School of Design, 2017).

⁵³ Sonja Dumpelmann and Charles Waldheim, *Airport Landscape: Urban Ecologies in the Aerial Age* (Harvard University Press, 2016).

AIRPORT POSITION

02

Precedent Review

Case Studies

Disciplinary approach

Aviation Landscapes:

The nature of airports often dictates their location outside of the city. Truly urban airports are a rare species. London City Airport lies only 11 km away from the city centre, and operates under strict curfews to reduce the noise impact over the city. Despite their night and weekend curfews, and their strong engagement with the local community, LCY faces numerous calls for its closure.

If it does close, it certainly will not be the only urban airport to meet such a fate. Kai Tak Airport in Hong Kong closed in 1998, and thanks to its intensely urban setting was regarded as one of the most dangerous airports to land at, amidst the towering skyline of the city. It now enjoys its airport afterlife as one of the world's key cruise terminals.

Urban airports face a vastly different set of constraints than their other counterparts. Restrictions on flight times and numbers impact the profitability, and ignoring these fosters ill-will from their neighbours. Perhaps the most vivid example of the challenge faced by urban airports is the 4-lane highway that bisects the runway of Gibraltar Airport.

Recent fascinations within landscape architecture is centred around managing the post-airport landscape, or maintaining the ecological integrity of the operational airport without jeopardy to safety. Other projects cater to the aerial perspective of the airport, and engage with land art practices.

Across these projects, there is an element of separation of the airport from its surrounding context. That is not to say that this idea has not been taken seriously; each in their own context creates attempts to connect,

through redevelopment, through ecological integration, through shared visual appeal. However, the division between the airport and the neighbouring adjacencies has been neglected in terms of human interaction; at the least, it has not been consciously engaged with.

A wealth of projects address aviation landscapes for people in the theoretical realm of design proposals; few have been built. In the cases of the unbuilt, the approach and goals are perhaps of more interest than the physical design and forms.

THF

52° 28' 25" N, 013° 24' 06" E

Area:	3.68 km ²
Runways:	2
Opened:	1923
Closed:	2008

This content is unavailable.
Please consult the figure list for further details.

Fig 2.01: Tempelhof Masterplan by GROSS.MAX

0 0.5 1 km

PARKLANDSCHAFT TEMPELHOF

Berlin, Germany

GROSS.MAX. + Sutherland Hussey Architects
2011 Competition Entry

Home to the Knights Templar, the Prussian Army, and designed as the entrance to Hitler's Germany, Tempelhof's current incarnation as a public park may come as somewhat of a surprise. Since its closure in 2008, the future of the former airport has been an ongoing debate. In 2010, the Berlin City Government held a competition to reimagine the site as urban park and housing development.

The winning proposal by GROSS.MAX approaches the question of managing such a large site through suggesting to design a process rather than a park. The foundation of their more concrete design moves are rooted in the English landscape garden, emphasising the spectacle of the open landscape. The runways remain, leaving the operational logic of the airport behind in a wild grassland.

"The design harbours great potential for an innovative park concept. It succeeds in designing a park of high utilization value while maintaining the character of the airport."

The design looks to maintain the sense of vast openness that the flat landscape of the airport allows, and emphasis the specialness of this within an urban context. The more sculptural elements of design, a large rock feature, serve to highlight the flatness of the site, drama created through the vast contrast. The flatness affords something else too; the 360° views of the urban panorama, and an

uninterrupted connection to the sky.

The key aspiration is for the park to operate across the same variety of scales at which the airport operates at; S, M, L, and XL. The park is shift beyond a space for the individual, GROSS.MAX imagine it as a public background for all of Berlin.

Beyond their ambitions towards enhancing the social aspects of the park, Tempelhof is also imagined as an urban wildlife sanctuary in the city. Areas of intensive use are set apart from the more ecologically sensitive areas of design, such as the central grassland. Care has been taken to preserve the existing trees.

ATH

37° 53' 54" N, 023° 43' 46" E

Area:	3.62 km ²
Runways:	2
Opened:	1938
Closed:	2001

This content is unavailable.
Please consult the figure list for further details.

Fig 2.02: Aerial view of Hellenikon design from OLM Paysaygistes

HELLENIKON METROPOLITAN PARK

Athens, Greece
OLM Paysagistes
2005 Competition Entry

Closed in 2001 as part of a larger series of upgrades in preparation for the Olympic Games, the Hellinikon has largely sat dormant since then. A 2005 competition sought suggestions for the development of the site.

OLM's winning proposal looks to reinstate the rich ecologies of the area, unearthing the ancient streams that were covered over when the airport was built in 1950's. These reinstated green corridors form the basis for the logic to structure the social structure of the development. Their proposal sets out a careful logic for ecological succession based on hydrological conditions, topography, and humidity.

These six key ecological corridors provide links from the sea to the elevated level of the city beyond. Within these, social links such as cycle paths, walkways and roads provide another aspect of connection across the site.

Both runways are maintained, one in its current form to provide a circulation path running across all the new corridors, and the other is transformed into a tree lined street, providing a direct visual link from the city to the sea. The open space within the proposal centres around the runways, emphasising the open flatness. Housing development is pushed towards the outer edges of the site, integrating the airport edges into the urban fabric of the city.

Despite the lofty ambitions for the redevelopment of the Hellinikon, the current outlook is for a landscape of privatisation. The development was stalled due to recession within the Greek economy, and as a result the former airport became privatised. Ground was broken in 2020 on the development of a proposal which includes a complex of luxury homes, hotels, offices, a yachting marina and a casino. Large areas of urban public space are still included, but the aim is to create a tourist destination.

AMS

52° 18' 29" N, 004° 45' 51" E

Area:	27.87 km ²
Runways:	6
Annual passengers:	71,706,999
Annual aircraft movements:	496,286

Fig 2.03: Plan of Schiphol Airport with marked boundaries

0 0.5 1 km

LANDSCAPING SCHIPHOL AIRPORT

Amsterdam, The Netherlands

West 8

1992 - Ongoing

Schiphol Airport holds claim to being one of the world's oldest continually operating airports, since its beginnings as a military base in 1916. Currently the third busiest airport in Europe, this was the demanding environment the West 8 found themselves tasked with masterplanning.

Quickly they came to the realisation that a static master plan was not a feasible or efficient option. Rather a complete design output, West 8 created a menu of design solutions, and a series of strategic moves for their implementation. This removed the need for long and expensive consultation for each change within the airport landscape, and allowed the airport a degree of autonomy in their own environment

The genius of the planning lies in its simplicity. All the spaces that were outside of the airport's functional requirements would be greened; unused tarmac removed, unreachable sidewalks removed, bare dirt covered, all to be covered with grass and young birch trees. This softening of the infrastructure was referred to as the "green haze"

The central tenet behind West 8's design based on the visual. The use of plants would hide the complexity of the airport infrastructure, as well as providing a scale that created an approachable perspective to make the environment more palatable.

Fig 2.04: Representation of West 8's 'green haze' strategy

West 8's design highlight the inherent responsibility for an airport's 'first impressions'. The green haze and designation of sightliness all help to create the visual language of the Netherlands in miniature within the airport.

Their limited choice of materiality does not detract from the overall experience and appeal. The simplicity of the design programme creates a visual contrast with the complexity of the airport itself. It experiments within the definition of a masterplan, and pares back to its barest form. This does not equate to loss of detail however, more the recognition for specialised detail within higher impact areas.

Fig 2.05: West 8's Strategic Masterplan

BUITENSCHOT PARK

Amsterdam, The Netherlands
H+N+S Landscape Architects
2013

Within the wider extents of Schiphol airport, is Buitenschot park. This park is could be considered a new form of land art, combined with technological innovations to reduce the ground noise impact within the wider landscape into the communities beyond. In addition to this, it also operates as the largest maze in Europe.

The forms of Buitenschot park were derived from the forms of ploughed fields. The varying topography has the effect of deflecting many of the low frequency sound-waves, and reducing the noise reaching the suburb that lies beyond.

Fig 2.06: Section of Buitenschot Park with relationship to human scale

From the air, its clearly defined linear forms create a contrast with the dominant directionality of the lines within the polder. From the ground, these forms are covered with meadowlike grass, exaggerating the height of these forms, whilst still operating on the same scale as its human explorers.

The careful topographical manipulation reduces the noise impacts on the surrounding areas. This broader mitigation role of the landscape adds an extra element of meaningfulness to the more sculptural piece. Also operating with a limited material palette, H+N+S added extra elements of playfulness with the human interaction, exploring the balance between rigid form and the soft and fluid motion of the meadow.

Despite the large size of the mounds, the cuts through them and pathways allow for a specifically human level of interaction with the larger landscape features. Each mound operates on two scales, one at the level of human perception and experience, and the other at the larger, technical operations.

Fig 2.08: Illustration of scale relationship between mounds at human scale and technical scale for sound reduction and dispersal

This content is unavailable.
Please consult the figure list for further details.

Fig 2.07: Man walking through Buitenschot Park

AKL

37° 00' 29" S, 174° 47' 30" E

Area:	15.01 km ²
Runways:	1
Annual passengers:	21,021,062
Annual aircraft movements:	178,775

Fig 2.09: Plan of Auckland Airport with marked boundaries

0 0.5 1 km

FIRST FLIGHT

Auckland, New Zealand
Surfacedesign + Bespoke Landscape
2014

First flight is part of a larger program of design moves within the Auckland Airport precinct. The development centres around the creation of identity and narratives around place, and celebrating the local landscape.

Within this is the desire for the creation of a sense of arrival, not just for those arriving by plane, but also as a gateway from the rest of the city .

The design is also singularly monofunctional in its design as a visual gateway for Auckland Airport, from both land and air. Focus is on car-driving spectacle-oriented experience rather than on-ground human experience, thus tending to disconnect from the local context.

The large mounds are dramatically larger, and their enormity, designed for the quick passing viewers from cars or planes becomes dominating where faced with human occupation, emphasising its nature as a transient landscape. The design highlights the need to take into account the existing landscape and local context beyond that of spectacle.

Fig 2.10: Scale of human relationship to mounds

Fig 2.11: Aerial view of First Flight, Auckland

SITE SITUATION

02

Site History

Development and Proposals

WLG

41° 19' 38" S, 174° 48' 19" E

Area:	1.09 km ²
Runways:	1
Annual passengers:	6,441,935
Annual aircraft movements:	100,696

Fig 3.01: Plan of Wellington Airport with marked boundaries

0 0.5 1 km

THE SITE

Wellington, New Zealand
Wellington International Airport

Wellington Airport is an exceptionally small airport. Not in volume; it is New Zealand third busiest, after Auckland and Christchurch, but in footprint. Airports are known for their hunger for land, yet the footprint of Wellington Airport is barely over one square kilometre.

The reasons for its constrained growth are a common theme in Wellington; the topography means that flat land is a much-contested commodity. Located so close to the central city, the demands for land by the growing city have matched that of the airport, creating an incredibly tight set of edges between the airport and the surrounding urban grain.

The future of these edges is the subject of much debate. Wellington Airport proposes expanding to allow for greater capacity for international flights, and other changes to the airport so as to better service the capital city.

Schiphol Airport

Area:	27.87 km ²
Runways:	6
Annual passengers:	71,706,999
Annual aircraft movements:	496,286

Auckland Airport

Area:	15.01 km ²
Runways:	1
Annual passengers:	21,021,062
Annual aircraft movements:	178,775

Christchurch Airport

Area:	7.50 km ²
Runways:	2
Annual passengers:	6,930,000
Annual aircraft movements:	94,955

Wellington Airport

Area:	1.09 km ²
Runways:	1
Annual passengers:	6,441,935
Annual aircraft movements:	100,696

OPERATIONAL SCOPE OF WELLINGTON INTERNATIONAL AIRPORT

Global

Long distance connections limited by size of runway, and demand

International

Direct connections to two countries (Australia and Fiji), with a range of 2,600 km.

National

Connections to 18 regional locations

Regional

One main overland flight path, north towards Porirua

Local

Building height restrictions and noise impact zone with double-glazing roll out

The 2040 master plan for Wellington Airport puts forward a blueprint for the suggested growth of the airport.

The most contentious of developments is the runway extension. Extending a further 363m into Lyall Bay, the application for consent has been withdrawn to incorporate new international safety regulations, but Wellington Airport has made their intent to reapply very clear. This extra length would allow a wider range of aircraft to land at the airport, and open up Wellington to further direct international travel.

The Western apron extension is the least pressing; Wellington Airport suggests developing this on a need-to basis. Much of the land on this fringe is already owned by the airport, but currently used for a big-box retail park.

Service Facilities

Relocation of catering and car rental facilities

Western Apron Expansion

Expanded Apron
Relocation of Airport Fire station
Redeveloped facilities for non-scheduled operations such as freight, medical, VIP, and defence.

Eastern Apron Expansion

Redveolped International Terminal Expansion
Increased Aircraft Stands, and Gate facilities
Increased Freight facilities

Runway Extension

363m runway extension to accomdate long distance flights

The expansion plans of an airport are certainly nothing new, but what makes this situation unique is the constraints in which this plan must take place. Wellington Airport is located in incredible proximity to the suburban streets of Miramar, Kilbirne, and Lyall Bay. Barely more than 100 metres separates the runway from its nearest residential neighbour.

The orientation of the airport and benefit of the topography is that the approach flight paths, where the noise impacts would be the

greatest, occur across the surrounding bodies of water, Evans Bay, and Lyall Bay.

This in turn creates for a dramatic spectacle of landing. Mountains and hills stretch in the distance; in the foreground, the hills are dotted with houses. Coastal waters change into rocky shores, churned by the infamous Wellington Wind. The only thing missing from this extraordinary view is flat land; but that too appears, rushing to meet you as the wheels touch ground.

Fig 3.02: View of Wellington Airport and surrounding landmarks and features, as seen from Centennial Lookout.

Wellington Airport is in close proximity to a myriad of different conditions, with the unique combination of these making Wellington a fascinating case study for exploring infrastructural edges. The same edges that provide the dramatic spectacle of landing offer a variety of typologies that each has their own unique relationship the airport infrastructure.

Beyond the relationship towards the types of urban occupation, Wellington Airport also borders Wellington Harbour through Evans Bay at the north end, and the south faces the brunt of Cook Strait's sometimes harsh conditions. The southern coast of Wellington is known for its windswept and jagged shores; these shores run right up to the homogenous riprap edge of the runway at Moa Point.

THE STORY

The dramatic scenery of the airport has an older story. The land on which the airport now lies was raised from beneath the water in the strongest recorded earthquake in New Zealand. The 8.2 magnitude Wairarapa earthquake saw large scale changes across the whole Wellington region, with a total of 5000km² being raised vertically in the event.

Prior to this, the Rongotai isthmus was simply a tidal flat, but the creation of this was explained in the Maori history of the two taniwha of Wellington Harbour (Te Whanganui-a-Tara, at this time a lake) Ngake and Whātaïtai. In their attempts to break out of the lake, Ngake created the opening that is now the mouth to Wellington Harbour. Less strong than his brother, Whātaïtai succeeded only in stranding himself between the lake and sea, drying out as the tide receded, wetting again with the tide, with the sea birds coming to tell him stories of the sea beyond.

Here, the stories overlap; the earthquake raised Whātaïtai above the water, and as his skin dried out for the last time, Whātaïtai transformed into the sea bird Te Keo, and flew off. The body of the taniwha dried, solidified, turning to stone, earth and sand, the Rongotai isthmus.

As settlement in Wellington began to intensify, the flat land became a valuable commodity. The southern dunes were mostly left untouched, but to the north, housing sprung up, as well as a coal-fired power station.

Fig 3.03: Landscape formation of Mirimar Peninsula

1911

Arthur Schaef flies on Lyall Bay

1929

First transtasman crossing

1952

Construction begins on a new runway

1928

Rongotai Aerodrome opens

1935

Wellington Airport opens

1947

Wellington Airport closes, operations shift to Paraparaumu

1959

Wellington Airport reopens

1972

Runway is extended to allow for transtasman travel

2009

Runway is extended to meet new safety regulations

2016

Runway is extended to meet new safety regulations

The sands of Lyall Bay were first used for aviation in 1910, by Arthur Schaef as he hopped airborne for a matter of metres. Later, the dunes were levelled by relief workers to create a grass runway that was 350m in length. Completed in 1928, these new runways were attempted to be used by Charles Kingsford Smith as he completed his trans-tasman crossing. The airport officially opened in 1935, with an increased runway length of 1000m, but it was short lived. It was closed in 1947, as the weather frequently made the grass runways unsafe and unusable during the winter. Operations were transferred north to Paraparaumu but this proved unpopular with passengers due to the 56 kilometre commute to Wellington City.

This, combined with other concerns led to the development of plans for a much larger airport in Wellington. Much resistance was met with the initial proposal to relocate the airport through the grounds of Rongotai College, aligning with Salek Street, with major reclamation in Evans Bay.

Reconsideration led to the proposal that is largely what we see today, with reclamation in Lyall Bay, and the levelling of the end of Rongotai Ridge, as well as additional reclamation in Evans Bay. This involved the movement of three million cubic metres of soil, as well as the removal of 180 houses.

Fig 3.04: (Across) Time-line of Wellington Airport development
Fig 3.05: (Page 38) Wellington Airport, 1938
Fig 3.06: (Page 39) Wellington Airport, 1951
Fig 3.07: (Page 40) Wellington Airport, 2017
Fig 3.08: (Page 41) Wellington Airport Land Ownership

1938

1951

Site Situation

NATURE OF THE EDGE

The first piece of fieldwork involved exploring the full nature of where the edge of the airport truly lay. The nature of the variety in land use, topography, and operations means that the impacts of the airport are not uniformly spread around in a band around the fenceline of the airport.

As an exercise, Fig 3.09 set about recording the shifts between noticable levels of impact by the airport, with the density of lines representing the zones of intensity. Fig 3.10 to 3.13 separate out these zones, and attempt to label the type of influence that the airport exerts in each case.

Fig 3.09: Edges as marked by experiences of differentiation

Fig 3.10: Edge as Boundary

Fig 3.11: Edge as Vacuum

Fig 3.12: Edge as Impact

Fig 3.13: Local edge synthesis

Fig 3.14: Edges with topographical frames

THE RESTRICTIONS

Wellington District Plan

The edges of the conditions discovered in the fieldwork find little correlation with the official demarcation of the airport's impacts. These highlight the limitations over the region from the position of the flight path. The virtual cone that extends out away from the airport comes into close contact with areas of the steep hills lining the path.

Perhaps the most devise of these documents is the airport noise boundary (Fig 3.21) which presents a strange form. The following drawings represent the broad logic of the landscape the airport inhabits, but presents little in the way of accessing the experiences and impacts that locations possess.

Fig 3.15: (Above Right) Airport legislative restrictions over region
Fig 3.16: (Above) Wellington topography with graphical indication of flight path

Fig 3.17: Edges with topographical frames

Fig 3.18 (Left): Wellington Airport transport network to CBD
Fig 3.19 (Above): Surrounding suburbs and neighbourhood impacts

Fig 3.20: Land use surrounding Wellington Airport

--- Noise-proofing boundary

Fig 3.21: Airport impact boundary as delineated by home noise-proofing plan

APPROACH

04

Design Approach Synthesis

Methodology

Research Approach:

Fig 4.01: Current Design Approach

My fieldwork identifies sorts of experiences, social interactions and qualities that have largely been invisible to designing associated with airports (and other infrastructures). This lack of engagement with locality provokes questions about ways of addressing locality in design brings have brought with it questions around the root of this lack of engagement with locality throughout the design process. Infrastructural provision has been recognised for its singular lack of engagement with locality, as the nature of infrastructure places the functional requirements as the dictators for design.

The prevalent landscape architectural ways of designing infrastructural projects seem to perpetuate this further. The design process sets about a framework for remote, “top-down” planning approaches. Beginning with a general concept plan, gradually refined (Fig 4.01), the details built around the design are based upon the broad conceptual ideas rather than relating to the specific conditions and values of the locations they occupy. As part of or in addition approaches tend to focus on systems that can be understood in an abstract space (infrastructural or ecological) and scenographically visual

understandings of the landscape and life on the ground. In comparison to what can be found through fieldwork it seems no surprise that there is limited meaningful engagement with locality in landscape.

This understanding suggests that by altering the approach of designing infrastructural projects, the outcomes can reflect a greater engagement and celebration of locality. For this project, the suggestion is to explore the impacts of a design approach based on the detailed fieldwork understandings of specific sites within the infrastructural field and their potential.

Understanding this potential is explored through fieldwork analysis and related analysis-by-design, highlighting the impact of the current conditions by testing the experience through condition changes. This fuller study of the sites can then feed into the larger-scale testing, with detailed design elements thoroughly relating to the site’s existing conditions and potentials, rather than presuming that experience and social interaction can be read-off a plan or a view (Fig 4.02).

Fig 4.02: Suggested Design Approach

Methodology:

The cornerstone idea in this approach is that by altering the design process to emphasise the current conditions, with a ground-up design process, the design's outcome can reflect and embrace the uniqueness of its locality. The aim is to highlight the unique variety of conditions already present within the infrastructural landscape that an aerial-down master planning approach manages, almost systematically, to erase.

In testing this assumption, the design methods change to highlight the challenge of managing to successfully engage with moments of specialness, uniqueness, and locality. In exploring this, the design methods and their success at relating to the grounded-conditions of the site are emphasised more than the apparent success of the plan-outcomes they yield.

A standardised analysis approach may highlight some information about these moments but does little to further the meaningful engagement with these locations during design. The methodology suggests removing the separation between analysis and design entirely, working instead through 'analysis-by-design'. Analysis is already design when it is aimed at producing representations of key relevant spatial relations involved in what the landscape does experientially/ socially, how it produces locality and the uniqueness of locality. Designing then becomes the alteration of these drawn abstractions of key / relevant bodily-environment relationships that are involved in the experiences of locality.

The ground-up approach to design relies on fieldwork, using walking as the basis of

Fig 4.03: Methodology Diagram

Fig 4.04: Collage of informal reconcilliations

Fig 4.05: Relationship of reconciliation to Design Labs

experience to define a site often unseen from that perspective. Fieldwork places the body as an instrument of design, with the later design drawings serving as a description of the sites conditions by highlighting differentiation in experiences.

Labelling this approach as analysis-by-design may seem to create a hierarchy of analysis over design. However, the purpose of this label is to remove the separation between the two phases. In separating analysis from design, the uniqueness discovered through fieldwork risks being lost in later design without reinforced links. This methodology sets the precedence on the landscape as the driver of embodied design.

Another benefit of the ground-up approach is separating the impossibly large site into understandable pieces, into distinct moments, journeys, events, and territories. Each of these offers something special and unique to explore, with an understandable scale of reference to the body.

The use of a design lab approach – focused on limited studies of different parts of the airport edge – is used to ensure engagement at a tighter grain than afforded by a site-wide method. The structure of the design labs ensures engagement at a tighter grain than afforded by a site-wide method. Each area faces individual challenges and impacts that a broad-scale treatment would not resolve.

This structure is not without its risks; engrossing in these small nuances can make it easy to forget the collective to which they belong. To re-emphasise this, informal reconciliation of the labs with each

other provided a means for evaluating each solution's fitness into the broader context.

Reconciliation took multiple forms throughout the process. One method was to return to the site with design documentation and evaluate drawings and proposals directly against the location. Another method was the pin-up of drawings in a form correlating to their location and relationship with each other. In doing so, this provides a link between the ground-up approach with the traditional larger-scale design output.

BRIDGE STREET

05

The empty fields that line the east side of Bridge Street have become the poster child for the airport's negative impacts on Wellington's suburban life. Bridge Street has become a street of two halves after the 2012 decision to remove houses to allow for more planes landing and taking off.

Since then, the street has become home to buses and trucks in need of a place to park. The wide road highlights the now empty lots, while the remaining houses stare accusatorily at the airport fence. Yet, the street has potential as a test case for the positive relationship between the airport and its neighbours.

Having suffered so much, Bridge Street suggests a question of the least amount of design that can be done to mitigate the hurt that has already occurred.

BRIDGE STREET

North-West Quadrant

Uses:

Residential, Commercial

Edges and Conditions:

Road/Hill/Airport
Road/Grass/Airport
Road/House/Airport
Road/Access/Airport

Fig 5.01: Remote observation of key features

1. *Road/Hill/Airport*

2. *Road/Grass/Airprt*

3. *Road/House/Airport*

4. *Road/Access/Airport*

Fig 5.02: Predominant edge typologies based on field work

Bridge Street is the edge of the airport already impacted most by the need and desire for expansion. After their master plan released in 2012, 44 houses on bridge street were identified by Wellington Airport as necessary to remove to increase the airport's operational capacity.

Since then, the street is sharply divided into two halves; one side described as a "ghetto", or a wasteland. On the other side, the quarter-acre dream is fiercely alive.

The airport management solution to these now empty lots was a blanket of grass, with a few small planting groups of native grasses.

The street also acts as an informal extension of the depot for Wellington's buses. The vast street is almost always fully lined with cars, buses and trucks; its proximity to the airport but lack of paid parking makes it a favourite waiting spot for taxi's and uber drivers.

Fig 5.03: View north from southern end of Bridge Street. Seats are shown in foreground. Visible in the rear-ground are the execu-jet hangar and new control tower.

Within Bridge Street, the sense of loss seems to permeate. The street appears to exemplify the ideas of erosion of place by the airport.

But once the sharp pain of emptiness fades, a new narrative emerges. Beyond loss, there is a resilience here; doggedly, the remaining houses cling to the suburban, taking up the mantle of the removed house, seeming to become almost twice as suburban as they should be.

For this design lab, the question centres on giving a sense of ownership of the empty land back to the street. It also seems to be a question of how to do this with the most minimal touch; the changed landscape is already rich in moments of intimacy with the airport, but prompts the question of how to give ownership back to the street, whilst still maintaining the publicness the airport provides.

Fig 5.04: Bridge Street Prior to demolition (2013)

Fig 5.05: Airport Land Ownership

Fig 5.06: Height Limitations

Fig 5.07: Bridge Street Current Conditions

Bridge Street East

Fig 5.08: Photographic study of Bridge Streets duality

OCCUPATIONAL ARTEFACTS

The entrance gateways that lead to nowhere are just some of the monuments to the lives of Bridge Street. These small objects evoke a tangible sense of loss, a physical reminder of the recent past.

Fig 5.09: Photo-collage of Bridge Street Artefacts

Although the suburban gardens have gone, ruined pieces of their typology remain spread throughout the street. Amongst the more recent planting, the lost fragments of suburbia lie in a small homage to the past. New growth covers the neat borders once carefully maintained, and nature reclaims.

African Lily, *Agapanthus africanus*
 African Daisy, *Osteospermum australe*
 Lavender, *Lavandula stoechas*
 Rosemary, *Salvia rosmarinus*

VEGETAL FOLLIES

Fig 5.10: Photo-collage of Bridge Street vegetation

BRIDGE STREET WEST

The western side of Bridge Street backs against the lone hill of the isthmus. Commonly known as “Rabbit hill”, for the over-abundance of rabbits that once lived amongst the steep banks, the hill is home to the old airport control tower, dubbed “Arnold”.

These houses’ relationship to the open space on the east side is stronger than that of an average suburban street. (Fig 5.12). The hill provides an extra layer of houses that appear to surveil the grass and the airport beyond.

Fig 5.11: Section of Bridge Street current conditions

Fig 5.12: Collage of Street structuring effects on Bridge Street

Fig 5.13: Current Bridge Street Spatial Arrangement, two sides parking, large median lane

Fig 5.14: Bridge Street Spatial Restructure, with median lane and one side of parking removed

BRIDGE STREET EAST

Three houses remain standing on this stretch; one of these stands boarded-up, awaiting demolition by the airport. The others will face continued pressure by the airport to relent, sell, and be destroyed in their turn.

Left behind, discounted as a casualty of the airport, a wasteland. This area's treatment has complete uniformity; grass fields, lined by native grasses along the street, and any piece of slope planted with hardy native species such as harakeke, taupata, cabbage trees, and coprosma.

Such treatment does not recognise the variation in experience that exists here. A surprising level of intimacy emerged during the fieldwork — this involved spending long periods walking around the site, noticing and recording the body's involuntary reactions.

Movements of the body such as slowing or quickening of pace indicate areas as more or less comfortable to occupy. The body also provides an instinctive way of understanding the thresholds and differentiation between types of experiences.

Fig 5.15: Mound at northern end of Bridge Street East

Fig 5.16: Seats at base of southern mound, Bridge Street East

Fig 5.17: Thresholds and Intensities, marking sensations of edges and pulls that allow for experiences of opening out

Fig 5.18: Current surface treatment of open areas of Bridge Street

A quiet moment appears behind the mound as the fenceline opens out in the distance. Enclosure becomes comfort, evident through the slowing and lingering pace of walking. Quietness draws out the sounds of long grass that frames the side above the hum of plane engines.

Fig 5.19: Edge Experience Description - Section 1 as labelled on Fig 5.18

Fig 5.20: Edge Experience Description - Section 2 as labelled on Fig 5.18

NATURAL AIRPORT

Designing with nature alongside infrastructure

One of the difficult questions in approaching the design palette for the airport edges is how to deal with the problem of birds. The airport management strategies for deterring birds involves a sound-cannon used when birds flock within the airport grounds themselves.

Designing within this context presents the challenge of creating an appealing environment for a local edge that is also unappealing to birds.

To aid in this challenge, the planting strategy centres around the assumption that a lesser ecological value is less appealing for birds. This strategy focuses on the edges closest to airport operations as the priority.

A second assumption made is that higher levels of activity will also create a deterrent effect. Proximity to high traffic roads affords the option to be more varied within their planting palettes.

Working within this limited palette presents a challenge for human appeal. Variation and richness are commonly associated with engaging environments. How to provide engagement within the monotone?

To test this, the idea centres around an event-based approach. Similar in approach to designs of Picturesque landscapes, this provides a different kind of palette to explore.

Fig 5.21: Strategy for Diversity Limitations

TWISTING APPROACH

MASSED BARRIER

Swathes of vegetation used to hide and then

ROUGHNESS

FRAMED VIEW

Placed in a way that creates a sense of

SOFTENED FORM

PROSPECT

Used topography to create a

FLATNESS

Flatness offers connection, both visual and physical. Areas in Bridge Street have shown that this connection is not necessarily a comfortable one. To increase the sense of separation in flat areas, long meadow-like grass can provide a physical division that makes the visual connection less direct and intimidating.

Fig 5.23: Flatness explorations

GENTLE SLOPE

Gentle, rolling slopes are a key feature of Picturesque landscapes but a far less common feature in the Wellington landscape. The slowly rising slope allows for physical accessibility but can serve to highlight or gradually reveal vistas beyond. When covered in long grass, the slope is emphasised by the height and texture of the planting, and activated with the wind-motion of the grass.

Fig 5.24: Gentle slope explorations

STEEP SLOPE

Steep slopes can act as a physical barrier, or lend an atmosphere of informality to a pathway, as only determined users opt for this route. It also acts as a visual separation and demarcation of two areas at either end of the slope.

Fig 5.25: Steep slope explorations

TERRACES

Terracing provides the highest level of physical separation between areas, with tangible borders and divisions, whilst still allowing a visual connection. This works similarly to that of the alternating surface treatment of flatness, but the changes in heights also increase the sense of separation more than through just texture alone.

Fig 5.26: Terracing explorations

Fig 5.28: Lawn Treatment Strategy

Fig 5.29: Rendered Plan

Fig 5.30: Plan detail with perspective view location

PROSPECT

Before Changes

Fig 5.31: The pathway to the top of the rise is emphasised through roughness of unmown grass either side. The steeper slope of the bank that provides the prospect is extended through planting, and provides framing that directs the view south.

Fig 5.32: Plan detail with perspective view location

TWISTING APPROACH

Before Changes

Fig 5.33: Path up to top of mound is emphasised through long grass, and the increased vegetation of the bank creates a sharper edge, and feeling of rising up to the airport. The gentle slope to the road is left unmown to create separation from the road and mound.

Fig 5.34: Plan detail with perspective view location

Before Changes

ROUGHNESS

Fig 5.35: Densified vegetation along fenceline provides solid edge, and long grass towards the road provides an open area that is separated from the road, close to the airport edge, with surprising quietness from the vegetated slope behind

Design Lab
Reflections:

Bridge Street has become the poster child for opponents of the Wellington Airport expansion plan. The "Death of Bridge Street" is a by-product of the airport's casual growth, not in concerted expansions. This fate will befall the airport's other neighbours too.

The exploration of Bridge Street shows the neglect with which the airport has designed its most sensitive edges. The quiet street mourns its lost neighbours, and the intimate enclosure of the street, now exposed to the airport and occupation of the space exposed to the remaining residents' views. Due to the configuration of levels, plants, slopes, parts of the vacant land now offer a subtle intimacy that can only be discovered by being there, obscured within the surveillance produced

Unassuming Bridge Street highlights the challenges of designing around the airport and the limitations of the design palette. The airport response to this is a blanket of grass and its monotone treatment.

This design lab has provided an insight into the results of monotone materiality to create a dramatic effect. Using the existing experience as a basis for changing treatment is an approach that could be applied easily to many similar situations. The design does not create new experiences but serves as a method of emphasising the current ones.

This also highlighted the very real problem of the difficulty in describing the current unique experiences to understand the description through bodily relationships.

LYALL BAY

06

Lyall Bay's popularity is evident on any day in Wellington that happens to have a bit of sun. Nevertheless, this is one of the more vulnerable seafronts, and coastal erosion and sea-level rise provide an ever-increasing threat to one of Wellington's most beloved beaches.

Storm surge events have been occurring with increasing frequency and severity, a story that is far from unique. However, the urban pressure from behind has meant that the dune system that once offered some protection has almost entirely disappeared.

As the airport looks to extend the western apron and expand into the big-box shopping centre, this area's dynamic

looks uncertain. What will this new edge mean for the surroundings? Will the airport continue to expand beyond this? This corner of the airport is the height of social activity around the airport edges, yet it abruptly stops with the reclaimed land's generic edge. This lab explores the implications for the expansion to become a catalyst for this edge, both social and ecologically.

Fig.6.01: Panoramic outlook from Lyall Bay, facing east towards Wellington Airport.

LYALL BAY

South-west Quadrant

Uses:

Retail, Commercial, Recreational

Edges and Conditions:

*Riprap/Road/Fence
Beach/Dune/Road,
Road/Building/Airport
Road/Fence/Airport*

Fig 6.02: Remote observation of key features

1. *Riprap/Road/Fence*

2. *Beach/Dune/Road*

3. *Road/Building/Airport*

4. *Road/Fence/Airport*

Fig 6.03: Predominant edge typologies based on field work

Fig 6.04: Hare's Tail Grass (*Lagurus ovatus*) at the rear of the Airport Retail Park, Lyall Bay

Lyall Bay has been heavily modified. The long rolling dunes that once covered the Rongotai isthmus have been removed in favour of the urban beach we see today. Little of the fore-dunes remains on the seaward side, pressed between the bay and the road behind.

In recent years, the cost of these lost dunes has become more apparent. Severe storm surges have caused extensive damage to the sea wall, and in 2018, a section of the dune was restored after a storm surge had washed away part of the car-park that was there.

The impacts of these storm surge events are set to increase with Sea Level Rise. Providing

room for the dunes has been recognised as one of the best strategies for protecting the coastline along this stretch of Lyall Bay.

Another severe impact from the extensive dune system's disappearance is the loss of habitat for vulnerable native species. Currently, the site and extended area in Moa Point supports various native birds, including a nesting site for little blue penguins and habitats for oystercatchers, gulls, shags, and terns. Lyall bay's high recreational use places these habitats and nest under an increased level of pressure, in addition to their shrinking size.

Fig 6.05: Three children, sitting on a hillside, looking over Lyall Bay, toward Moa Point. 1895

Fig 6.06: Historical Dune Profile Estimation

Fig 6.07: Structuring Elements

Fig 6.08: Western Apron Expansion Plans

Airport operations on the western side are more related to the routine air traffic, with RNZAF, the aero club, Life flight, helicopter services, and execu-jet hangars.

The master plan looks at a significant expansion of this apron to accommodate the needs-based expansion of these non-scheduled movements, with the relocation of airport services such as the fire station to this apron.

This expansion brings the airport edge directly along the line of Tirangi Road. Where the airport's operations already meet the road at the execu-jet hangar, the edge is a colossal corrugated wall that towers over the surroundings.

With the expansion pushing the current retail area further afield, it looks set to enable the airport's continuing encroachment across the flat land of Lyall Bay.

In mediating these impacts of expansion, the suggestion proposed is to create a series of offsets within this edge, particularly around Lyall Bay's busy and vibrant shores and the more vulnerable residential area of Bridge St.

The offsets involve minimal loss to the airport's functionality but significant impact on the social and experiential value of the edge.

Fig 6.09: Western Apron Edge Impacts

TIRANGI ROAD

Further up Tirangi Road's rise sits the old airport control tower, "Arnold". Having been recently sold to be refurbished as a residential home, it presents one of the most tangible marks of the airport's early expansions.

Walking down towards Lyall Bay, the next feature to dominant the skyline is its successor, the leaning control tower of Wellington.

Before arriving at the new control tower, the road is overshadowed by the giant corrugated wall of the execu-jet hangar. Corrugated metal seems to be the primary material for the industrial buildings that line the enormously wide street, and shades of flaking grey paint the preferred tone. Occasionally, these walls pushing against the street break apart, offering a glimpse through to the airport.

Fig 6.10: Tirangi Road Journey and Sections

Fig 6.11: Execu-jet hangar edge

Fig 6.12: View north up Tirangi Road

Fig 6.13: Sections of Tirangi Road's current spatial conditions
(For section location, refer to Fig 6.10)

RESTRUCTURING:

Airport Edge/Tirangi Road

The wide road's current conditions are dominated by traffic; flowing along its length and framing it through walls of parked cars. Beyond this, the straight, plain walls of the big-box retail and airport infrastructure.

Tirangi Road presents a key part of the area's transport network, connecting to several bus routes, cycle routes, and the airport underpass. However, the road itself presents as much a barrier for these connections as it offers them.

In this, an ulterior motive too; Lyall Bay is home to one of the few precious vestiges of dunes left in the Wellington region. The road creates a barrier that stops the dunes. By shifting the road, there seems to be the opportunity to provide for the dunes to expand inward.

The broad road is dominating. From the vantage point of a pedestrian island, it is easy to see the gentle pull down towards the beach. In the lulls between the cars and trucks' wheels, the sound of waves crashing carries up. This natural pull abruptly ends in the bright coloured facade of Briscoes.

To shift the focus away from the size of the road, a series of scenarios look at alternate options for the roads and connection of the area, and the possibility to provide more space for people on Tirangi Road.

- Key Roads —
- Bus Routes —
- Bus Stops ●
- Pedestrian and Cycle Routes - - -

SCENARIO ONE:

Tirangi Road narrowed, main route shifter to Kingsford Smith Street. Parking reduced.

This scenario is the least drastic in its changes. Although the diagrammatic approach suggested removed car traffic to the parallel Kingsford Smith, design experiment led to the narrow of the road being a more appropriate solution.

The key benefit is the extra space on either side for the pedestrians. This extra space provides options for separating and softening the main walls of the airport boundaries.

Fig 6.14: Scenario One Detail

Fig 6.15: Sectional suggestions for Scenario One

SCENARIO TWO:

Tirangi Road narrowed, and diverted at southern end. Bus Lane added.

Scenario Two allows for a greater area of dune reclamation from the street in lower Tirangi Road, by diverting heavy traffic entirely away.

Although the digramatic scale made it seem appropriate to suggest buses only in the upper region of the road, when testing this design out at a closer scale, it became difficult to reconcile the sectional exploration with a design in plan. The solution seemed to create bus priority, with access for a few cars.

Fig 6.16: Scenario Two Detail

Fig 6.17: Sectional suggestions for Scenario Two

SCENARIO THREE:

Car traffic diverted, Tirangi Road access to bus, cyclist, and pedestrian

Scenario Three turns the entirety of Tirangi Road into a pedestrian-only street. This scenario is highly unlikely with the neighbouring businesses; currently it is an industrial area. Perhaps if the airport opted to centre their developments of a different nature here, a vibrant centre surrounding a new airport hotel complex.

Fig 6.18: Scenario One Detail

Fig 6.19: Sectional suggestions for Scenario One

CONCEPTUALISING A NEW EDGE:

The new edge builds off of the testing within Bridge Street. Although there is very little getting around the enormity of the building edge such as that of execu-jet, the edge can serve as a backing to provide a sense of ownership away from another key force. In the case of Bridge Street, it was the suburban houses; here it is the busy road.

The new form of Tirangi Road allows a pedestrian dominant route, one that connects Bridge Street, and the airport underpass with Lyall Bay. The materiality is dominant by the sand and grasses than run alongside, and the view out to the sea becomes an integral part of the experience, no longer blocked by the road.

Fig 6.20: View south down Tirangi Road

Fig 6.21: View south down Tirangi Road

Fig 6.22: View south down Tirangi Road, with narrowed road, increased green space

JOURNEY: DUNE EDGES

Lyall Bay Parade

From the footpath on Lyall Parade, the sandy beach is virtually hidden. One of the most popular beaches in Wellington, from the road, only the lines of parked cars hint at the levels of activity hidden behind the dune.

Each entrance through the dune is carefully marked with a set of gateway poles, punctuated with a rubbish bin. The footpath fights a constant battle for territory with the encroaching sand spilling out from the dune, only for someone to come later and push it all back.

On the other side of Lyall Parade, the footpath that clings to the road has been forgotten in favour of well-worn goat tracks (Fig 6.24), meandering throughout the area behind the road and the Warehouse's imposing rear wall.

The area is dominated by flowing grasses and surprisingly large trees, given their proximity to the Cook Strait's harsh winds. Gently twisting and shifting, the slight rises hide the road and look across to the dune, with the horizon stretching beyond. Standing watching the waves, the only interruption is by a passing bus or the rumbling of a tall truck.

All good things come to an end, and the end of this stretch of privacy is a car-park (Fig 6.23). On the seaward side, the battle between dune and footpath has been decisively won (for now) with a concrete retaining wall.

The retaining wall comes to an end in another car-park. Where the last car-park was utilitarian, this one feels lively. Known locally as 'Surfers Corner', the movement and bustle of people in and around the cars lend an air of collectivity not often associated with a car-park.

The car-park is where the half-moon bay was abruptly cut off, the end of the smooth sweeping beach. However, the straight line of rip-rap has offered this corner something special (beyond the improved surf on this half of the bay). Sitting on the edge, the constant movement of surfers, dog-walkers, picnic-ers, and general beach-goers, Surfer's Corner reads as a start, not an end.

Fig 6.23: Carpark behind the Warehouse

Fig 6.24: Harakeke and grasses on the edge of Lyall Bay Parade roundabout

DIRECTIONAL PULLS

The confluence of the airport edge with Lyall Bay is full of directional tendencies that structure the landscape experience. The airport, roads, and bay all compete, overriding each other at points.

Of the competing factors, the dunes seem to provide the most definite reorientation away from the airport. On the sands beyond the dunes, the pull of the bay is strongest, with the corner of the airport serving to highlight this focus. These spaces orientate you towards the road, motion drawing you down Lyall bay to the west, away from the airport.

Fig 6.25: Lyall Bay overall directional logic

Fig 6.26: Lyall Bay structuring elements

See next page for sections indicated here →
(Fig 6.27 to Fig 6.32)

Fig 6.27: Section 1 - Surfers Corner. This moment allows for the greatest intimacy with the water from the road, without the same rising dunes blocking the view of the sea from the level of the road.

Fig 6.28: Section 2 - Spruce Goose Cafe. The raised level of the cafe provides a view across to the sea, but the sandy beach is hidden, and provide a zone of privacy from the road that Surfer's Corner lacks.

Fig 6.29: Section 3 - Warehouse Carpark. The carpark provides as starting point for many who go to Lyall Bay. The small barrier of planting separates it from the road.

Fig 6.30: Section 4 - Dune Intimacy. The access points to the beach provide some of the only opportunity to get truly amongst the dunes. They also create gaps within the private backing that the dunes provide for the beach.

Fig 6.31: Section 5 - Dune Hiddenness. The dune builds on both sides of the road, creating a sense of narrowing of the road, and providing privacy for the small goat tracks that run behind the Warehouse.

Fig 6.32: Section 6 - Lyall Bay Parade Roundabout. Here the dune has built up to its highest, with the road dominating this section. From the beach, the sounds of the road fade away behind the dune.

Fig 6.33: Location of Surfers Corner

Surfers Corner presents a fascinating combination of activity, emptiness, collectivity, and intimacy. From the access route down to the beach, the movement is all directed one way. This leaves the area beneath the car park mostly empty, allowing for the greatest moment of intimacy with the water from the road level.

Beyond this, on the other side of the concrete structure, an ownership change occurs at low tide. The exposed sand corner operates as a collecting point for things washing in, and becomes an attractive area for birds to search for food, inaccessible by humans, and only the most determined and disobedient of dogs.

Fig 6.34: Bird Corner

ROOM TO MOVE: DUNES

Lyall Bay's current structure leaves only a slither of land for the formerly vast dune system to occupy. The dunes currently sit wedged between the beach and the road behind, fighting for space. The battle is ongoing, fought through Wellington's wind and the dedication of those maintaining the city's parks, diligently pushing back what always comes.

The dunes provide Lyall Bay with their principal protection against sea-level rise and storm surge events. In their diminished capacity, the protection offered is no longer enough.

While the airport itself looks mostly unaffected with likely sea-level rise scenarios, Lyall Bay and Kilbirnie are not as lucky. Their vulnerability places the airports' operations in the western apron under threat.

In providing extra space for the dunes to begin moving inland, the airport cannot protect its considerable investments; additionally, it can enrich a precious space, enhance ecological resilience, and create a social frontage to the bay.

Fig 6.35: Diagrammatic Explorations of Dune Movement

Fig 6.36: Sand encroaching onto Lyall Bay Parade footpath

Fig 6.37: Dunes, interrupted by Lyall Bay Parade

DUNE ACCESS:

To protect the dune system, restriction of access routes allows the fragile plant systems to establish themselves. Pockets within the dunes provide a break for small areas of seating alongside these access routes.

These dune pockets provide a hidden middle ground between the road and the openness of the beach. The sheltered quietness of small areas contrasts with the sounds and expansiveness of the Lyall Bay and the airport.

Fig 6.38: Drawn experiments with dune access relationship across Lyall Bay Parade

DUNE BUILDING:

Running parallel to the access routes, insets in the buildings allow the dunes to build up across the road, in a more informal and less protected area, where they can merge with part of the area's social activities.

These pocket dunes form around a modified version of dune stabilisation fences. The poles provide a structure for the sand to collect around and become slowly subsumed, creating an informal playground and a more touchable area of the dunes.

The new building form lines up with access routes and setbacks to accentuate the dune structure, creating a larger area for dunes to occupy.

Fig 6.39: Drawing studies into dune building relationships

DESIGN TEST: AIRPORT / PUBLIC / DUNE / SEA

Fig 6.40: Dune Restructure Spatial Comparison

Fig 6.41: Dune expansion design sections

Fig 6.42: Rendered perspective of dune reclamation of Tirangi Road

DESIGN TEST: AIRPORT / PUBLIC / DUNE / SEA

The design for Lyall Bay's dunes explores building on the existing social activity of the area. Shifting and narrowing the road, allows for the dunes to extend an extra 30 metres inland, giving room for a second dune to build up behind the existing foredune.

This scenario represents a far greater level of intervention than from the previous design lab in Bridge Street, with the challenging problems of sea-level rise inviting more dramatic possibilities. Wellington Airport

desires funding for a new sea wall to protect its southern coast; a recent estimate suggested a \$75 million loan. However, protecting the airport from inundation can take many forms other than a static sea wall.

The design suggests a socially and experientially generous edge for the airport, that places the hierarchy on providing room for the social life of Lyall Bay.

Fig 6.44: (opposite) Suggested road restructure

Fig 6.43: Rendered plan of Lyall Bay dunes expansion

JOURNEY: UNTOUCHABLE WATER

Moa Point Road

The edge of Wellington Airport ends Lyall Bay's vibrant beach through the extreme straightness of a rip-rap border. For many, surfer's corner marks the end of their relaxing walk, returning to their cars or walking back along the sand.

The few who walk along this stretch of road forces pedestrians into the narrow footpath beside the airports' fence. This footpath provides access through the tunnel passing underneath the runway and further around to the small collection of houses at Moa Point.

The seats dotted along the first stretch of the edge indicate that the intention was there for a public edge. What intentions there once might have been covered further along with the patches of sharp, bumpy rocks, far too uneven to be able to walk comfortably across. Here, the two options are to turn back or cross the road to the narrow footpath.

Fig 6.45: Sketches done on site comparing intimacy with airport and water edge

Fig 6.46: Walkable Routes of Moa Point Road

Fig 6.47: Section 1 - Walkable Edge

Fig 6.48: Section 2 - Un-Walkable Edge

1:200

Fig 6.49: Photographic studies of current conditions of Moa Point Road edge

TESTING THE EDGE:

Walking along the edge of Moa Point Road, the monotony becomes overwhelming. Its close proximity to the runway is less of a deterrent than that of the road, so the testing that follows the fieldwork explores methods

of separating out the pedestrian pathway from the road, and providing access, both physically or visually, to the water.

Fig 6.50: On-site sketch studies of edge condition changes

Fig 6.51: Design Test - Stepped access to the water

Fig 6.52: Design Test - Constructed path above water

Fig 6.53: Design Test - Sunken road and raised path

Fig 6.54: Design Test - Loosely Vegetated and Solid Path

Fig 6.55: Design Test - Vegetated Airport Edge, Sunken Road

Fig 6.56: Design Test - Vegetated Airport Edge, Shift path further away down bank

Using section as the only medium for the tests of this edge felt limiting. As a drawing tool, it seemed to perpetuate the same ideas of sameness and monotony that define the current shore edge.

For testing the applications of these with a sense of depth and dimension, isometric modelling seemed an appropriate tool. Still possessing the sense of relationship that a section provides, it also allows exploration of other movement directions at the same time.

Fig 6.57: Isometric of current conditions

Fig 6.58: View north along Moa Point Road

Fig 6.59: Isometric design testing

EVENT: EXPOSURE

Lyllall Bay Breakwater

It could be the position so close to the restricted area that wraps around the end of the runway, but something about the surf break has an atmosphere of not-quite-meant-to-be-there. There is certainly no attempt to create easy access, even if it is not prohibited. As such, the occupation that happens here is vastly different from along the rest of the bay. A popular spot for fishers, they stand on the rocks that border the main concrete structure.

The straightness of the pier hides the sheer exaggerated size of it all. From a distance, these rocks seem much the same as the other rocks that protect the edge; large certainly, but not outrageously so. However, these rocks must be gigantic, faced with the rougher conditions of Cook Strait.

On a peaceful day, the walk towards the end brings with it a sense of the immense flatness stretching out. The tip of the breakwater seems to sit in the very heart of Lyllall Bay. On

a windy day, the wind appears almost twice as strong here as anywhere else, as if it would be easy to be blown off the edge. On the roughest days, it is subsumed entirely by the giant crashing waves.

Although it is already a destination, it is reached by car, the small park allowing one or two cars and something of a walker's destination to draw people beyond Surfer's corner.

Fig 6.60: View along Lyllall Bay Breakwater

Fig 6.61: View of small plane landing at Wellington airport, as seen from Lyall Bay Breakwater

Fig 6.62: Lyall Bay Breakwater

Fig 6.63: Lyall Bay Breakwater current conditions

Fig 6.64: Lyall Bay Breakwater design tests

Fig 6.65: Lyall Bay rip rap edge schematic plan

Design Lab Reflections:

Where Bridge Street tested out impacts through minimal design, Lyall Bay seemed to invite bold changes. Lyall Bay brings in the question of the ecologies that exist beside the airport already. The distinction becomes less black and white here, and the question of addressing birds in the airport becomes incredibly important. The safe assumption is that airport + birds = bad. However, New Zealand's native birds' unique characters means that some can easily live in great proximity to the airport without impacting the airport's safety.

Here, the design explores the relationship that these ecologies can have on the edge's social experience.

One of the key takeaways from this design lab is the relationship of the social experience to the airport's frontage. Although this relationship to frontages is nothing new in urban design, it seems to have been ignored in this infrastructural context. Designing these frontages to have a relationship to the human scale can be part of the lost connection to the wider infrastructural landscape.

Treating these edges with a human-scale does not mean adding a small door or smaller features to serve as a frame of reference. Their size and unapproachable nature can recommend them as a symbol of shared ownership; when provided with an occupiable space adjacent to them—the current conditions of intimidation result from the combination of unattainable scale and transient spaces discourage ownership.

CALABAR ROAD

07

Calabar Road is in itself another form of barrier around the airport. The near-constant flow of traffic marks the end of SH1 as it reaches the airport. The houses that remain on this edge reflect the airport's impacts within the urban grain differently from Bridge Street. Here, streets have cut through at differing angles, and driveways edge around, turn the gap into more of a carpark than anything else.

Considering this, the journey along this edge surprisingly highlights something of the most intense experience, of intimacy with both the suburban grain but the airport as well and the wider landscape. The question for this edge is what can intensify these experiences yet also give the locals a community frontage.

Other questions include how to connect with other developments going in, particularly the cycleway waterfront development in Evans Bay. The road focuses on moving traffic to the airport but neglects others' needs in the suburb beyond.

CALABAR ROAD

North-East Quadrant

Uses:

Residential, Commercial, Recreational

Edges and Conditions:

Road/Fence/Airport
Hill/Road/Airport
House/Parking/Road
Road/Road/Airport

Fig 7.01: Remote observation of key features

1. *Road/Fence/Airport*

2. *Hill/Road/Airport*

3. *House/Parking/Road*

4. *Road/Road/Airport*

Fig 7.02: Predominant edge typologies based on field work

Fig 7.03: View south towards Cook Strait

Calabar Road is the final leg of SH1 in the North Island. The busy road runs parallel to the airport taxiway and provides the main access route into Wellington Airport.

The road was built with the airport redevelopment in the 1950s, cutting through the former suburbs. The road lies on an entirely different axis from the existing grid. These two elements mix and meet, creating a series of boundaries, where the forced fit of the airport becomes apparent.

The landscape of this edge is the most suburban interface with the airport, very

immediately abutting the edge of the runway. Beyond the road that carefully separates the airport, the houses face out onto a frontage that no longer exists. The relationship here highlights a gap that offers the opportunity for creating a unique kind of public interface.

Here it is as much the road, with its business and speed, that create a deterrent as it is the airport. The challenge here is to test whether this edge can become pleasant for residents in the boundary between the airport and residential?

Fig 7.04: Aerial view of Rongotai, Wellington, pre airport construction

RESIDENTIAL INTERFACE

Development to facilitate lively and active edges

The 2040 master plan mostly leaves this section of the airport alone, aside from the suggested relocation of the airport catering facilities and ambulance services. These they relocate to the site of the former Miramar school. The facilities occupy the entire block, and surrounding them are streets of bungalow houses, a remnant from the 1920s building boom that preceded the airport.

Fig 7.05: Wellington Airport 2040 masterplan and land ownership

The field that remains after the demolished buildings is fenced off, separated from the rest of the landscape. It sits sadly, no longer the centre of the community but a spectral remnant in its neglected state.

Allowing the development here places greater pressure on the houses now between two edges of the airport: one airport edge is a lot to survive, but two or even three is unlikely to be sustainable, and the expansion places pressure on the already fragile balance of the edge along Calabar Road.

As a method of offsetting the impact of the airport's proposal, one suggestion is a position change. Moving the catering facilities' position alongside the eastern expansion leaves this land free from industrial expansion's aggravating pressure. The benefit of this is twofold; shifting the expansion impacts from this edge of Calabar Road and providing another buffer to the edge of the operational facilities.

The block of land offers a chance for a development scenario along Calabar Road and an opportunity to create a frontage and a relationship with the airport edge.

Without the impacts off the airport pinning in the Calabar Road houses from two sides, opportunities for developing the edge occur across a range of scales and development intensities. Development questions centre around whether housing reorientation can reform the airport frontage, creating one both friendly and local.

Proposal for mitigation

Fig 7.06: Expansion edge impacts

SCENARIO ONE

Minimum
23,298 m²

Uses only land that is currently available within the public realm.

0 land parcels purchased
0 houses removed

SCENARIO THREE

Medium
55,768 m²

Purchase of rear portion of land parcels adjacent to Calabar Road.

12 land parcels purchased
11 half parcels purchased
11 houses removed

SCENARIO TWO

Moderate
51,101 m²

Uses only land in airport development plan, and disused buildings.

8 land parcels purchased
8 houses removed

SCENARIO FOUR

Maximum
75,782 m²

Purchase of land parcels adjacent to Calabar Road

44 land parcels purchased
43 houses removed

Testing the local frontage goal suggests a range of scenarios, ranging from small interventions and street-scaping through to large scale housing redevelopment schemes. Each works towards providing a public interface along the edge of Calabar Road that can revitalise the local edge.

Wellington Airport has not been the only one suffering from a lack of available land. As a city, Wellington has a recognised need for increased housing. The lack of land availability means that meeting this need requires increased densification in Wellington's suburbs.

Mirimar presents an ideal candidate for densification given its proximity to major transport routes into the city, courtesy of the neighbouring airport. However, working with an existing suburb presents the challenge

of incorporating an area's character while still meeting the need for increased housing. Infill-Development increases the density of a suburb whilst also allowing for gradual development that slowly evolves with the area's needs.

A useful precedent for this type of housing development is a study by Monash University.¹ Their infill designs for Melbourne represent a very similar urban grain and context to Wellington. The grid and lot parcel sizes reflect the similarity in origin methods and time. Monash's strategy focuses on identifying key land parcels within a suburb that, when combined through redevelopment, open up the grain and increase the shared amenity through development and providing access between streets.

¹ Monash Department of Architecture, 'Infill Opportunities'. (Monash University Press, 2011).

Fig 7.07: Two adjoining lots - Infill Housing Development by Monash

SCENARIO ONE

Minimum
23,298 m²

Fig 7.08: Scenario One Development

*Uses only land that is currently available
within the public realm.*

0 land parcels purchased
0 houses removed

SCENARIO TWO

Moderate
51,101 m²

Fig 7.09: Scenario Two Development

*Uses only land in airport development plan,
and disused buildings.*

8 land parcels purchased
8 houses removed

SCENARIO THREE

Medium
55,768 m²

Fig 7.10: Scenario Three Development

*Purchase of rear portion of land parcels
adjacent to Calabar Road.*

12 land parcels purchased
11 half parcels purchased
11 houses removed

SCENARIO FOUR

Maximum
75,782 m²

Fig 7.11: Scenario Four Development

Purchase of land parcels adjacent to Calabar Road

44 land parcels purchased
43 houses removed

FIELD STUDY: PUBLIC PRIVACY

Rongotai Ridge

Rongotai Ridge sits, hidden behind the perpetual motion of the roundabout below. A last vestige of the topography wiped away by the airport, the ridge is all but ignored in its surroundings, within only a single entrance into the wider urban fabric.

The catchment here is small, perhaps limited to some determined walkers from the few nearby residential area, or more intrepid sight-seers and plane-watchers. The carpark is full; not for the benefit of the ridge walk, but due to the unassuming building folded into the hill that houses part of Weta studios.

Rongotai Ridge has been designed to be seen. It's more famously known as the backdrop to the Wellington sign, (paid for by Wellington Airport). It forms one side of the dramatic valley experienced by those landing at the airport. Its coarsely vegetated slopes have the added benefit of shielding the decidedly un-dramatic industrial centre of Miramar behind it.

Fig 7.12: Rongotai ridge structure

Fig 7.13: Rongotai ridge restrictions

Fig 7.14: View from Rongotai ridge, across Weta Studios, towards Wellington Airport

EVENT: INTIMACY

Weta Plateau

The flatness of the carpark sits higher than the great plain of the runway. The road that separates me from the runway drops into a gorge cut through the rock; the noise fades with it. The perspective of this view makes it feel as if I could keep walking right across the airport. All the barriers so carefully designed to keep people out are hidden from here.

Fig 7.15: Airport relationship to Rongotai ridge

Fig 7.16: Relationship between airport runway, Calabar Road, and Weta Plateau

Fig 7.17: Relationship from Weta Plateau across Calabar Road

The current edge location hides the road completely from view, limiting the noise, and creating a sense of proximity to the airport through the removal of the median barrier (Calabar Road) and the closeness to the edge of the bank.

Projecting the pathway out over the road allows for greater physical proximity to the airport, but the experience is then dominated by the business of Calabar Road beneath. All aspects of the airport edge are visible, from the road, to the fence and slope on the other side, emphasising the separation rather than allowing for intimacy.

Pulling the pathway slightly away from the edge further hides the impact of Calabar. The extra distance also hides the fences and sloped banks of the airport, instead allowing for the runway to become the first thing visible above the grassy bank.

Fig 7.18: Pathway movement experiments

Fig 7.19: View north from path at ridge peak

Fig 7.20: Seat view, looking south

JOURNEY: SMALL AIRPORT

Rongotai Ridge

Rising behind the building that has been so harshly cut into the hill is Rongotai ridge's peak. The mown grass announces the areas of public recreation; no mean feat on this undulating slope. Beyond that, the boundaries of the ridge disappear beneath the gorse cover. The seat atop the hill is not reached directly, but the more frequently used path loops around the hill edge, lined by gorse, curving its way back, encouraging a slow, meandering behaviour.

This small and assuming seat brings a sense of groundedness to the airport scale. Where in other points you might only experience a small fraction of the airports' edge, here it seems as if you can feel the airport in its entirety. Not only that, but you experience it in relation to something bigger; the hill you are sitting on blends beyond into the Miramar peninsular, beyond that further into the Remutakas. On the other side, the same form of recurring spines of hills stretching out. The airport's linear form matches these, but even the airport's enormous scale cannot compare to the vast expanses of water at either end.

At the same time, there is a sense of loss that tinges this moment. The ridgeline that extends down before you is abruptly cut off, first by the line of houses, then the road, and finally, the runway. Beneath this, the landscape still feels as if the pull that would have dragged you along the ridge to the dunes at Lyall Bay is there, just hidden. Beneath competing layers, the pull of the land hints at what once was. The beauty of the moment is the sensation of the smallness

of the airport. Everywhere else the airport is an subsuming and dominant force, but here, there is the incredible sensation that the airport is a small piece in a much larger landscape. It seems similar to the sensation of watching the land shrink beneath you as the plane takes off, but your feet are still firmly on the ground.

The informal pathway that winds along the top of the Rongotai ridgel is cut sharply at both ends. To the south, the end is in a carpark; to the north, it stops at the Mirimar Cutting, above the Wellington sign. Despite these abrupt endings, the sense from the middle peak is of a landscape that stretches on indefinitely.

The pathway presents the challenge; what changes can be done to emphasise the wider connections that are so apparent in specific moments? Can more of them be created? Can this ridge be reconnected to the context from which it is isolated?

Fig 7.21: Seat/Regional experience diagram

The informal pathway winds along the lower edges of the bank. The topography hides what is in front of you, the pine trees on the bank cover the glimpses towards Evans Bay. The grade of the path is shallow, wrapping around the lower edges of the peak of this part of Rongotai Ridge.

Fig 7.22: Path to the first rise.

Winding around towards the peak, the shallow rise gradually shows more of what lies beyond, the next ranges of hills slowly emerging from the grass.

Fig 7.23: Approaching the rise.

Fig 7.24: View towards northern end, Wellington Harbour beyond.

From the top of the rise, the pathway extends out towards the harbour. Faced with the enormity of the expansive water, the great flat plain of the airport no longer seems quite so large, and the call of the path towards the water holds a greater pull.

Fig 7.25: North path, between gorse bushes.

The path alternates between wide expansive views, to enclosed walls of vegetation that block the noise of traffic below. Here, the loudest sound is the whistling wind as it goes by. Away from the louder sounds of the airport, the crunching of gravel comes to the fore; the quietness seems all the more special for the noise that came before.

DESIGN: OUTLOOK

For this section, the comparatively untouched nature of this aspect of site, combined with its use for radar equipment necessary for the airport, suggest a minimal approach.

At the moment, Rongotai Ridge has a very small catchment area of users, owing to its entrance that is only nearby to a small number of houses nearby, and it does not connect to anything at the other end.

The pathway currently offers a few key moments of panoramic outlooks over its journey, but its location gives it the potential to create a new view at each turn, emphasising the vast changeability of the landscape.

For these changes, the path is moved slightly in some areas which creates new points for slowing and pausing to watch. Working with these moments, slight changes in the topography and vegetation can work to hide and reveal, directly attention one way or another.

Fig 7.26: Outlook directions for maximum variation

Fig 7.27: Outward experience manipulation

Fig 7.28: Path change render test

The cutting was the first piece of the break in the Rongotai Ridge. This experiment suggests creating a pedestrian bridge across the cutting, connecting the two pieces back together and connecting to a footpath on the north end that connects in turn to the Great Harbour Way around the coastline.

Fig 7.29: Concrete Form-work, Corten Railing

Fig 7.30: Steel Truss, Corten Railing

Fig 7.31: Steel Truss, Timber Railing

Fig 7.32: Rongotai Bridge plan

FIELD STUDY: CUL-DE-SAC

Calabar Road

A last vestige of the old road layout, Calabar is briefly shadowed by another piece of Calabar Road. The houses that face onto here have built their own barriers through fences, trees, and garages, to block the effects from the busy road.

Fig 7.33: Isometric form of Calabar Road section

Fig 7.34: Section of Calabar Road and entire separate of Cul-de-Sac

Fig 7.35: Section of Calabar Road and quiet moment of Cul-de-Sac

Fig 7.36: Field sketches of existing Calabar Road edges

Fig 7.37: Field sketches of design changes to provide separation from road

DESIGNING THE EDGE

The car-dominated logic of Calabar Road currently creates far more of a confronting experience than that of the airport. The road has the potential to provide a connection between the existing pedestrian/cycle networks that connect Evans Bay around the coast to central Wellington, and the airport underpass, connecting to Kilbirnie town centre.

Fig 7.38: Diagram of goals for Calabar Road Design

Fig 7.39: Current configuration of Calabar Road offshoot

Fig 7.40: Pedestrian/Cycle routes

The walkway/cycleway provides two benefits; creating another degree of separation for Calabar Road, and emphasising the public ownership of the land. The triangular spaces left behind after Calabar Road severed the old grid are currently neglected, but offer great potential to become part of the social lives of the houses that front onto them.

Fig 7.40: Calabar Road restructure to add traffic lights and narrow the road turning lanes, providing more space for a public walkway and cycleway.

Fig 7.41: View south down Calabar Road

Fig 7.42: Edge pathway design suggestion

A wall works as a sound-barrier for the noise of Calabar Road, and is front with vegetation. The vegetation visually connects to the runway bank, seemingly removing the separating road. The connection with the neighbouring streets is opened up to allow for each movement from the main pathway deeper into the residential areas.

Fig 7.43: Edge pathway design suggestion

The main pathway along the road edge is raised from the level of the rest of the ground, working as a small, reducing the sound by a small amount. The space between the building frontages is left open and grassed, with the barrier of the pathway acting to privatise the area from the airport for its residential neighbours.

Fig 7.44: Edge pathway design suggestion

Fig 7.45: View north along Calabar Road

Two paths provide a more public cycle route, integrated along the edge of Calabar Road, and the second provides a more local interface for new residential development, and slower pedestrian movements. Existing trees remain and are added to providing a zone of quietness on the edge of the airport.

Fig 7.46: Edge pathway design suggestion

A single wide pathway completely removes human occupation from the edge of Calabar Road. The gap between is vegetated, but with low planting, leaving the visual connection to the road open, but still creating a distinct space. The existing buildings and fenceline is retained, but the area now provides a local frontage for these houses.

Fig 7.47: Edge pathway design suggestion

Fig 7.48: Edge pathway spatial design suggestion

Design Lab
Reflections:

The airport's Calabar Road edge faces another level of separation; the busy road sharply divides the airport from its residential neighbours. The fieldwork throughout this design lab suggests that the road is far more of a deterrent to occupation of the space than the airport itself.

As within Lyall Bay, this knowledge gives us a certain power for starting design; while designing an airport edge may seem overwhelming, designing for separation from a road is a far more familiar and approachable task. Although the airport landscape is often seen to be the driver of the unfriendly edges, in these cases it often seems to be the by-products of the airport that create tension with the existing fabric.

Through this, infrastructure offers the residential neighbours and development something unique; the shared frontage with a comforting lack of individual ownership, facilitated by its proximity to the public road, and airport. Connection to the cycleway under construction in Evans Bay also allows for the road to emphasise its publicness.

The design lab has placed into question the relationship of airports with residential development and suggests that the two do not need to be mutually exclusive. New development offers the chance to improve the standard of noise-protection within the houses that currently need to be refit, and the airport offers a chance for creating a truly collective frontage that reinforces the locality of the residents.

GOLF COURSE

08

The debate of what to do with the golf course has been highly contentious. In this section, the explorations that follow involve very little golf.

Working with the assumption that the eastern apron expansion is accepted, the new challenge becomes the opportunity to design an entirely new edge. Nestled into the topography, the strict technical requirements of the airport, the area brings a design palette of limitation.

At the other end of the golf course, the airport has no plans for further expansion. However, with their need for land severely limited on all other sides, to ignore this entirely might be short-sighted. This design lab also explores the area's potential and its capacity to become an economic power for the airport.

Beyond this, the golf course's current interiority erodes any relationship with the neighbouring streets, further isolating the airport. Redevelopment offers the airport a chance to become more than a city-airport and become an airport in the city.

MIRIMAR GOLF COURSE

South-East Quadrant

Uses:

Residential, Recreational, Industrial

Fig 9.01: Remote observation of key features

GOLF COURSE VS AIRPORT:

To follow the same method of introduction to the edge types of the golf course seems superfluous. The current edges are made almost wholly inaccessible by the golf course's monopoly on its land, exceeded only by the airport. The combination of the intense privatisation of land, by both the airport and the golf course, leaves the area almost entirely separate from its context.

As well as their inaccessibility, the airport's proposal presents a radical change from the current situation. Here, the question for this investigation is what to do with the new edges. The airport masterplan gives little indication of how they plan to treat this edge beyond the borders and addition of a ring road. The golf course currently acts as something of a massive buffer for the negative impacts of the airport on local residents. The airport's proposal will remove this buffer.

Instead, it seems more appropriate to undertake an exercise in imagining the impacts of a typical airport design approach. What new scars would this place on the landscape? With the levelling of a vast area, such impacts cannot be avoided entirely.

Designing with these sharp edges, rather than mitigating after the fact, presents an empowering opportunity. Such an intense boundary is ruled by function; experience does not factor. In approach, this could not be more opposite to the current dynamic of the golf course; experience dominates.

Fig 9.02 (Right): Airport 2040 Proposal

The view of the suggested airport edges overlaid directly onto the site itself puts the scale of the airport's proposal truly into perspective. While the topography of the golf course is considered as flat, its undulating surface slowly rises as it extends towards the steeper banks of the hills that surround it. These hills will form the new buffer around the airports operational facilities once the golf course has been removed.

This bugger already acts as a separation between the golf course and the surrounding houses, ensuring the privacy of both. From the street-frontage of these houses, there is no visual link or relationship to the airport, blocked by the houses, and then by the trees. The open flatness of the golf course carries the sound of taxiing planes further, and the hum of their engines is almost constant in the background.

Fig 9.03: Extents of airport expansion, as seen from walkway near Moa Point Waste Water Treatment Plant (see Fig 9.08 for photograph location)

While Calabar Road presented a suburban relationship to the runway, this expansion places Strathmore houses directly next to the heart of the airport operations. The airport masterplan also relocates the international terminal to this edge; bringing with it the far larger planes than the regional pier that currently borders this side.

CHALLENGE ONE:

SOUTHERN EDGES

Reasons for the eastern apron expansion are based on the need for additional aircraft stands and facilities. A larger international terminal is proposed, with the regional travel facilities relocated to the north. Enlargement of the eastern apron also allows for Wellington Airport to increase its freight facilities and provide areas dedicated to cargo.

The expansion necessitates the flattening of a large area of land. With aviation guidelines requiring a slope of no more than 2% on taxiways, the resulting topography difference at the edge is between 4 and 5 metres in most areas.

Surrounding residential areas are thrust into much closer contact with the airport. No longer will they look over the golf course greens' tranquil serenity, but very directly over the heart of airport operations. This proximity will come with an increase in noise; one of the most shocking aspects of the walk through the hills above the edge is the intensity of quietness between the loudness of aircraft movement.

Fig 9.04: Current Airport configuration

Fig 9.05: Airport proposed configuration

Fig 9.06: Noise experience from Moa Point pathway

Although the masterplan has not detailed the new edge's treatment, one possible assumption for how the airport might approach it is through an engineering approach that meets functional requirements through the most straightforward method.

To this end, an easy solution to imagine is a uniformly sloped cutting, never varying in angle. This solution can be seen at Wellington airport already, as a part of the forgotten headland left behind and isolated, now

reduced to a monumental folly.

This hill, which towers over the airport operations yet remains invisible, is another casualty of the eastern expansion. The plans call for the hill to be flattened, losing a height of 25 metres.

Fig 9.07: Before and After section of infrastructural response to topography

Fig 9.08: Airport Expansion proposal and suggest new edge impacts, and location of Fig 9.03

Fig 9.09: Before and After sections demonstrating the scale of topography changes, and the relationship to the surrounding streets

Fig 9.10: Base of the slope that will become the new border with the airport. The current undulating landscape is highlight through the tracks of golf carts through the morning dew.

TESTING THE EDGE:

If the airport were to opt for a retaining wall around this edge, the sharp edge might hide some of the harsher aspects of the airports borders. Similar to the intimacy experience along the gorge of Calabar Road, the sections and this view point to a highly variable topography around the edge, with significant

potential to engage with this variability through design

Exploring the form of this edge also allows for incorporating elements of noise mitigation into the design. Designs such as Buitenschot Park use triangulated forms to disperse sound-waves away from neighbouring residential areas.

Fig 9.11: Experimentation with edge configurations

EDGE THROUGH SECTION:

To development of the eastern apron provides the opportunity to increase the connection for the neighbouring suburbs. Currently, the housing on the hill has very limited options of accessing the waters edge, other than a detoured route past the Waste Water Treatment Plant, or a walkway which connects 1.5 kilometres further down the coast.

The shoreline at Moa Point is hidden from all but the few who live in the small collection of houses lining the coast, but connecting to here provides the opportunity to connect to the collection of coastal tracks around this edge, as well as to connect to the riprap edge of Lyall Bay through the airport tunnel.

The location of the airport expansion plan also presents the interesting junction of infrastructural typology and the natural ecologies that exist around the site. The combination of these two elements within design offers something more than simply providing a buffer for the houses around, but also the potential to create a draw-card for a different type of experience.

Fig 9.13: Banded dotterel (*Charadrius bicinctus*) protecting its nest at Moa Point. Located 150 metres away from runway.

Fig 9.12: Suggested pathway connections around new airport edge

Fig 9.14: Wall relationship highlighting visual and audio connections to the airport.

Edge: Private

Fig 9.15: Single pathway is lowered from the wall that separates the airport. The banks rising either side are vegetated, created a sense of enclosure, and separation from the airport.

Edge: Private + Public

Fig 9.16: The two pathways provide two different experiences; the lower one, although closer to the edge, feels more private through the banks enclosing it, and the wall rising higher than vision of the airport. The upper one, separated by vegetation from the lower one, provides an intimate outlook with the airport, removing the view or relationship to the walled edge.

Edge: Public + Public

Fig 9.17: The openness of both pathways create a direct visual relationship with each other, and with the airport, while the bank still creates privacy for the houses above.

Edge: Private/Public gradient

Fig 9.18: The constructed forms of terracing spread the infrastructural typology out further from the edge, using the airport as a symbol of collective ownership. The gradual change from manicure terraces into rough, natural planting increases the impact of both.

EDGE: REFLECTIONS

From the changed edges, the power of design seems to come into its full potential when creating moments of privacy right next to the harshest edge of the airport. The intense noise and activity of the eastern apron seem the ideal backdrop to contrast with quiet moments of intimacy with the natural hill slopes rising above it.

These moments of privacy are best offset through contrast with moments of open engagement with the airport. The fieldwork of the pathways that already twist around the hills higher above the airport revealed the impact of loud noise (or more accurately, the removal or stopping of loud noise) to better

highlights the small sounds, of leaves rustling, or waves crashing. These assumptions also work with the perimeter road, which provides an extra level of distance from the main operations.

Fig 9.19: Section/Collage of Edge Privacy with perimeter road

CHALLENGE TWO:

NORTHERN DEVELOPMENT:

Although the airports' expansion plans do not lay out any intentions towards the northern edge of the golf course, the other half's purchase suggests various scenarios as a result.

Scenario One: The golf course keeps the remaining land and becomes a nine-hole golf course. Very little will change for their neighbours as a result of this. The intense privatisation of the land will continue, and the golf course will continue to exist in as much isolation as the airports' current situation.

Scenario Two: The golf course keeps the remaining land but decides to relocate, with the land sale's profits, to remain an 18-hole course. The golf course, still the land-owners, can choose any range of futures for it. Should they chose to develop this land, the profits they would make from this could make for an excellent golf course at another location.

Scenario Three: The airport purchases the whole of the land parcel. It uses the land necessary for its expansion and provides an area for future expansion. With the remaining land, it is able to create a development for both airport-related functions and housing development to integrate better within the surrounding neighbourhood. The profits from this development also help to fund their expansion plans.

Whether by the golf course itself or the airport, the northern golf course development allows integration of the land with the houses and streets that border it.

Fig 9.20: Border logic of the edge of the golf course

Fig 9.21: Diagram of border affects of pine tree edging in the golf course

Fig 9.22: View of Northern edge of Miramar Golf Course

DEVELOPMENT:

Developing the remaining half of the golf course opens the question of how to engage with the problem of development in a manner that provides something beneficial to the houses that already surround the golf course edges.

The current logic of the airport's proposal leaves the other half of the golf course as it currently is, providing a buffer between its edges and the neighbouring residential areas (Fig 9.25).

To offset the impact on the airport's residential neighbours, whilst still providing for development, suggested a logic of a land-use gradient (Fig 9.23 and 9.26). This works through slowly changing the development typology in a manner that remains sensitive to the existing character of the surrounding houses. The diagrams in Fig 9.27 then explored structuring road access as a means of separating out these types of building densities and impacts.

Fig 9.23: Development gradation sections

Fig 9.24: Interface with existing housing

Fig 9.25: Current edge relationship to house

Fig 9.25: Airport proposal edge relationship to housing

Fig 9.26: Suggested gradation of land usage

Fig 9.27: Suggested road access logic

DEVELOPMENT: WORKSHOP

Approaching such a large scale of development from a grounded position certainly presents its own challenges. To try and maintain a connection with the relationship to the ground, the housing workshop used printed medium-density housing plans from Monash's¹ infill development, and the NSW Housing Diversity Design Guide.² The map and housing pieces were printed at 1:750, the size that seemed to allow a balance between relatable sizes but still providing enough space to relate to the broader context.

Fig 9.29: Housing puzzle pieces

¹ Monash Department of Architecture, *'Infill Opportunities'*. (Monash University Press, 2011).

² NSW Department of Planning, Industry and Environment *'Low Rise Housing Diversity Design Guide'* 2020

Fig 9.28: Workshop in progress

Fig 9.30: Housing puzzle in progress

Fig 9.31: Initial design attempt, based on workshop drawings and logics

WORKSHOP: EVALUATION

After translating the workshop design into the beginning of what were to have been a more detailed plan, it became apparent that the design had only succeeded in changing one monopoly on the land to another. The design produced a road-dominated logic that subsumed the interesting potential of the golf course landscape. Although it did seem to be successful in creating a transition between the existing residential and the airport, this is mostly just because the space was almost entirely filled with development.

Restarting from here, it seemed that the initial question of how to provide a buffer for the existing residential houses created a neglect of the treatment of the new housing being developed. The existing houses all face away from the golf course; a better question is how can new development provide a better frontage and relationship to this open space?

Fig 9.32: New Housing development logic

Fig 9.33: Relationship of rear of existing housing to the new development

HOUSING RELATIONSHIP

The placement of the access route to the new houses around the current border allows for the direct engagement of the frontages of these houses with the open green space. The space between the new and old development keeps the existing pine trees, and provide extra space for the existing houses to be able to open onto a communal area.

With the separation of cars away from the public front, the question that follows is what treatment will create a blended relationship between the development and public space? An example of this relationship (shown below in Fig 9.34). The stepped relationship of the houses to their landscaping links to the

open banks, providing a clear visual link, but still providing private realms for each of the houses.

For engaging with these ideas, the following pages use medium-density housing templates from NSW Housing Diversity Design Guide that provided access to the rear of the property. These plans were then developed in section, and provided a test case for different configurations of frontages, from dual-dwellings, to larger terraced housing blocks.

Fig 9.34: Anselmi Ridge, Pukekohe, viewed from below.

1:250

1:250

1:100

Fig 9.35: A pathway along the front boundary of the property combined with a low seat or fence that creates a definite border between the public and private realm.

Fig 9.36: A low fence again provides a definite property boundary, but the rolling lawn invited public occupation across the full range of the site. Additional privacy is afforded through border planting inside the property.

1:300

1:100

Fig 9.37: The terraced row houses already provide for a private garden at the rear, with parking facilities below-ground. With the back garden already private, a front border is indicative only through planting, with the public realm extending almost to the walls of the house.

Each of the design templates provides vehicle access to the rear of the property, as well as individual private gardens for each dwelling. This gives the freedom to explore the shrinking of the private land at the front of the sections. Using a variation of these levels of housing intensities also provides for a more dynamic edge from the open space, whilst the small scale garages to the rear of the property relate closely to the scale of the existing houses.

1:750

1:300

1:100

Fig 9.38: The terraced block provides both a walled back garden and interior courtyard, so the test again uses only planting to indicate boundaries, but the slight rise provides a zone of greater privacy than the rest of the open space.

CHALLENGE: WETLAND

The changing in development strategy leaves a large portion of the golf course now free to be developed as an urban park. While using this to provide a pleasant and comfortable open green space next to the airport is a key goal, the land that remains free of development is also by far the lowest point around, aside from the coast, and collects from a significant catchment of water from the airport.

One potential is for the airport to develop this area of land as both a park, and a wetland from treating its water runoff. Designing a wetland adjacent to an airport presents another problem - birds. This prompted an effort to discover what was necessary to turn an attractive habitat for birds into an 'unfriendly' one.

The single biggest change for deterring birds within wetland design appeared to be related to the slope of the edges. A steeper slope provides no option for nesting along its banks. The geometric forms created by this type of banks have the potential to form a sound-mitigating landscape like that of Buitenschot Park, except this time as a functional wetland system.

Fig 9.40: Relationship of birds to wetland design investigation

WETLAND FORMS

Exploring the triangular forms of the wetland landscape has the same question that manipulating the perimeter of the expansion did; how to use these forms to create moments of intimacy? Changing these forms allows for the currently comparatively flat landscape to obscure the airport's chainlink fence edge. As with earlier testing of housing frontage relationships, the changing topography near the housing can quickly alter

the sense of publicness or privateness of the edge.

The diagrammatic testing (Fig 9.43) both the relationship of the slope to the creation of private moments and the visual relationship these slopes create when covered in flowing vegetation.

Fig 9.41: Housing relationship to wetland/park forms

Fig 9.42: View of the golf course, showing the undulating form

Fig 9.43: Form experience and configuration testing

DEVELOPMENT CONFLATION

The final development scenario connects the wetland to a wider network of walkable edges, developed in the previous labs. The open area is easily accessible to neighbouring residents, and adds to the few recreational space available in the local region.

The structure of the housing development creates the feeling of a neighbourhood park next to the airport edge. Combined with topography changes and vegetation, the

edge of the airport is visually minimised from the new housing development, leading to a feeling of privacy.

Fig 9.44: Walkable airport connections

Fig 9.45: Golf course development logic

Fig 9.46: Golf course development

Fig 9.47: Rendered interpretation of relationship between the frontage of the new housing development and wetland park

Design Lab
Reflections:

This design lab highlights just how easy it is to get caught in the aerial-down design approach and be dominated by the resulting form. This area was particularly susceptible to this failing, given the dramatic changes suggested and the limited ability to complete fieldwork on the site itself. These problems are all too common within other infrastructural designs in even more unreachable locations. This highlighted the need to reinforce the relationship between the masterplanning scale and the grounded-conditions, and for this, fieldwork and reference photographs were essential.

It also highlighted the ability to refer to other locations of similar experiences and work through a remote fieldwork approach, using other locations' experiences to emulate the site's sensations. This fieldwork-by-proxy works on understanding the physical relations in another location and correlating them to the design problem.

This design lab emphasises the relationship that fieldwork has with the designer's intuition. Although the location's intense changes provide an entire restructuring for the infrastructural logic, the act of being present within the site allows for the abstract lines of design being drawn to connect to the experiences of the existing landscape.

CONCLUSIONS

09

(more specific question)

How can urban airports contribute to locality?

(more abstract question)

How can large-scaled infrastructure contribute to adjacent locality?

Fig 9.01: Current Design Approach

Fig 9.02: Suggested Design Approach

Each of the design labs focused on a different edge of the airport: some of these involve transformations of an existing edge and some of new edges associated with the airport's proposed expansion. Each of these investigations has the potential to work with, shift or transform a specific edge. Each edge was also designed to be joined with the other edges. Currently, there is minimal movement along some of the edges and some edges do not allow any movement. With the various design changes movement along each edge is now facilitated and movement along all of the edges now can join together to provide the ability to move from one edge to another, between Evans Bay and Lyall Bay, and even around the whole airport. The changes makes each edge more engaging and together the potential circuit created opens up ways for pedestrians and bicyclists to use the edge as new means to get from one place to another and, as part of this, to move around the airport and experience something of the wildly varying strange and strangely local experiences and new neighbourliness of the edges.

Throughout the project, the articulation of the grounded conditions of the airport landscape has been central. Each design lab presented

its individual challenges and experiences to represent, describe and design. Fieldwork identified these conditions – social and experiential tendencies and strangeness – and the relevant spatial and bodily relationships involved in how they are produced, but conveying the nature of these events was a major challenge present throughout the work.

The other challenge throughout the project was demonstrating the unique experiential events and tendencies that the strange landscape of the airport throws up, and catalysing these moments as a potential for locality. Landscape architecture as a discipline tends towards a superficial engagement with the uniqueness of the pre-existing conditions; a tendency perpetuated through the dominant design processes and tools. The thesis explored the experiential implications of a design process based on this particular approach to fieldwork and suggested an alternate way of approaching such large scaled infrastructural sites grounded in bodily-relations. The use of fieldwork as the design-driver (in concert with the development imperatives associated with the infrastructures) inherently places the local at the forefront. However, like all design, this presents its own difficulties.

Fig 9.03: Modified-Suggested Design Approach

Reflections and Conclusions:

Large scale infrastructure is now a ubiquitous and pervasive form of landscape. Engagement through design around the periphery of these landscapes focuses on mitigation and softening of the impacts that infrastructure brings. Unaltered infrastructural edges are often considered non-places, but to mourn the loss of place within infrastructural landscapes is to ignore the intense experiences that these landscapes can be found to produce if we have suitable means of investigation.

The nature and structure of place has been heavily debated, but through review of the discussion and evolution of ideas surrounding place, it became evident that place was more than an abstract concept. Although an intangible idea, place is composed of very tangible and physical relationships, understood through bodily relationships. Earlier interest in the aesthetic relation to the landscape, in the beautiful and sublime, foregrounded bodily relationships with the landscape. These approaches fell from favour, and the deferral to visually scenographic understandings and the aerial perspective further removed landscape design from its relationship to the body.

Infrastructural design often further perpetuates the emphasis on aerial-down approaches, and the landscapes they create are often more functional and transient than occupiable. Even where these landscapes meet the local urban grain, this assumption is still left unchallenged. In changing the design approach to one based on fieldwork and exploration of the grounded relations, this approach soon made it clear that the supposedly generic edges of the airport

were rich in experiences of intimacy with the landscape. The combination of elements of immense scale and sharp edges with the specificity of local conditions is understandable only through our own grounded position, highlighting and emphasising the elements around us. The strangeness associated with the contrast between the vast anonymous and abstractly functional meeting the specifics of the local produces various strangeness; as part of the local intimacies produced. The airport's scale heightens our awareness of the path beneath our feet; the engines' noise makes the crashing of waves or the crunching of gravel louder. There can be senses of shelter and intimacy produced immediately adjacent to the infrastructural edge. The vast, still, flatness of the tarmac makes the wind-blown motion of the grass all the more mesmerising. Design engagement with airport landscapes often focuses on softening the harsher aspects of the landscape but does not account for or embrace the intensity and intimacy that come with harsher effects. Engaging with airport edges involved embracing the existing strangeness they produce and using these moments to catalyse them into the collectiveness of locality.

Fieldwork intrinsically focuses on moments of intense experience or intimacy and highlights these as a way of engaging with the pre-existing conditions of the landscape. The act of producing drawings showing key spatial relations involved in the production of these social and experiential tendencies in a way where we can understand how variations of these spatial relations involve variations of tendencies means that the designer is able to produce drawn material that enables

engagement with and the ability to transform such social and experiential tendencies. Engagement with these moments places a focus on the uniqueness of locality not often or consciously explored through design. The design-by-analysis testing that occurred from the fieldwork is not meant to represent a finalised design suggestion for Wellington Airport, but to highlight a plausible way of engaging with infrastructural edges, to open up a practice with such edges and such infrastructures. The nature of infrastructure is that as a perceived public commodity, even when fenced, separated, and divided, it affords a sense of local ownership often ignored through design.

Bibliography:

- Allan, Penelope. *Feeling Indeterminate: The Experience and Design of Big Landscapes*. RMIT, 2017.
- Allen, Stan. *Points + Lines : Diagrams and Projects for the City*. 1st ed., Princeton Architectural Press, 1999.
- Arefi, Mahyar. 'Non-Place and Placelessness as Narratives of Loss: Rethinking the Notion of Place'. *Journal of Urban Design*, vol. 4, no. 2, Taylor & Francis Group, 1999, pp. 179–93, doi:10.1080/13574809908724445.
- Árnason, Arnar, et al. *Landscapes Beyond Land*. 1st ed., Berghahn Books, 2012, <http://www.jstor.org/stable/j.ctt9qcm4j>. JSTOR.
- Augé, Marc. *Non-Places : Introduction to an Anthropology of Supermodernity*. Verso, 1995.
- Belanger, P. 'Landscape As Infrastructure'. *Landscape Journal*, vol. 28, no. 1, 2009, pp. 79–95.
- Birksted, Jan. *Landscapes of Memory and Experience*. E & FN Spon, 2000.
- Burns, Carol, and Andrea Kahn. *Site Matters*. Taylor and Francis, 2005.
- Casey, Edward S. *The Fate of Place: A Philosophical History*, University of California Press, 1997, pp. 202–42.
- . *Getting Back into Place: Toward a Renewed Understanding of the Place-World*. Indiana University Press, 1993.
- Castello, Lineu. *Rethinking the Meaning of Place : Conceiving Place in Architecture-Urbanism*. Farnham, England; Ashgate Pub. Company, 2010.
- Cipriani, Laura. *Ecological Airport Urbanism. Airports and Landscapes in the Italian North East*. Università degli Studi di Trento, 2012.
- Connolly, Peter. *An Affirmative Open Systems Conception of How to Design Landscape*. RMIT, 2012.
- Corner, James, and Alison Bick Hirsch. *Landscape Imagination : Collected Essays of James Corner 1990-2010*. Princeton Architectural Press, 2014.
- Cosgrove, Peter. 'Edmund Burke, Gilles Deleuze, and the Subversive Masochism of the Image'. *ELH*, vol. 66, no. 2, Project Muse, 1999, pp. 405–37, doi:10.1353/elh.1999.0012.

Davis, Brian, and Thomas Oles. 'From Architecture to Landscape'. Places Journal, 2014, <https://placesjournal.org/article/from-architecture-to-landscape/?cn-reloaded=1>.

Duempelmann, Sonja. 'Airport Landscape: Urban Ecologies in the Aerial Age' - Keynote Introduction. Airport Landscape: Urban ecologies in the Aerial Age, Harvard Graduate School of Design.

---. *Flights of Imagination : Aviation, Landscape, Design*. University of Virginia Press, 2014.
Dümpelmann, Sonja, and Charles Waldheim. *Airport Landscape. Urban Ecologies in the Aerial Age*. Harvard University Press, 2016.

Favargiotti, Sara. 'Renewed Landscapes: Obsolete Airfields as Landscape Reserves for Adaptive Reuse'. Journal of Landscape Architecture, vol. 13, no. 3, Routledge, Sept. 2018, pp. 90–100, doi:10.1080/18626033.2018.1589147.

Favargiotti, Sara, and Jessy Yang. *Airfield Manual: Field Guide to the Transformation of Abandoned Airports*. Harvard University Graduate School of Design, 2017.

Gandy, Matthew. *Concrete and Clay : Reworking Nature in New York City*. MIT Press, 2002.

Gueze, Adriaan, and Maarten Buijs. 'West 8 Airport Landscape: Schiphol'. Scenario Journal, vol. SCENARIO 04: BUILDING THE URBAN FOREST, Spring 2014, <https://scenariojournal.com/article/airport-landscape/>.

Günzel, Stephan. 'Deleuze and Phenomenology'. Metodo. International Studies in Phenomenology and Philosophy, vol. 2, no. 2, 2014, pp. 31–45.

Heidegger, Martin. *An Introduction to Metaphysics*. Yale University Press, 1959.

---. *Basic Writings from Being and Time (1927) to The Task of Thinking (1964)*. 1st ed., Harper & Row, 1977.

Hunt, John Dixon. *Gardens and the Picturesque : Studies in the History of Landscape Architecture*. MIT Press, 1992.

Jones, Emma. 'The Nature of Place and the Place of Nature in Plato's *Timaeus* and Aristotle's *Physics*'. Epoché, vol. 16, no. 2, 2012, pp. 247–68.

Kalven, Jamie. *The Unmaking of Place*. <https://invisible.institute/news/2014/unmaking-of-place>. The Accidental Preservationist: Artists, Artisans, Outliers and the Future of Historic Preservation, New York.

Koolhaas, Rem, and Bruce Mau. *S, M, L, XL*. New York, N.Y. : Monacelli Press, 1995.

Lavin, Sylvia, and Claude-Henri Watelet. 'Sacrifice and the Garden: Watelet's "Essai Sur Les Jardins" and the Space of the Picturesque'. *Assemblage*, no. 28, The MIT Press, 1995, pp. 17–33, doi:10.2307/3171447. JSTOR.

Le Corbusier. *Aircraft*. Universe Books, 1988.

McHarg, Ian L. *Design with Nature*. J. Wiley, 1992.

Meyer, Elizabeth K. 'The Expanded Field of Landscape Architecture'. *Ecological Design and Planning*, 1997, pp. 45–79.

Moore, Kathryn. 'Is Landscape Philosophy?' *Is Landscape ... ?*, Routledge, 2016, pp. 285–301.
Mostafavi, Moshen. 'Airport Landscape: Urban Ecologies in the Aerial Age' - Introductions and Keynotes. *Airport Landscape: Urban ecologies in the Aerial Age*, Harvard Graduate School of Design.

Najle, Ciro. *The Generic Sublime : Organizational Models for Global Architecture*. Harvard University Graduate School of Design, 2016.

Neuman, Michael. 'Regional Design: Recovering a Great Landscape Architecture and Urban Planning Tradition'. *Landscape and Urban Planning*, vol. 47, no. 3, 2000, pp. 115–28.

Norberg-Schulz, Christian. *Genius Loci : Towards a Phenomenology of Architecture*. Rizzoli, 1980.

Nye, David E. *American Technological Sublime*. MIT Press, 1994.

Relph, Edward. 'Overview of Non-Place/Placelessness Ideas'. PLACENESS, PLACE, PLACELESSNESS, 2016, <https://www.placeness.com/overview-of-anti-place-terms-and-processes-placelessness-non-place-rootshock-etc/>.

---. 'Placemaking (and the Production of Places): Origins'. PLACENESS, PLACE, PLACELESSNESS, 2016, <https://www.placeness.com/placemaking-and-the-production-of-places-origins-and-early-development/>.

Roncken, Paul A., et al. 'Landscape Machines: Productive Nature and the Future Sublime'. *Journal of Landscape Architecture*, vol. 6, no. 1, Routledge, Mar. 2011, pp. 68–81, doi:10.1080/18626033.2011.9723448.

Rosier, Shaun. 'Operationalising the Sublime: Remediation of the Horokiwi Quarry'. (Victoria University of Wellington, 2021).

Swailles, Janet. *Field Sketching and the Experience of Landscape*. Routledge, Taylor & Francis Group, 2016.

Treib, Marc. 'Nature Recalled'. *Recovering Landscape : Essays in Contemporary Landscape Architecture*, Princeton Architectural Press, 1999, pp. 28–43.

Trigg, Dylan. 'Place and Non-Place: A Phenomenological Perspective'. *Place, Space and Hermeneutics*, edited by Bruce B. Janz, Springer International Publishing, 2017, pp. 127–39, doi:10.1007/978-3-319-52214-2_10.

Waldheim, Charles. 'Aerial Representation and the Recovery of Landscape'. *Recovering Landscape : Essays in Contemporary Landscape Architecture*, Princeton Architectural Press, 1999, pp. 120–39.

---. *Landscape As Urbanism : A General Theory*. Princeton University Press, 2016.

---. 'LANDSCAPE URBANISM: A GENEALOGY'. *PRAXIS: Journal of Writing + Building*, no. 4, Temporary Publisher, 2002, pp. 10–17. JSTOR.

'What Is Placemaking?' *Projects for Public Spaces*, 2007, <https://www.pps.org/article/what-is-placemaking>.

Wilkie, Kim. *Led by the Land : Landscapes*. Frances Lincoln, 2012.

Image sources:

Fig 1.01: Cipriani, Laura. 2012. Airport Structure Diagrams. Diagram. Retrieved from https://issuu.com/laura_cipriani/docs/laura_cipriani_ecological_airport_urbanism_en_open

Fig 2.01: GROSS.MAX. 2011. *Tempelhof Masterplan*. Competition masterplan entry. Retrieved from <https://worldlandscapearchitect.com/gross-max-sutherland-hussey-win-parklandschaft-tempelhof/>

Fig 2.02: OLM Paysagiste. 2005. Hellenikon Metropolitan Park aerial. Aerial render. Retrieved from <https://www.o-l-m.net/fr/projets/1-projets/49-hmp>

Fig 2.07: de Kort, Paul. 2016. Man walking through Buitenschot Park. Photograph. Retrieved from <http://landezine.com/index.php/2016/07/buitenschot-park-by-hns-landscape-architects/>

Fig 2.11: Aerial photograph of First Flight, Auckland Airport. Retrieved from <https://landezine-award.com/first-flight-auckland-international-airport-2/>

Fig 6.05: Three children, sitting on a hillside, looking over Lyall Bay, toward Moa Point. Ref: 1/2-C-02242-F. Alexander Turnbull Library, Wellington, New Zealand. /records/22715395

Fig 7.04: Aerial view of Rongotai, Wellington. Evening post (Newspaper. 1865-2002) :Photographic negatives and prints of the Evening Post newspaper. Ref: 114/230/14-G. Alexander Turnbull Library, Wellington, New Zealand. /records/23120508

Fig 7.07: Monash Department of Architecture, 2011 'Infill Opportunities Design Strategies. Isometric drawing. Monash University Press.

All other images are authors own.